

Question 1 (1 pt)

Every node in a binary tree has at most three children.

- ☐ True
 - ☐ False
-

Question 2 (1 pt)

After inserting an item in a binary search tree, the resulting binary tree must also be a binary search tree.

- ☐ True
 - ☐ False
-

Question 3 (1 pt)

A search in a binary tree must start at the bottom node.

- ☐ True
 - ☐ False
-

Question 4 (1 pt)

In postorder traversal, the first step is traversing the parent.

- ☐ True
 - ☐ False
-

Question 5 (1 pt)

A node in the binary tree is called a ____ if it has no left and right children.

- ☐ leaf
 - ☐ parent
 - ☐ root
 - ☐ child
-

Question 6 (1 pt)

___ binary tree is filled at all levels.

Answer: __

Question 7 (1 pt)

___ node has no incoming arc.

Answer: __

Question 8 (1 pt)

The three different types of binary tree traversal are postorder, preorder, and ___.

Answer: __

Question 9 (1 pt)

Collision occurs when multiple values are mapped to the same location in a hash table.

- ☐ True
 - ☐ False
-

Question 10 (1 pt)

Linear probing may result into ____.

- ☐ Primary Clustering
- ☐ Chaining
- ☐ Secondary Clustering
- ☐ none of above