
# The Chado "Health" module


### Α


### A Database of *Drosophila* Genes & Genomes


Home Tools Files Species Documents Resources News Help Archives Jump to Gene Go














Batch Download



FlyBase Forum


Find a Fly Person

#### News

FlyBase 102 | 1 Dec 13 New in Release FB2013\_06 | 4 Nov 13 2014 Dros Image Award | 22 Oct 13 Stock Center User Survey | 18 Jun 13 Fly Mating Scheme Design | 13 Mar 13 GenBank Release | 25 Jan 13 2013 Release Schedule | 6 Nov 12 NAR article on bibliography | 5 Nov 12 White Paper 2012 | 8 Jun 12

#### Upcoming Meetings

Invtbt-Microbe Interactions | 26 Jan 14 Joint SFBD-EFOR meeting | 10 Feb 14 55th ADRC | 26 Mar 14 19th Crete Dros Mol/Dev Bio | 22 Jun 14 7th Intl Symp Mol Insect Sci | 13 Jul 14 Dros in Exp Genetics & Bio | 6 Oct 14 2nd ESE-EMBO Minibrains I 8 Nov 14



#### Commentary

See all commentaries

#### FlyBase RNA-Seg RPKM data bulk download



May 6, 2013. FlyBase is extending its initial genelevel analyses of RNA-seq throughput data from modENCODE and others. The algorithm for RPKM (reads per kilobase per million mapped reads) has been refined, additional datasets have been analyzed, and these data are now available for bulk download... (More)

### FlyBase use case

Drosophila used to model aspects of a human disease or disorder

Provide links to information about the condition - Human Disease Summary

Support searches via synonyms, dbxrefs and cyterms

Link to reagents – fly alleles and transgenic constructs (human genes in fly)

Link to literature


Link to fly phenotypes

General Information	General Information						
Name HH1b	amyotrophic lateral	FlyBase ID HH1f	FBds0000005				
Name IIII	sclerosis 10	Try Dasc 1D 111111	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2				
DOID HH2d		Parent Disease	amyotrophic lateral				
		HH2b (HH1b of)	sclerosis				
OMIM HH1c/HH2c	ALS10 612069	Parent Disease DOID	DOID:332				
		HH2b (HH2d of)					
Disease Summary Information							
Parent Disease Summary: amyotrophic lateral sclerosis HH2b (HH1b of)							
Symptoms and	Amyotrophic lateral sclerosis is a neurodegenerative disorder characterized						
phenotype HH2b	by the death of motor neurons in the brain, brainstem, and spinal cord,						
(HH4a of)	resulting in fatal paralysis. ALS usually begins with asymmetric involvement						
	of the muscles in middle adult life. Approximately 10% of ALS cases are familial. ALS is sometimes referred to as 'Lou Gehrig disease' after the famous						
	American baseball player who was diagnosed with the disorder. [from OMIM						
	105400, 2013.08.02]						
Genetics HH2b	ALS is a genetically heterogeneous disorder, with several causative genes and						
(HH4b of)	mapped loci. [from OMIM 105400, 2013.08.02]						
Specific Disease Summary: amyotrophic lateral sclerosis 10 HH1b							
Human gene(s)	Hsap\TARDBP						
implicated HH7a							
Symptoms and	Some patients with mutations in the TARDBP gene develop frontotemporal						
phenotype HH4a	dementia with TDP43-positive inclusions. Patients with TARDBP mutations						
	and frontotemporal dementia may or may not have associated signs of motor						
	neuron disease. [from OMIM 6		· ·				
	•	•					
Genetics HH4b	This form of autosomal domin	ant amyotrophic lateral	l sclerosis, ALS10, is				
caused by heterozygous mutation in the TARDBP gene, which encodes							
	TDP43 protein, on chromosome 1p36. [from OMIM 612069, 2013.08.02]						
	•						

Model Status and Key Findings							
Status of Drosophila Model							
HH10	Dmel\@TBPH@ is similar in structure and in vitro functions to the human gene TARDBP. Dmel\@TBPH@ mutants exhibit adult locomotor defects. Tissue-specific expression of transgenic constructs of @Hsap\TARDBP@ results in a neurodegeneration phenotype, reduced life span, and/or locomotor defects. Cytoplasmic, but not nuclear, accumulation of @Hsap\TARDBP@ is cytotoxic. @Hsap\TARDBP@ interacts genetically with @Hsap\UBQLN1@. Dmel\@TBPH@ interacts physically with Dmel\@caz@. [updated August 2013]						
Description of experiments							
Mammalian transgenic(s) HH11a	Drosophila transgenic lines of a mammalian orthologous gene have been created (FBrf0210043, FBrf0210443, FBrf0210957, FBrf0211667, FBrf0212655, FBrf0213887, FBrf0214156, FBrf0214718, FBrf0216240, FBrf0217614, FBrf0219102).						
Useful Dmel transgene(s) HH15b							
Transgene	All				Associated Stock		
P{UAS-TBPH.L}	TB	TBPHScer\UAS.cLa		Not publicly available			
P{UAS-TBPH.R}	TBPHScer\UAS.cRa				Not publicly available		
Stocks from Dmel RN	Ai collection	ns HH15d					
Transgene				ociated Stock			
P{TRiP.HM05194}		ТВРНнм0519	4	P{TRiP.HM05194}attP2			
P{GD6943}	TBPHGD6943			_	P{GD6943}v38377 P{GD6943}v38379		
P{GD17843}	CG7804 <sup>GD1784</sup>			P{GI	P{GD17843}v49886 P{GD17843}v49887		
Useful Classical Allele	Useful Classical Alleles of Drosophila Orthologs HH15c						
Allele	Allele Class		Mutagen		Associated Stock(s)		
TBPHex26	Amorphic	allele	P-element activity		Not publicly available		
TBPH <sup>EY10530</sup>			P-element activity		P{EPgy2}TBPHEY10530		
TBPH <sup>G2</sup>	Amorphic	allele	P-element activity		Not publicly available		
References							
Research Papers			oS ONE 72): e31899 n and Neurotoxicity o	f TDP-	43 and Its ALS-Associated		

# Other use cases

Crop pathology
Animal disease
???



# Phenotype ?

- We do not want to capture detail about the human disease phenotypes per se.
- We do want to be able to link observable fly phenotypes with the human disease – i.e. relating to disease model
- To support searches we would need to add non-optimal linking tables eg. phenotype\_synonym

```
-- TABLE: phenotype
CREATE TABLE phenotype (
    phenotype_id SERIAL NOT NULL,
    primary key (phenotype_id),
    uniquename TEXT NOT NULL,
    name TEXT default null,
    observable_id INT,
    FOREIGN KEY (observable_id) REFERENCES cvterm (cvterm_id) ON DELETE CASCADE,
    attr_id INT,
    FOREIGN KEY (attr_id) REFERENCES cvterm (cvterm_id) ON DELETE SET NULL,
    value TEXT,
    cvalue_id INT,
    FOREIGN KEY (cvalue_id) REFERENCES cvterm (cvterm_id) ON DELETE SET NULL,
    assay_id INT,
    FOREIGN KEY (assay_id) REFERENCES cvterm (cvterm_id) ON DELETE SET NULL,
    CONSTRAINT phenotype_c1 UNIQUE (uniquename)
);
CREATE INDEX phenotype_idx1 ON phenotype (cvalue_id):
CREATE INDEX phenotype_idx2 ON phenotype (observable_id);
CREATE INDEX phenotype_idx3 ON phenotype (attr_id);
COMMENT ON TABLE phenotype IS 'A phenotypic statement, or a single
atomic phenotypic observation, is a controlled sentence describing
observable effects of non-wild type function. E.g. Obs=eye, attribute=color, cvalue=red.';
COMMENT ON COLUMN phenotype.observable_id IS 'The entity: e.g. anatomy_part, biological_process.';
COMMENT ON COLUMN phenotype.attr_id IS 'Phenotypic attribute (quality, property, attribute, character) - drawn from PATO.';
COMMENT ON COLUMN phenotype.value IS 'Value of attribute - unconstrained free text. Used only if cvalue_id is not appropriate.';
COMMENT ON COLUMN phenotype.cvalue_id IS 'Phenotype attribute value (state).';
COMMENT ON COLUMN phenotype.assay_id IS 'Evidence type.';
-- TABLE: phenotype cyterm
-- TABLE: feature phenotype
                                                                      Genetic module
```

-- TABLE: phenotypeprop



### Precomputed data files for the current release

Home Tools Files Species Documents Resources News Help Archives Jump to Gene Go

Help Open All Close All

Ξ	■ Main Data Set							
Ро	Postgres Chado Database Dump							
		Chado database (ftp://ftp.flybase.net/releases/FB2013_06/psql)						
Dr	Drosophila Data							
		Current FTP repository (ftp://ftp.flybase.net/releases/FB2013_06/)						
		Current Chado-XML repository (ftp://ftp.flybase.net/releases/FB2013_06/chado-xml)						
		Current Reporting-XML repository (ftp://ftp.flybase.net/releases/FB2013_06/reporting-xml)						
		Genomes FTP archive (ftp://ftp.flybase.net/genomes/)						
•	Synonyms							
#	Genes							
#	7							
#								
+	· · · · · · · · · · · · · · · · · · ·							
#								
•								
•								
<b>∓</b>								
#	Clones References							
	Map Conversion Tables							
	map conversion rable							