

md-presentation

An opinionated starter to write presentations in markdown.

Built on top of [reveal-md/reveal.js](#).

With additional processing of emoji, fragments & injection of code samples.

Hugo Di Francesco

<Title> at <Company>

Slides: [slide-url](#)

Twitter: [@hugo__df](#)

CONTENTS

1. Emoji Support
2. Injection of samples
3. Fragment support
4. npm scripts

1. EMOJI SUPPORT

To give the presentation a bit of colour.

HEADINGS SUPPORT EMOJI 🎉

2. INJECTION OF SAMPLES

There's support for a `<sample>` tag to inject code samples.

This facilitates writing/maintaining the samples as standalone files.

Define the path to inject using the `path=" ./relative-path.ext "` attribute.

Python sample:

```
print("Hello world")
```

JavaScript Sample:

```
console.log('Hello world');  
// with JS syntax highlighting
```

3. FRAGMENT SUPPORT

There's fragment support

- 1.
- 2.
- 3.
- ...

4. SCRIPTS

- `npm run build: build to static (HTML/CSS)`
- `npm run print: build to PDF`
- `npm start: start the local server`
- `npm run dev: start the local server in watch mode`

ACKNOWLEDGMENTS

- Leverages [reveal-md](#) for the markdown editing experience
- Uses [decktape](#) for PDF generation
- Initially used for [async-js-presentation](#), see codewithhugo.com/async-js