

# Package ‘Eunomia’

March 27, 2024

**Type** Package

**Title** A Standard Dataset in the OMOP Common Data Model

**Version** 1.0.3

**Date** 2024-03-27

**Maintainer** Frank DeFalco <fdefalco@ohdsi.org>

**Description** A sample dataset in the OMOP (Observational Medical Outcomes Partnership) Common Data Model (CDM) format. The CDM enables uniform storage of observational health care data, and is widely used for health care analytics. 'Eunomia' contains simulated data as well as a subset of the OMOP Vocabulary, and enables testing of additional packages and is used for educational and demonstration purposes.

**License** Apache License 2.0

**URL** <https://github.com/OHDSI/Eunomia>

**BugReports** <https://github.com/OHDSI/Eunomia/issues>

**Depends** DatabaseConnector (>= 2.2.0)

**Imports** SqlRender,  
RSQLite (> 2.1.1),  
readr

**Suggests** testthat

**Encoding** UTF-8

**LazyData** true

**RoxygenNote** 7.3.1

## R topics documented:

createCohorts . . . . .	2
exportToCsv . . . . .	3
getEunomiaConnectionDetails . . . . .	4

<b>Index</b>	<b>5</b>
--------------	----------

---

`createCohorts`*Construct cohorts*

---

### Description

Creates a set of predefined cohorts in a cohort table. WARNING: this will delete all existing cohorts in the table!

### Usage

```
createCohorts(  
  connectionDetails,  
  cdmDatabaseSchema = "main",  
  cohortDatabaseSchema = "main",  
  cohortTable = "cohort"  
)
```

### Arguments

`connectionDetails`

The connection details to connect to the (Eunomia) database.

`cdmDatabaseSchema`

The name of the database schema holding the CDM data.

`cohortDatabaseSchema`

The name of the database schema where the cohorts will be written.

`cohortTable`

The name of the table in the `cohortDatabaseSchema` where the cohorts will be written.

### Value

A data frame listing all created cohorts.

### Examples

```
connectionDetails <- getEunomiaConnectionDetails()  
createCohorts(connectionDetails)  
  
connection <- connect(connectionDetails)  
  
sql <- "SELECT COUNT(*)  
FROM main.cohort  
WHERE cohort_definition_id = 1;"  
  
renderTranslateQuerySql(connection, sql)  
  
disconnect(connection)
```

---

 exportToCsv

*Extract the Eunomia database to CSV files*


---

## Description

Extract the Eunomia database to CSV files

## Usage

```
exportToCsv(
  outputFolder = file.path(getwd(), "csv"),
  connectionDetails = getEunomiaConnectionDetails()
)
```

## Arguments

**outputFolder** A folder where the CSV files will be written.

**connectionDetails** Connection details for the Eunomia database. Defaults to a fresh Eunomia database.

## Examples

```
# For this example we'll create a temp folder:
folder <- tempfile()
dir.create(folder)

exportToCsv(folder)

list.files(folder)

# [1] "CARE_SITE.csv"           "CDM_SOURCE.csv"       "COHORT.csv"
# [4] "COHORT_ATTRIBUTE.csv"  "CONCEPT.csv"       "CONCEPT_ANCESTOR.csv"
# [7] "CONCEPT_CLASS.csv"   "CONCEPT_RELATIONSHIP.csv" "CONCEPT_SYNONYM.csv"
# [10] "CONDITION_ERA.csv"     "CONDITION_OCCURRENCE.csv" "COST.csv"
# [13] "DEATH.csv"             "DEVICE_EXPOSURE.csv"  "DOMAIN.csv"
# [16] "DOSE_ERA.csv"          "DRUG_ERA.csv"         "DRUG_EXPOSURE.csv"
# [19] "DRUG_STRENGTH.csv"     "FACT_RELATIONSHIP.csv" "LOCATION.csv"
# [22] "MEASUREMENT.csv"      "METADATA.csv"        "NOTE.csv"
# [25] "NOTE_NLP.csv"         "OBSERVATION.csv"     "OBSERVATION_PERIOD.csv"
# [28] "PAYER_PLAN_PERIOD.csv" "PERSON.csv"          "PROCEDURE_OCCURRENCE.csv"
# [31] "PROVIDER.csv"         "RELATIONSHIP.csv"    "SOURCE_TO_CONCEPT_MAP.csv"
# [34] "SPECIMEN.csv"        "VISIT_DETAIL.csv"    "VISIT_OCCURRENCE.csv"
# [37] "VOCABULARY.csv"

# Cleaning up the temp folder used in this example:
unlink(folder, recursive = TRUE)
```

---

`getEunomiaConnectionDetails`*Get Eunomia Connection Details*

---

**Description**

Creates a copy of the Eunomia database, and provides details for connecting to that copy.

**Usage**

```
getEunomiaConnectionDetails(databaseFile = tempfile(fileext = ".sqlite"))
```

**Arguments**

`databaseFile` The path where the database file will be copied to. By default, the database will be copied to a temporary folder, and will be deleted at the end of the R session.

**Value**

A `ConnectionDetails` object, to be used with the `DatabaseConnector` package.

**Examples**

```
connectionDetails <- getEunomiaConnectionDetails()
connection <- connect(connectionDetails)
querySql(connection, "SELECT COUNT(*) FROM person;")
disconnect(connection)
```

# Index

`createCohorts`, [2](#)

`exportToCsv`, [3](#)

`getEunomiaConnectionDetails`, [4](#)