

JAVA - INTERTHREAD COMMUNICATION

If you are aware of interprocess communication then it will be easy for you to understand inter thread communication. Inter thread communication is important when you develop an application where two or more threads exchange some information.

There are simply three methods and a little trick which makes thread communication possible. First let's see all the three methods listed below:

SN	Methods with Description
1	public void wait() Causes the current thread to wait until another thread invokes the notify().
2	public void notify() Wakes up a single thread that is waiting on this object's monitor.
3	public void notifyAll() Wakes up all the threads that called wait() on the same object.

These methods have been implemented as **final** methods in Object, so they are available in all the classes. All three methods can be called only from within a **synchronized** context.

Example:

This examples shows how two thread can communicate using **wait()** and **notify()** method. You can create a complex system using the same concept.

```
class Chat {
    boolean flag = false;

    public synchronized void Question(String msg) {
        if (flag) {
            try {
                wait();
            } catch (InterruptedException e) {
                e.printStackTrace();
            }
        }
        System.out.println(msg);
        flag = true;
        notify();
    }

    public synchronized void Answer(String msg) {
        if (!flag) {
            try {
                wait();
            } catch (InterruptedException e) {
                e.printStackTrace();
            }
        }

        System.out.println(msg);
        flag = false;
        notify();
    }
}
```

```

class T1 implements Runnable {
    Chat m;
    String[] s1 = { "Hi", "How are you ?", "I am also doing fine!" };

    public T1(Chat m1) {
        this.m = m1;
        new Thread(this, "Question").start();
    }

    public void run() {
        for (int i = 0; i < s1.length; i++) {
            m.Question(s1[i]);
        }
    }
}

class T2 implements Runnable {
    Chat m;
    String[] s2 = { "Hi", "I am good, what about you?", "Great!" };

    public T2(Chat m2) {
        this.m = m2;
        new Thread(this, "Answer").start();
    }

    public void run() {
        for (int i = 0; i < s2.length; i++) {
            m.Answer(s2[i]);
        }
    }
}

public class TestThread {
    public static void main(String[] args) {
        Chat m = new Chat();
        new T1(m);
        new T2(m);
    }
}

```

When above program is compiled and executed, it produces following result:

```

Hi
Hi
How are you ?
I am good, what about you?
I am also doing fine!
Great!

```

Above example has been taken and then modified from
[\[http://stackoverflow.com/questions/2170520/inter-thread-communication-in-java\]](http://stackoverflow.com/questions/2170520/inter-thread-communication-in-java)