



Corpus of Spanish Golden-Age Sonnets

Corpus of Spanish Golden-Age Sonnets, Borja Navarro Colorado, María Ribes Lafoz and Noelia Sánchez (ed.), 2015. <https://github.com/bncolorado/CorpusSonetosSigloDeOro> (Last Accessed: 01.05.2017). Reviewed by José Calvo Tello (University of Würzburg), jose.calvo (at) morethanbooks.eu.



Abstract

In this paper a TEI corpus with sonnets from the Spanish Golden-Age is reviewed. Some of the 52 authors represented in the collection are Cervantes, Lope, Quevedo, Tirso, Calderón or Góngora. In total, the corpus contains more than 5000 sonnets. The project is currently under development at the University of Alicante, Spain. One of the strongest aspects of this corpus is the metrical annotation of each verse. The researchers have already analysed the corpus using topic modelling, a suitable technique for the structure of the collection and the size of the texts. The weakest aspect of this collection is the metadata of the files: the majority of them are redundant and some important aspects (e.g. identifiers of texts, author, collection, source) are missing. The corpus is available as a GitHub repository, a good practice that facilitates cloning all the data, the track of changes and the preservation of the corpus.

General information

1 The *Corpus of Spanish Golden-Age Sonnets* is a collection of sonnets in TEI that covers the main canonical Spanish authors from the Golden-Age of the Spanish Literature (16th and 17th Centuries). The Golden-Age or *Siglo de Oro* (also called *Edad de Oro* or *Siglos de Oro*) encompasses some of the most important authors of the

Spanish Literature like Cervantes, Lope, Quevedo, Tirso, Calderón, Góngora, etc. The sonnet represents one of the most important lyric genres of this period.



Fundación BBVA Universitat d'Alicante
Universitat de Alicante

Proyecto ADSO ▾ Corpus de métrica ▾ Sistema de escansión
English València

Proyecto ADSO

El objetivo del proyecto ADSO es realizar un análisis **macroanalítico y distante** del **soneto castellano de los Siglos de Oro**, desde sus primeras manifestaciones renacentistas (Garcilaso de la Vega) hasta los últimos poemas del Barroco (Sor Juana Inés de la Cruz). Para ello se aplican **métodos computacionales** con el fin de detectar sus rasgos generales recurrentes, tanto en aspectos semánticos como métricos.

A diferencia de estudios anteriores, el objetivo no es **analizar** los rasgos específicos de los sonetos de unos pocos autores canónicos, sino **los rasgos comunes de todos los sonetos escritos en castellano durante los siglos XVI y XVII** mediante la aplicación de **técnicas computacionales**. Como resultado del proyecto se espera poder especificar cuáles son esos rasgos literarios comunes a todo el periodo tanto **métricos** como **semánticos** (Navarro Colorado, 2015, 2016).

Los últimos desarrollos en **procesamiento del lenguaje natural** y en el **análisis masivo de texto (text mining)** están permitiendo nuevos acercamientos al estudio del texto literario. Entre ellos destaca el llamado análisis distante (del inglés *distant reading* (Moretti, 2007, 2013)) o macroanálisis (Jockers, 2013). Frente a los métodos crítico-literarios más tradicionales, centrados en el análisis en profundidad de pocos pero bien seleccionados textos literarios, los métodos de análisis distantes o macroanalíticos proponen el **análisis de amplios corpus de textos literarios**. Su objetivo es detectar y definir los **rasgos literarios generales y comunes de todos los autores de una época o periodo literario**.

Ambas aproximaciones, lejos de ser modelos contrarios, son perfectamente compatibles y complementarios. Sólo conociendo los **rasgos generales de un periodo se podrán determinar los aspectos específicos de un autor concreto de ese periodo**. En general, para poder interpretar y estudiar una obra literaria en sus coordenadas correctas es necesario conocer los aspectos literarios y culturales generales tanto del contexto de producción

Buscar ...

Novedades

Los valencianos Cristóbal de Virués y Jerónima Agustina Benita 26 marzo, 2017

Publicación del modelo automático de escansión 26 marzo, 2017

Guía de anotación actualizada 22 febrero, 2017

Convocatoria de dos plazas temporales de técnico superior para colaborar en el proyecto ADSO 16 diciembre, 2016

Comenzamos 7 diciembre, 2016

Fig. 1: Website of the project.

2 The project has been created under the leadership of Borja Navarro Colorado, together with María Ribes Lafoz and Noelia Sánchez at the University of Alicante, Spain. After the publication of the first version, the project got private funding for the next years (2016–2018) from a private foundation for the analysis, annotation and revision of the corpus with the name *Análisis distante del soneto castellano de los Siglos de Oro* (ADSO). The main website of the project (see Fig. 1), which is not the focus of this review, is reachable at <http://adso.gplsi.es>. The TEI version of the corpus is available as a repository on GitHub.¹

The collection




Fig. 2: Folders for each author of the corpus.

3 The basic documentation of the project is available through the *readme* file of the GitHub repository and through the project's website.² The rhythmical annotation is documented in more detail in a PDF file in the repository³ which also explains specific aspects of the corpus. The structure of the folders and files clearly indicates the names of the sonnet's authors (see Fig. 2). Even if the project is documented, as I will explain in the next sections, I miss specific information about the corpus design, its creation and the distribution of sonnets over authors.

4 The creators decided to encode every sonnet as a single file, grouping the works of the same author in a single folder (two folders in the case of Lope, who has 1346 sonnets). Thinking of usage scenarios, this makes the collection a perfect use case for Topic Modeling, for instance, since the texts are already offered in small and homogeneous units. The authors have already published a paper on the topic (Navarro Colorado 2015) that shows what kind of research questions could be applied: topical patterns in groups of authors or periods, or an analysis of the outcome of clustering each author's sonnets. Other kinds of analysis, e.g. stylometry for authorship attribution, or ways of utilization such as reading would require to combine different files into a single file or a conversion to other formats. But since the corpus is available and uses standard technologies, a researcher with programming skills wouldn't have many troubles.

5 This corpus aims to create the most representative collection of sonnets for the Spanish 16th and 17th centuries in order to analyse them, especially their rhythmical structure. Unlike similar repositories for other subgenres created in Spain, this repository has published all its data in the TEI format.

Structure of the corpus

6 Regarding the structure of the corpus, the only criterion mentioned in the documentation is that for every author at least 10 sonnets are included, which could be found in the section "Biblioteca del Soneto"⁴ of the *Biblioteca Digital Cervantes Virtual* (that I will just call *Cervantes Virtual* from now on), and which is one of the biggest collections of Spanish texts in HTML created on the basis of digitizations. That makes this corpus a compilation of the sonnets found in *Cervantes Virtual* where a specific but arbitrary print edition of a work is digitized, encoded in TEI and published only as HTML. So one of the main selection criteria of this corpus is the opportunism of having all these texts already published and available from a single source. Under these terms, it is questionable whether this collection actually represents the population of the sonnets of the period. The corpus contains more than 5000 sonnets from 52 authors. The amount of tokens is not given, but the fixed structure of the genre makes this information less important than for other genres (e.g. novel). The size of the collection seems appropriate in order to analyse it with quantitative methods and it represents the largest collection of Spanish poetry that I am aware of.

7 The corpus is divided into subcorpora of single authors, whose names are encoded in both the names of the folders and the XML files, the latter together with a numerical identification. The amount of sonnets for each author varies greatly, from 10 (e.g. of Cristobal de Virués, Fray Luis de León) to several hundreds (e.g. of Fernando de Herrera, Quevedo or Lope de Vega).

Structure of the files

8 As mentioned before, the fact that all the texts come from *Cervantes Virtual*, is described very briefly on the project website. For that digital library, a large amount of texts has been encoded in TEI over the years, but *Cervantes Virtual* has been always reluctant either to publish it in other formats than HTML or to facilitate the TEI to other researchers. Although the ADSO project and *Cervantes Virtual* are based at the same university, it seems that the texts have been processed directly from the HTML published

on the web, probably transformed with regular expressions (as many other projects working with Spanish texts do) and converted to TEI, even though this is not clearly explained. Thanks to this corpus, the research community has won access to data that was already encoded in TEI but was inaccessible. The project has also isolated every sonnet, identified the kind of stanzas and numbered the verses. The most interesting enrichment that has been done by the project is without doubt the formal annotation of the rhythmical structure of every verse. Sadly, the recollection of the texts has also caused the loss of some metadata: in the source, the sonnets are normally published as a part of a collection of sonnets and usually every sonnet is numbered. Here, the relations between the different sonnets are only kept in the source description (sourceDesc) in the TEI header. For instance, the link to the primary source in *Cervantes Virtual* is missing.

```
<TEI xmlns="http://www.tei-c.org/ns/1.0">
  <teiHeader>
    <fileDesc>
      <titleStmt>
        <title> Spanish Metrical Patterns Bank: Golden Age Sonnets.</title>
        <principal>Borja Navarro Colorado</principal>
        <respStmt>
          <name>Borja Navarro Colorado</name>
          <resp>Metrical patterns annotation</resp>
        </respStmt>
      </titleStmt>
      <publicationStmt>
        <publisher>Natural Language Processing Group. Department of Software and
          University of Alicante (Spain)</publisher>
      </publicationStmt>
      <sourceDesc>
        <bibl><title>Sonetos</title> de <author>Cervantes</author>. <publisher>Bibliote
          Cervantes</publisher>, edición de <editor role="editor">Ramón García Gonzál
        </sourceDesc>
      </fileDesc>
      <encodingDesc>
        <metDecl xml:id="bncolorado" type="met" pattern="((\+|\-)+)*">
          <metSym value="+">stressed syllable</metSym>
          <metSym value="-">unstressed syllable</metSym>
        </metDecl>
        <metDecl>
          <p>All metrical patterns have been extracted automatically.</p>
        </metDecl>
      </encodingDesc>
    </teiHeader>
```

Fig. 3: Example of the TEI header of a sonnet from Cervantes.

9 The authors don't communicate if there has been any quality check of the texts. Again, because of the very specific structure that sonnets have in general, it would be very simple to check if all files have specific features (four stanzas, 14 verses, etc.). Since the project has been managed with GitHub, one can see that they have been

correcting their own rhythmical annotation since the start of the project, which is also kept in the TEI header in `metDecl`.

10 Information about the metrical structure is encoded in every `l` element in the corresponding `@met` attribute with a combination of pluses and slashes, which is explained in the TEI header and follows the recommendation of the TEI Guidelines. This information has been added automatically and it is being corrected manually. The editors of the text collection have published a paper about the the method of scansion (Navarro Colorado 2017).

```
<text>
  <body>
    <head>
      <title>Del Burlador, académico argamasillesco, a Sancho Panza Del Quijote, Prim
      LII </title>
    </head>
    <lg type="cuarteto">
      <l n="1" met="+-++-+-" >Sancho Panza es aquéste, en cuerpo chico,</l>
      <l n="2" met="-+---+---" >pero grande en valor, ¡milagro extraño!</l>
      <l n="3" met="-+---+---" >Escudero el más simple y sin engaño</l>
      <l n="4" met="-+---+---" >que tuvo el mundo, os juro y certifico.</l>
    </lg>
    <lg type="cuarteto">
      <l n="5" met="+-++-+-" >De ser conde, no estuvo en un tantico,</l>
      <l n="6" met="-+---+---" >si no se conjuraran en su daño</l>
      <l n="7" met="-+---+---" >insolencias y agravios del tacaño</l>
      <l n="8" met="+-++-+-" >siglo, que aun no perdonan a un borrico.</l>
    </lg>
    <lg type="terceto">
      <l n="9" met="+-+---+---" >Sobre él anduvo -con perdón se miente-</l>
      <l n="10" met="+-+---+---" >este manso escudero, tras el manso</l>
      <l n="11" met="+-+---+---" >caballo «Rocinante» y tras su dueño.</l>
    </lg>
    <lg type="terceto">
      <l n="12" met="+-+---+---" >¡Oh vanas esperanzas de la gente!</l>
      <l n="13" met="+-+---+---" >¡Cómo pasáis con prometer descanso,</l>
      <l n="14" met="+-+---+---" >y al fin paráis en sombra, en humo, en sueño!</l>
    </lg>
  </body>
</text>
```

Fig. 4: Text of the same sonnet from Cervantes.

11 The great majority of the metadata of every file is shared by the rest of the files. According to this approach, the metadata is converted into general information about the project, rather than about the files themselves. In general, the only places where the metadata vary are the `sourceDesc` and the `metDecl` elements (if the text has been corrected manually). This brings up several questions: Should the title in the `titleStmt` contain only the title of the whole corpus instead of the text encoded in each file (e.g. of each sonnet)? Shouldn't the name of the author also be kept in the `titleStmt` and not only in the name of the file? Why is there no `revisionDesc`?

12 Other metadata which would be very useful when working with the collection are missing: the original link to the source at *Cervantes Virtual*; information and identifiers (through standards like VIAF) about the different stages of the publications (the publication of the digital edition in *Cervantes Virtual*, the publication of the printed edition digitized by *Cervantes Virtual*, the publication of the first edition of the text) with the corresponding publication dates; the explicit identification of the number of the poem according to its position in the digitized anthology; and also an identifier that the project itself defines (which could be the same as the name of the file).

13 The basic text in this project is the sonnet, so each sonnet is encoded in a separate TEI file. This is a different structure from the one of *Cervantes Virtual*, where a collection of sonnets already published as a book was digitized and encoded as one file and shown in HTML as a group of sonnets, connected by links. These two models have advantages and disadvantages.

14 On the one hand, the model of one file for each collection organizes the sonnets of each author in their publication context and order. Like this, the works of one author are represented only by some files and not by hundreds of files. In this model the sonnet can still be accessed individually and, through XML technologies like XPath and XSLT, all the sonnets can easily be isolated as single files. The biggest disadvantage of this model is that using a single text element for all the sonnets makes it impossible to encode metadata for each poem.

15 On the other hand, the model of one file for each sonnet, which has been used for the text collection discussed here, reinforces the individuality of the sonnet and reduces the importance of the collections of the sonnets (as there might be several different collections, some of them created years after the death of the author). Plus, if all the texts have an homogeneous structure and length, it is easier to analyse them for example with techniques like Topic Modeling. One of the biggest disadvantages of this model is that it is harder to keep the information about the original collection each sonnet belonged to, and about where the sonnet was placed in that collection. In the way the collection is structured right now, it would probably be possible but really hard to recreate the structure of whole collections. This could be done by using the name of the collection given in the header of a single sonnet file to associate the sonnet with the corresponding collection and to place it in the collection according to the Roman number given in the header of the text. If the collection would have sub parts grouping some of the sonnets closer

together, that information would most probably be lost. In addition, the greatest advantage of this model is actually not exploited by this project: to give specific metadata about each sonnet in the TEI header. In the current state of the corpus (and as I have already said, the project is still ongoing), all the sonnets of a certain published collection share all their metadata, so that all their TEI headers are redundant.

16 There are different possibilities to fully exploit the advantages and to balance the disadvantages of these two structural models. First, grouping all the sonnets originating from the same published collection in a single file, structuring of course each sonnet as an individual poem. Besides, it would be possible to offer each poem as a single file as an export version in plain text to facilitate its analysis. This could be a good way if it is not planned to add specific metadata about each poem. Secondly: Keeping the structure of a single file for each poem but add some metadata that identify in an unequivocal way the published collections it belongs to, its section in the collection (if there are any), and its exact position in it. Thirdly, and probably the most flexible and structured option, structuring all the collections of the same writer in a single TEI file with a `teiCorpus` element as root element; this would contain other `teiCorpus` elements for each collection of sonnets written by this author. Finally, each sonnet can be encoded as a dedicated element TEI. In doing so, it is possible to add extra metadata in the child element `teiHeader` if needed.

Publication

17 All the data is available through GitHub, which means that the researcher can download everything at once and keep track of every change easily. This reflects a major and laudable change in a positive direction in the way that DH projects have published their data in Spain. The corpus doesn't provide any other format of the data. What would be of great help are metadata in tabular form, ideally one table for authors (with the amount of sonnets and the information about their original publication contexts) and one for the sonnets (with an identifier, the author, the original published collection, the sonnet's number, etc.).

18 It is very easy to think of re-use scenarios for these data, especially since the Golden Age is the period of the Spanish Literature for which most texts have been digitized, for example in the corpora *IMPACT-es diachronic corpus* and *TESO* (amongst others).

Interface (beta)

goldenage.cervantesvirtual.com

Search

GOLDENAGE.CERVANTESVIRTUAL.COM

1 SOBRE EL CORPUS ENCUESTA

Título del poema

Búsqueda por palabras en el título del poema

Verso

amor

Búsqueda por palabras en el verso

Métrica

++-+-+--+

Introduce una métrica siguiendo la documentación del corpus (ej:++-+-+--+-) o con números separados por comas marcando la secuencia de sílabas tónicas (ej:1,2,4,6,10).

Filtrar por tipo de estrofa Todos

Ordenado por Relevancia

Número de resultados 100

Buscar

40 resultados obtenidos

Descargar en formato CSV Separador:

Título del poema	Autor	Métrica	Número de verso	Verso
Persevera en las quejas de su dolor y advierte a Lisi del inútil arrepentimiento que viene de la hermosura pasada	Quevedo, Francisco de	++-+-+--+	4	no sé lo que es amor, y Amor lo ordena.
- CCXXXIII - A la princesa de Molfeta	Cetina, Gutierre de	++-+-+--+	9	No fue flaqueza, no, ni son amores:
- 30 - Acto III, FELICIO De La boda entre dos maridos	Vega, Lope de	++-+-+--+	3	no digo amor, que amor a nadie ofende?
- 48 -	Vega, Lope de	++-+-+--+	11	que hay limpio amor en noble amor fundado.
- XLII -	Vega, Lope de	++-+-+--+	3	si es gran contrario amor, amor me esfuerza
- VII -	Leonardo de Argensola, Bartolomé	++-+-+--+	1	Visto has amor, que no al rebelde brio
- XCVI -	Herrera, Fernando de	++-+-+--+	1	¿Es este el fruto, Amor, que al fin recojo
- CCXI - Al Principe de Ascoli	Cetina, Gutierre de	++-+-+--+	5	Ya amor te espera al paso, y tú llorando
- LX -	Boscán, Juan	++-+-+--+	7	un claro amor, que el alma me ha

Fig. 5: Search using metrical structure and the word “amor”.

19 The project also offers an interesting interface available via the menus of the website of the project ("Corpus métrica" > "Consultar").⁵ Currently, the main function of this interface is to make querying the data easier using the information about author, title, poem, verse, metrical structure or stanza. The search results are always given as verses and give the possibility to read the verse, export the result as a CSV table or navigate to the original digital version in *Cervantes Virtual* (see Fig. 5). This last function is surprising since, as already mentioned, this link is not given in the TEI. The creator of the project has explained to us that the position of every sonnet in *Cervantes Virtual* has been searched again and that each URI has been kept in a database for use in the interface. Another interesting aspect is to be found in the URI: the subdomain is actually part of *Cervantes Virtual*. As confirmed through personal communication, both projects are currently working together. In any case, this part is announced as beta and is only linked to from the menu, so its maintenance is unclear.

Preservation

20 On the GitHub page and on the website of the project, basic documentation is given, although some questions about the creation and its design remain unanswered, as I have already pointed out.

21 The metrical annotation is under a Creative Commons Attribution-Non Commercial 4.0 International License and the digital texts remain under the copyright of *Cervantes Virtual*. This double licence situation could confuse people from other projects who want to reuse the data about what exactly they are allowed to do with the corpus as a whole.

22 The URI of the GitHub repository can be used as a unique identifier to quote the repository, and the version control system of this platform allows to quote or to access any specific state of it. Sadly, the repository doesn't offer a DOI, which would be possible using the integration of GitHub releases and Zenodo DOIs. The project also offers a recommendation about how to cite it, proposing to cite a conference paper (Navarro-Colorado, Ribes Lafoz, Sánchez 2016).

23 Since the start of the project last year the project members have corrected the annotation of some poems. It can be expected that this corpus will grow or that its metadata will be enriched. GitHub is a good place to keep things in the long term, although the already mentioned integration with Zenodo would improve the archiving of the text collection.

Conclusion

24 In conclusion, even if it is an ongoing project with expected progress in the next months, this is already a very valuable resource, which allows to analyse the sonnets of the Spanish Literature of the Golden Age, of considerable size and using standard technologies. The researchers have published their data in TEI using GitHub and best practices that can be considered a pioneer work in the year 2015 in the field of Spanish Literature. Its publication is a milestone for the DH landscape in Spanish language and I hope that it will raise expectations for this kind of resources in the field. The project offers a resource of good quality to other researchers wishing to use it: it is open, accessible and citable. However, the documentation of the project is inconsistent: some aspects, like the metrical annotation, have been documented extensively; other aspects, like the

design and creation of the corpus, rather poorly. It is one of the biggest open access collections of encoded TEI texts in Spanish, and one of the biggest collections of poetic texts in European languages. The most exceptional feature of this corpus is the metrical annotation of each verse, which is currently under human revision.

25 Some suggestions have been pointed out in previous sections of this review: more documentation about the design and composition of the corpus is needed. The authors, collections and poems should be identified unequivocally and, if possible, using standards and authority files. In general, the TEI header should offer more metadata (an identifier of the file, chronological information, changes...). The current way of using a single file for each sonnet either leads to the loss of or makes it difficult to access some information, so other ways of structuring the texts would be beneficial.

Notes

1. <https://github.com/bncolorado/CorpusSonetosSigloDeOro> Accessed: June 1, 2017.
2. <https://web.archive.org/web/20170909164015/http://adso.gplsi.es/index.php/es/corpus-de-metrica/>.
3. <https://github.com/bncolorado/CorpusSonetosSigloDeOro/blob/master/GuiaAnotacionMetrica.pdf>. Accessed: June 1, 2017.
4. <https://web.archive.org/web/20161226203745/http://www.cervantesvirtual.com/bib/portal/bibliotecasoneto/>.
5. <https://web.archive.org/web/20170909165825/http://goldenage.cervantesvirtual.com/>.

References

Biblioteca Cervantes Virtual. Alicante: Universidad de Alicante, 1999. Web.

IMPACT-es: Sánchez-Martínez, Felipe et al. 'An Open Diachronic Corpus of Historical Spanish.' *Language Resources and Evaluation* 47.4 (2013): 1327–1342. *link.springer.com*. Web. Accessed: June 1, 2017.
<http://www.digitisation.eu/tools-resources/language-resources/impact-es/>.

Navarro Colorado, Borja. 'A Computational Linguistic Approach to Spanish Golden Age Sonnets: Metrical and Semantic Aspects.' *Proceedings of the Fourth Workshop on Computational Linguistics for Literature*. Denver: N.p., 2015. Web.

Navarro Colorado, Borja. 'A Metrical Scansion System for Fixed-Metre Spanish Poetry.' *Digital Scholarship in the Humanities* (2017): n. pag. *CrossRef*. Web. 4 May 2017.

Navarro Colorado, Borja, María Ribes Lafoz, and Noelia Sánchez. 'Metrical Annotation of a Large Corpus of Spanish Sonnets: Representation, Scansion and Evaluation.' *Proceedings of the 10th Edition of the Language Resources and Evaluation Conference (LREC 2016)*. Portorož (Slovenia): N.p., 2016. Web.

TESO: Simón Palmer, María del Carmen. *Teatro Español Del Siglo de Oro*. Ann Arbor: ProQuest, 1997. Web.
<https://web.archive.org/web/20161025093021/http://teso.chadwyck.com:80/>.

Factsheet

Resource reviewed	
Title	Corpus of Spanish Golden-Age Sonnets
Editors	Borja Navarro Colorado, María Ribes Lafoz and Noelia Sánchez
URI	https://github.com/bncolorado/CorpusSonetosSigloDeOro
Publication Date	2015
Date of last access	01.05.2017

Reviewer	
Surname	Calvo Tello
First Name	José
Organization	University of Würzburg
Place	Würzburg, Germany
Email	jose.calvo (at) morethanbooks.eu

General Information		
Bibliographic description	Can the text collection be identified in terms similar to traditional bibliographic descriptions (title, responsible editors, institution, date(s) of publication, identifier/address)? (cf. Catalogue 1.1)	yes
Contributors	Are the contributors (editors, institutions, associates) of the project documented? (cf. Catalogue 1.3)	yes
Contacts	Is contact information given? (cf. Catalogue 1.4)	yes
Aims		
Documentation	Is there a description of the aims and contents of the text collection? (cf. Catalogue 2.1)	yes
Purpose	What is the purpose of the text collection? (cf. Catalogue 2.2)	Research
Kind of research	What kind of research does the collection allow to conduct primarily? (cf. Catalogue 3.1.8)	Quantitative research

Self-classification	How does the text collection classify itself (e.g. in its title or documentation)? (cf. Catalogue 2.3)	Corpus
Field of research	To which field(s) of research does the text collection contribute? (cf. Catalogue 2.2)	Literary studies
Content		
Era	What era(s) do the texts belong to? (cf. Catalogue 2.5)	Early Modern
Language	What languages are the texts in? (cf. Catalogue 2.5)	Spanish
Types of text	What kind of texts are in the collection? (cf. Catalogue 2.5)	Literary works
Additional information	What kind of information is published in addition to the texts? (cf. Catalogue 2.5)	other:
Composition		
Documentation	Are the principles and decisions regarding the design of the text collection, its composition and the selection of texts documented? (cf. Catalogue 3.1.1-3.1.3)	no
Selection	What selection criteria have been chosen for the text collection? (cf. Catalogue 3.1)	Genre
Size		
Texts/records	How large is the text collection in number of texts/ records? (cf. Catalogue 3.1.4)	> 1000
Tokens	How large is the text collection in number of tokens? (cf. Catalogue 3.1.4)	unknown
Structure	Does the text collection have identifiable sub-collections or components? (cf. Catalogue 3.1.5)	yes
Data acquisition and integration		
Text recording	Does the text collection record or transcribe the textual data for the first time? (cf. Catalogue 3.1.6)	no
Text integration	What kind of material has been taken over from other sources? (cf. Catalogue 3.1.6)	Full texts

Quality assurance	Has the quality of the data (transcriptions, metadata, annotations, etc.) been checked? (cf. Catalogue 3.1.7)	yes
Typology	Considering aims and methods of the text collection, how would you classify it further? For definitions please consider the help-texts. (cf. Catalogue 3.1.8)	Corpus
Data Modelling		
Text treatment	How are the textual sources represented in the digital collection? (cf. Catalogue 3.2.1)	Normalized transcription
Basic format	In which basic format are the texts encoded? (cf. Catalogue 3.2.4)	XML
Annotations		
Annotation type	With what information are the texts further enriched? (cf. Catalogue 3.2.2)	other: metric annotation
Annotation integration	How are the annotations linked to the texts themselves? (cf. Catalogue 3.2.2)	Embedded
Metadata		
Metadata type	What kind of metadata are included in the text collection? (cf. Catalogue 3.2.3)	Descriptive
Metadata level	On which level are the metadata included? (cf. Catalogue 3.2.2)	Whole collection
Data schemas and standards		
Schemas	What kind of data/metadata/annotation schemas are used for the text collection? (cf. Catalogue 3.2.4)	none
Standards	Which standards for text encoding, metadata and annotation are used in the text collection? (cf. Catalogue 3.2.4)	TEI
Provision		
Accessibility of the basic data	Is the textual data accessible in a source format (e.g. XML, TXT)? (cf. Catalogue 4.1)	yes
Download	Can the entire raw data of the project be downloaded (as a whole)? (cf. Catalogue 4.2)	yes

Technical interfaces	Are there technical interfaces which allow the reuse of the data of the text collection in other contexts? (cf. Catalogue 4.2)	REST
Analytical data	Besides the textual data, does the project provide analytical data (e.g. statistics) to download or harvest? (cf. Catalogue 4.3)	no
Reuse	Can you use the data with other tools useful for this kind of content? (cf. Catalogue 4.4)	yes
User Interface		
Interface provision	Does the text collection have a dedicated user interface designed for the collection at hand in which the texts of the collection are represented and/or in which the data is analyzable? (cf. Catalogue 5.1)	no
Preservation		
Documentation	Does the text collection provide sufficient documentation about the project in general as well as about the aims, contents and methods of the text collection? (cf. Catalogue 6.1)	yes
Open Access	Is the text collection Open Access? (cf. Catalogue 6.2)	yes
Rights		
Declared	Are the rights to (re)use the content declared? (cf. Catalogue 6.2)	yes
License	Under what license are the contents released? (cf. Catalogue 6.2)	other: Structure in CC-NC, texts under Copyright
Persistent identification and addressing	Are there persistent identifiers and an addressing system for the text collection and/or parts/objects of it and which mechanism is used to that end? (cf. Catalogue 6.3)	none
Citation	Does the text collection supply citation guidelines? (cf. Catalogue 6.3)	yes
Archiving of the data	Does the documentation include information about the long term sustainability of the basic data (archiving of the data)? (cf. Catalogue 6.4)	no

Institutional curation	Does the project provide information about institutional support for the curation and sustainability of the project? (cf. Catalogue 6.4)	no
Completion	Is the text collection completed? (cf. Catalogue 6.4)	no
Personnel		
Editors	Borja Navarro Colorado María Ribes Lafoz Noelia Sánchez	