



Device Abstraction Layer

Draft

145 Pages

Abstract

Defines a new device abstraction API in OSGi platform. It provides a simple access to the devices and their functionality.

0 Document Information

0.1 License

DISTRIBUTION AND FEEDBACK LICENSE, Version 2.0

The OSGi Alliance hereby grants you a limited copyright license to copy and display this document (the "Distribution") in any medium without fee or royalty. This Distribution license is exclusively for the purpose of reviewing and providing feedback to the OSGi Alliance. You agree not to modify the Distribution in any way and further agree to not participate in any way in the making of derivative works thereof, other than as a necessary result of reviewing and providing feedback to the Distribution. You also agree to cause this notice, along with the accompanying consent, to be included on all copies (or portions thereof) of the Distribution. The OSGi Alliance also grants you a perpetual, non-exclusive, worldwide, fully paid-up, royalty free, limited license (without the right to sublicense) under any applicable copyrights, to create and/or distribute an implementation of the Distribution that: (i) fully implements the Distribution including all its required interfaces and functionality; (ii) does not modify, subset, superset or otherwise extend the OSGi Name Space, or include any public or protected packages, classes, Java interfaces, fields or methods within the OSGi Name Space other than those required and authorized by the Distribution. An implementation that does not satisfy limitations (i)-(ii) is not considered an implementation of the Distribution, does not receive the benefits of this license, and must not be described as an implementation of the Distribution. "OSGi Name Space" shall mean the public class or interface declarations whose names begin with "org.osgi" or any recognized successors or replacements thereof. The OSGi Alliance expressly reserves all rights not granted pursuant to these limited copyright licenses including termination of the license at will at any time.

EXCEPT FOR THE LIMITED COPYRIGHT LICENSES GRANTED ABOVE, THE OSGi ALLIANCE DOES NOT GRANT, EITHER EXPRESSLY OR IMPLIEDLY, A LICENSE TO ANY INTELLECTUAL PROPERTY IT, OR ANY THIRD PARTIES, OWN OR CONTROL. Title to the copyright in the Distribution will at all times remain with the OSGi Alliance. The example companies, organizations, products, domain names, e-mail addresses, logos, people, places, and events depicted therein are fictitious. No association with any real company, organization, product, domain name, email address, logo, person, place, or event is intended or should be inferred.

THE DISTRIBUTION IS PROVIDED "AS IS," AND THE OSGi ALLIANCE (INCLUDING ANY THIRD PARTIES THAT HAVE CONTRIBUTED TO THE DISTRIBUTION) MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, OR TITLE; THAT THE CONTENTS OF THE DISTRIBUTION ARE SUITABLE FOR ANY PURPOSE; NOR THAT THE IMPLEMENTATION OF SUCH CONTENTS WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

NEITHER THE OSGi ALLIANCE NOR ANY THIRD PARTY WILL BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF OR RELATING TO ANY USE OR DISTRIBUTION OF THE DISTRIBUTION.

Implementation of certain elements of this Distribution may be subject to third party intellectual property rights, including without limitation, patent rights (such a third party may or may not be a member of the OSGi Alliance). The OSGi Alliance is not responsible and shall not be held responsible in any manner for identifying or failing to identify any or all such third party intellectual property rights.

The Distribution is a draft. As a result, the final product may change substantially by the time of final publication, and you are cautioned against relying on the content of this Distribution. You are encouraged to update any implementation of the Distribution if and when such Distribution becomes a final specification.

The OSGi Alliance is willing to receive input, suggestions and other feedback ("Feedback") on the Distribution. By providing such Feedback to the OSGi Alliance, you grant to the OSGi Alliance and all its Members a non-exclusive, non-transferable,

worldwide, perpetual, irrevocable, royalty-free copyright license to copy, publish, license, modify, sublicense or otherwise distribute and exploit your Feedback for any purpose. Likewise, if incorporation of your Feedback would cause an implementation of the Distribution, including as it may be modified, amended, or published at any point in the future (“Future Specification”), to necessarily infringe a patent or patent application that you own or control, you hereby commit to grant to all implementers of such Distribution or Future Specification an irrevocable, worldwide, sublicenseable, royalty free license under such patent or patent application to make, have made, use, sell, offer for sale, import and export products or services that implement such Distribution or Future Specification. You warrant that (a) to the best of your knowledge you have the right to provide this Feedback, and if you are providing Feedback on behalf of a company, you have the rights to provide Feedback on behalf of your company; (b) the Feedback is not confidential to you and does not violate the copyright or trade secret interests of another; and (c) to the best of your knowledge, use of the Feedback would not cause an implementation of the Distribution or a Future Specification to necessarily infringe any third-party patent or patent application known to you. You also acknowledge that the OSGi Alliance is not required to incorporate your Feedback into any version of the Distribution or a Future Specification.

I HEREBY ACKNOWLEDGE AND AGREE TO THE TERMS AND CONDITIONS DELINEATED ABOVE.

0.2 Trademarks

OSGi™ is a trademark, registered trademark, or service mark of the OSGi Alliance in the US and other countries. Java is a trademark, registered trademark, or service mark of Oracle Corporation in the US and other countries. All other trademarks, registered trademarks, or service marks used in this document are the property of their respective owners and are hereby recognized.

0.3 Feedback

This document can be downloaded from the OSGi Alliance design repository at <https://github.com/osgi/design>. The public can provide feedback about this document by opening a bug at <https://www.osgi.org/bugzilla/>.

0.4 Table of Contents

0 Document Information.....	2
0.1 License.....	2
0.2 Trademarks.....	3
0.3 Feedback.....	3
0.4 Table of Contents.....	3
0.5 Terminology and Document Conventions.....	4
0.6 Revision History.....	4
1 Introduction.....	7
2 Application Domain.....	7
3 Problem Description.....	9
4 Requirements.....	11
5 Technical Solution.....	11
5.1 Introduction.....	11
5.1.1 Entities.....	12
5.2 Device Access Category.....	12
5.3 Device Service.....	12
5.3.1 Reference Device Services.....	16
5.3.2 Device Service Registration.....	17
5.3.3 Device Service Unregistration.....	17
5.4 Device Status Transitions.....	17
5.4.1 Transitions to STATUS_REMOVED.....	19

5.4.2 Transitions to and from STATUS_OFFLINE.....	19
5.4.3 Transitions to and from STATUS_ONLINE.....	20
5.4.4 Transitions to and from STATUS_PROCESSING.....	21
5.4.5 Transitions to and from STATUS_NOT_INITIALIZED.....	22
5.4.6 Transitions to and from STATUS_NOT_CONFIGURED.....	23
5.5 Device Functions.....	24
5.5.1 Device Function Interface.....	25
5.5.2 Device Function Operations.....	26
5.5.3 Device Function Properties.....	27
5.5.4 Device Function Property Event.....	28
5.6 Basic Device Functions.....	29
5.6.1 BooleanControl Device Function.....	29
5.6.2 BooleanSensor Device Function.....	30
5.6.3 MultiLevelControl Device Function.....	30
5.6.4 MultiLevelSensor Device Function.....	30
5.6.5 Meter Device Function.....	31
5.6.6 Alarm Device Function.....	31
5.6.7 Keypad Device Function.....	32
5.6.8 WakeUp Device Function.....	32
6 Data Transfer Objects.....	34
7 Javadoc.....	34
8 Considered Alternatives.....	142
8.1 Use Configuration Admin to update the Device service properties.....	142
8.2 DeviceAdmin interface availability.....	142
8.3 Access helper methods removal of FunctionalDevice.....	143
9 Security Considerations.....	143
9.1 Device Permission.....	143
9.2 Required Permissions.....	144
10 Document Support.....	144
10.1 References.....	144
10.2 Author's Address.....	145
10.3 Acronyms and Abbreviations.....	145
10.4 End of Document.....	145

0.5 Terminology and Document Conventions

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "NOT RECOMMENDED", "MAY" and "OPTIONAL" in this document are to be interpreted as described in 10.1.

Source code is shown in this typeface.

0.6 Revision History

The last named individual in this history is currently responsible for this document.

Revision	Date	Comments
Initial	Jan 22 2013	Initial draft version. Evgeni Grigorov, ProSyst Software, e.grigorov@prosyst.com
2 nd draft	Feb 13 2013	Updated Considered Alternatives and Security Considerations after F2F meeting in Austin, TX. Provide more details about device management. Evgeni Grigorov, ProSyst Software, e.grigorov@prosyst.com
3 rd draft	Mar 08 2013	Remove DeviceAdmin service. Describe DeviceFunction and FunctionalDevice interfaces. Evgeni Grigorov, ProSyst Software, e.grigorov@prosyst.com
4 th draft	Apr 08 2013	Rename the package and some constants. Merge the AbstractDevice and FunctionalDevice to FunctionalDevice. Add Functional Device Permission. Add Device Function Event. Minor fixes: renamed Device Access category, fixed unit representation and some clarifications. Add a suggestion about Device Functions to be discussed on F2F in Cologne. Evgeni Grigorov, ProSyst Software, e.grigorov@prosyst.com
5 th draft	Jun 12 2013	Add a basic set of Device Functions. Include the device status transitions. Update the illustrations. Add a status detail mapping. Add some snippets. Remove the device helper methods for an access to parent, children and reference devices. Add a Functional Device and Device Function descriptions. Add error codes to DeviceFunctionException. Update the javadoc. Evgeni Grigorov, ProSyst Software, e.grigorov@prosyst.com

Revision	Date	Comments
6 th draft	Jul 02 2013	Describe the status transitions in detail. FunctionalDeviceException.CODE_UNKNOWN fixed to CODE_UNKNOWN. Functional Group is introduced. Functional Device, Functional Group and Device Function are in the service registry. New service properties are introduced. Parent-child relation is removed. Add more details to the descriptions. Evgeni Grigorov, ProSyst Software, e.grigorov@prosys.com
7 th draft	Sept 09 2013	Basic device function set is updated. Rename FunctionalDevice to Device. Rename FunctionalDeviceException to DeviceException. Rename FunctionalDevicePermission to DevicePermission. Relax the relation between the device and device function. DeviceException extends IOException. Functional group is removed. Renamed device function metadata properties. Evgeni Grigorov, ProSyst Software, e.grigorov@prosys.com
8 th draft	Jan 16 2014	Service property names are renamed from PROPERTY_<name> to SERVICE_<name>. Status disabled is removed, because it's applicable to small set of devices like peripherals. Remove the public methods to update the device properties. They should be initially configured. Updated permissions, because of updated device management operations. Overview diagram is added. Diagram with all device statuses is added. The package is renamed. Common device function data structure is introduced. Property and operation metadata structures are introduced. Device function type is added. There is a new interface with base set of device function types. There is a new interface with SI unit symbols. Evgeni Grigorov, ProSyst Software, e.grigorov@prosys.com

Revision	Date	Comments
9 th draft	Jan 30 2014	Device.setName is removed. The device properties configuration is a vendor specific. Minor javadoc fixes and name improvements after the initial reference implementation. Device Function must be registered under only one interface. WakeUp Device Function is introduced to cover battery-operated devices. Evgeni Grigorov, ProSyst Software, e.grigorov@prosyst.com

1 Introduction

OSGi is gaining popularity as enabling technology for building embedded system in residential and M2M markets. In these contexts it is often necessary to communicate with IP and non-IP devices by using various protocols such as ZigBee, Z-Wave, KNX, UPnP etc. In order to provide a convenient programming model suitable for the realization of end-to-end services it is very useful to define and apply an abstraction layer which unifies the work with devices supporting different protocols.

This RFC defines a new device abstraction API in OSGi.

2 Application Domain

Currently there are several standardization bodies such as OSGi Alliance, HGI, BBF, ETSI M2M which deal with the deployment of services in an infrastructure based on the usage of a Residential Gateway running OSGi as Execution Platform. The picture on Illustration 1 shows a reference architecture which is valid in the majority of cases under consideration.




Illustration 1

In this architecture the application logic is distributed between:

- Applications running on the residential gateways
- Applications running in the cloud, e.g. on the service provider's backend
- Applications on the devices providing UI (e.g. tablets, mobile phones, desktops).

In order to realize services which access other IP and non-IP devices connected to the residential gateway, those applications must be able to read information from the devices and perform operations on them through software APIs. Such an access is essential for services in the area of smart metering, entertainment, home automation, assisted living and security.

The existing OSGi specifications which address related topics are:

- Device Access Specification – focuses on the dynamic discovery of the proper driver when a new device is attached/connected to the residential gateway. The device access is limited to attend the driver installation needs.
- UPnP™ Device Service Specification – defines among the other OSGi API for work with UPnP devices accessible from the residential gateway. API is specified in the scope of UPnP Device Access category.

3 Problem Description

Normally the residential gateways operate in heterogeneous environment including devices that support different protocols. It's not trivial to provide interoperability of the applications and the devices under such circumstances. The existing OSGi Device Access Specification solves the driver installation problems but currently there is no complete API that can be used for accessing the device data and for invoking actions on the devices.

Illustration 2 shows one possible approach for working with heterogeneous devices in an OSGi environment:





Illustration 2

In this case each application which accesses devices of a given type must use API specific for this type. One obvious disadvantage of this model is that when a new device protocol is added the applications must be modified in order to support this protocol.

Much better is the approach from Illustration 3 which is defined by this RFC.


Illustration 3

In this case an additional device abstraction layer is introduced which unifies the work with the devices provided by the different underlying protocols. Thus the following advantages are achieved:

- The application programmers can work with devices provided by different protocols exactly in the same way and by applying the same program interface. The protocol adapters and device abstraction API hide the complexity/differences of the device protocols.
- The applications can work without modification when new hardware controllers and protocol adapters are dynamically added.
- When remote access to the devices connected to the gateway is necessary (e.g. in m2m and management scenarios) it's much easier to provide mapping to one API than to a set of protocol dependent APIs.
- It is much easier to build UI for remote browsers or for apps running on mobile devices if just one mapping to one unified device abstraction API is necessary.

4 Requirements

- Requirement 1. The solution **MUST** define API for controlling devices which is applicable for all relevant device protocols.
- Requirement 2. The solution **MUST** define API for controlling devices which is independent from the device protocols.
- Requirement 3. The solution **MUST** include device access control based on user and application permissions compliant with the OSGi security model.
- Requirement 4. The solution **MUST** take advantage of the security features available in the device protocols.
- Requirement 5. The solution **MUST** include a device protocol independent notification mechanism realized according to the OSGi event mechanisms.
- Requirement 6. The solution **SHOULD** be mappable to other relevant standards such as HGI, ETSI M2M and BBF handling the remote access to device networks.
- Requirement 7. The solution **MUST** provide configurable device data and metadata model.
- Requirement 8. The solution **MUST** be applicable to the changeable device behavior. Sleeping/power saving devices can go and stay offline for a long time, but should be available in the defined API.
- Requirement 9. The solution **MUST** provide an extension mechanism to support devices provided by new protocols.
- Requirement 10. The solution **MAY** provide means to access the protocol specific device object.
- Requirement 11. The solution **MUST** register device or/and device related instance to the OSGi service registry.
- Requirement 12. The solution **MAY** update OSGi Device Access Specification.

5 Technical Solution

5.1 Introduction

Remote device control provides opportunity to save energy, to provide better security, to save your time during daily tasks and many more. The devices can play different roles in their networks as events reporters, controllers etc. That dynamic behavior is well mappable to the dynamic OSGi service registry. There is a registration of `Device` service. It realizes basic set of management operations and provides rich set of properties. The applications are allowed to track the device status, to read descriptive information and to follow the device relations. A set of functions can belong to the device. They represents the device operations and related properties in an atomic way. The device functions can be found in the OSGi service registry. The applications are allowed to get directly the required functions if they don't need information about the device. For example, light

device is registered as a `Device` service and there is a `DeviceFunction` service to turn on and turn off the light.

5.1.1 Entities

- `Device` – represents the device in the OSGi service registry. It's described with a set of service properties and provides basic management operations.
- `DeviceFunction` – atomic device functional entity. The device can support a few functions like switch with a sensor. The function provides a set of properties and operations.
- `DeviceFunctionEvent` – asynchronous event. It's sent through `EventAdmin` service and notifies for `DeviceFunction` property change.
- `DeviceFunctionData` – data structure carries `DeviceFunction` property value with additional metadata.
- `PropertyMetadata` and `OperationMetadata` – contains metadata about the `DeviceFunction` properties and operations.




Illustration 4: Device Abstraction Layer Overview

5.2 Device Access Category

The device access category is called “DAL”. The category name is defined as a value of `Device.DEVICE_CATEGORY` constant. It can be used as a part of `org.osgi.service.device.Constants.DEVICE_CATEGORY` service property key value. The category impose this specification rules.

5.3 Device Service

`Device` interface is dedicated for a common access to the devices provided by different protocols. It can be mapped one to one with the physical device, but can be mapped only with a given functional part of the device. In this scenario, the physical device can be realized with a set of `Device` services and different relations between them. `Device` service can represent pure software unit. For example, it can simulate the real device work. There are basic management operations for remove, property access and property update. New protocol devices can be supported with a registration of new `Device` services.

If the underlying protocol and the implementation allow, the `Device` services must be registered again after the OSGi framework reboot. The service properties must be restored, the supported device functions must be provided and `Device` relations must be visible to the applications.

The OSGi service registry has the advantage of being easily accessible. The services can be filtered and accessed with their properties. The device service has a rich set of such properties as it is on Illustration 5:

- `Device.SERVICE_UID` – Specifies the device unique identifier. It's a mandatory property. The value type is `java.lang.String`. To simplify the unique identifier generation, the property value must follow the rule:
UID ::= driver-name ':' device-id
UID - device unique identifier
driver-name - the value of the `Device.SERVICE_DRIVER` service property
device-id - device unique identifier in the scope of the driver
- `Device.SERVICE_REFERENCE_UIDS` – Specifies the reference device unique identifiers. It's an optional property. The value type is `java.lang.String[]`. It can be used to represent different relationships between the devices. For example, The ZigBee controller can have a reference to the USB dongle.
- `Device.SERVICE_DRIVER` – Specifies the device driver name. For example, ZigBee, Z-Wave, Bluetooth etc. It's a mandatory property. The value type is `java.lang.String`.
- `Device.SERVICE_NAME` – Specifies the device name. It's an optional property. The value type is `java.lang.String`.
- `Device.SERVICE_STATUS` – Specifies the current device status. It's a mandatory property. The value type is `java.lang.Integer`. The possible values are:
 - `Device.STATUS_REMOVED` – Indicates that the device is removed from the network. That status must be set as the last device status and after that the device service can be unregistered from the service registry. The status is available for stale device services too. All transitions to and from this status are described in Transitions to `STATUS_REMOVED` section.
 - `Device.STATUS_OFFLINE` – Indicates that the device is currently not available for operations. The end device is still installed in the network and can become online later. The controller is unplugged or there is no connection. All transitions to and from this status are described in detail in Transitions to and from `STATUS_OFFLINE` section.
 - `Device.STATUS_ONLINE` – Indicates that the device is currently available for operations. All transitions to and from this status are described in detail in Transitions to and from `STATUS_ONLINE` section.
 - `Device.STATUS_PROCESSING` – Indicates that the device is currently busy with an operation. All transitions to and from this status are described in detail in Transitions to and from `STATUS_PROCESSING` section.
 - `Device.STATUS_NOT_INITIALIZED` – Indicates that the device is currently not initialized. Some protocols don't provide device information right after the device is connected. The device can be initialized later when it's awakened. All transitions to and from this status are described in detail in Transitions to and from `STATUS_NOT_INITIALIZED` section.
 - `Device.STATUS_NOT_CONFIGURED` – Indicates that the device is currently not configured. The device can require additional actions to become completely connected to the network. All transitions to and from this status are described in detail in Transitions to and from `STATUS_NOT_CONFIGURED` section.

- `Device.SERVICE_STATUS_DETAIL` – Provides the reason for the current device status. It's an optional property. The property value cannot be externally set or modified. The value type is `java.lang.Integer`. There are two value categories. Positive values indicate the reason for the current status like `Device.STATUS_DETAIL_CONNECTING`. Negative values indicate errors related to the current device status like `Device.STATUS_DETAIL_DEVICE_BROKEN`. The list with defined status details is:
 - `Device.STATUS_DETAIL_CONNECTING` – The reason for the current device status is that the device is currently connecting to the network. It indicates the reason with a positive value 1. The device status must be `STATUS_PROCESSING`.
 - `Device.STATUS_DETAIL_INITIALIZING` – The reason for the current device status is that the device is currently in process of initialization. It indicates the reason with a positive value 2. The network controller initializing means that information about the network is currently read. The device status must be `STATUS_PROCESSING`.
 - `Device.STATUS_DETAIL_REMOVING` – The reason for the current device status is that the device is leaving the network. It indicates the reason with positive value 3. The device status must be `STATUS_PROCESSING`.
 - `Device.STATUS_DETAIL_CONFIGURATION_NOT_APPLIED` – The reason for the current device status is that the device configuration is not applied. It indicates an error with a negative value -1. The device status must be `STATUS_NOT_CONFIGURED`.
 - `Device.STATUS_DETAIL_DEVICE_BROKEN` – The reason for the offline device is that the device is broken. It indicates an error with a negative value -2. The device status must be `STATUS_OFFLINE`.
 - `Device.STATUS_DETAIL_DEVICE_COMMUNICATION_ERROR` – The reason for the current device status is that the device communication is problematic. It indicates an error with a negative value -3. The device status must be `STATUS_ONLINE` or `STATUS_NOT_INITIALIZED`.
 - `Device.STATUS_DETAIL_DEVICE_DATA_INSUFFICIENT` – The reason for the uninitialized device is that the device doesn't provide enough information and cannot be determined. It indicates an error with a negative value -4. The device status must be `STATUS_NOT_INITIALIZED`.
 - `Device.STATUS_DETAIL_DEVICE_NOT_ACCESSIBLE` – The reason for the offline device is that the device is not accessible and further communication is not possible. It indicates an error with a negative value -5. The device status must be `STATUS_OFFLINE`.
 - `Device.STATUS_DETAIL_ERROR_APPLYING_CONFIGURATION` – The reason for the current device status is that the device cannot be configured. It indicates an error with a negative value -6. The device status must be `STATUS_NOT_CONFIGURED`.
 - `Device.STATUS_DETAIL_IN_DUTY_CYCLE` – The reason for the offline device is that the device is in duty cycle. It indicates an error with a negative value -7. The device status must be `STATUS_OFFLINE`.

Custom status details are allowed, but they must not overlap the specified codes. Table 1 contains the mapping of the status details to the statuses.

Status Detail	Status
STATUS_DETAIL_CONNECTING	STATUS_PROCESSING
STATUS_DETAIL_INITIALIZING	STATUS_PROCESSING
STATUS_DETAIL_REMOVING	STATUS_PROCESSING
STATUS_DETAIL_CONFIGURATION_NOT_APPLIED	STATUS_NOT_CONFIGURED
STATUS_DETAIL_DEVICE_BROKEN	STATUS_OFFLINE
STATUS_DETAIL_DEVICE_COMMUNICATION_ERROR	STATUS_ONLINE, STATUS_NOT_INITIALIZED
STATUS_DETAIL_DEVICE_DATA_INSUFFICIENT	STATUS_NOT_INITIALIZED
STATUS_DETAIL_DEVICE_NOT_ACCESSIBLE	STATUS_OFFLINE
STATUS_DETAIL_ERROR_APPLYING_CONFIGURATION	STATUS_NOT_CONFIGURED
STATUS_DETAIL_IN_DUTY_CYCLE	STATUS_OFFLINE

Table 1

- `Device.SERVICE_HARDWARE_VENDOR` – Specifies the device hardware vendor. It's an optional property. The value type is `java.lang.String`.
- `Device.SERVICE_HARDWARE_VERSION` – Specifies the device hardware version. It's an optional property. The value type is `java.lang.String`.
- `Device.SERVICE_FIRMWARE_VENDOR` – Specifies the device firmware vendor. It's an optional property. The value type is `java.lang.String`.
- `Device.SERVICE_FIRMWARE_VERSION` – Specifies the device firmware version. It's an optional property. The value type is `java.lang.String`.
- `Device.SERVICE_TYPES` – Specified the device types. It's an optional property. The value type is `java.lang.String[]`.
- `Device.SERVICE_MODEL` – Specifies the device model. It's an optional property. The value type is `java.lang.String`.
- `Device.SERVICE_SERIAL_NUMBER` – Specifies the device serial number. It's an optional property. The value type is `java.lang.String`.

The device services are registered in the OSGi service registry with `org.osgi.services.functionaldevice.Device` interface. The next code snippet prints the online devices.

```
final ServiceReference[] deviceSRefs = context.getServiceReferences(
    Device.class.getName(),
    '(' + Device.SERVICE_STATUS + '=' + Device.STATUS_ONLINE + ')');
if (null == deviceSRefs) {
    return; // no such services
}
for (int i = 0; i < deviceSRefs.length; i++) {
```



```
printDevice (deviceSRefs [i] );
}
```




Illustration 5

Applications need to have an access to the device properties. For convenience there is a helper method:

- `getServiceProperty(String propName)` – Returns the current value of the specified property. The method will return the same value as `org.osgi.framework.ServiceReference.getProperty(String)` for the service reference of this device.

5.3.1 Reference Device Services

Device service can have a reference to other devices. That link can be used to represent different relationships between devices. For example, the ZigBee dongle can be used as USB Device and ZigBee network controller

Device. The network controller device can have a reference to the physical USB device as it's depicted on Illustration 6.

The related service property is `Device.SERVICE_REFERENCE_UIDS`.




Illustration 6

5.3.2 Device Service Registration

The devices are registered as services in the OSGi service registry. The service interface is `org.osgi.services.functionaldevice.Device`. There is a registration order. Device services are registered last. Before their registration, there is `DeviceFunction` service registration.

5.3.3 Device Service Unregistration

OSGi service registry is only about the read-only access for the services. There are no control operations. The service provider is responsible to register, update or unregister the services. That design is not very convenient for the device life cycle. The `Device` interface provides a callback method `remove()`. The method can be optionally implemented by the device provider. `java.lang.UnsupportedOperationException` can be thrown if the method is not supported. When the remove callback is called, an appropriate command will be synchronously send to the device. As a result it can leave the network and device related service will be unregistered. There is an unregistration order. The registration reverse order is used when the services are unregistered. Device services are unregistered first before `DeviceFunction` services.

5.4 Device Status Transitions

The device status uncover the device availability. It can demonstrate that device is currently not available for operations or that the device requires some additional configuration steps. The status can jump over the different values according to the rules defined in this section. The status transitions are summarized in Table 2, visualized in Illustration 7 and described in detail in the next sections. The entry device status is always `STATUS_PROCESSING`. When the device info is processed, the device can go to another status. The last possible device status is `STATUS_REMOVED`. The status must be set when the device is removed from the network. After that status, the device service will be unregistered.




Illustration 7

From \ To Status	PROCESSING	ONLINE	OFFLINE	NOT_INITIALIZED	NOT_CONFIGURED	REMOVED
PROCESSING	-	Initial device data has been read.	Device is not accessible.	Initial device data is partially read.	Device has a pending configuration.	Device is removed.
ONLINE	Device data is processing.	-	Device is not accessible.	-	Device has a new pending configuration.	Device is removed.
OFFLINE	Device data is processing.	Device data has been read.	-	-	Device has a pending configuration.	Device is removed.
NOT_INITIALIZED	Device data is processing.	-	Device is not accessible.	-	-	Device is removed.
NOT_CONFIGURED	Device data is processing.	Device pending configuration is satisfied.	Device is not accessible.	-	-	Device is removed.
REMOVED	-	-	-	-	-	-

Table 2

5.4.1 Transitions to STATUS_REMOVED

The device can go to `Device.STATUS_REMOVED` from any other status. Once reached, the device status cannot be updated any more. The device is removed from the network and the device service is unregistered from the OSGi service registry. If there are stale references to the `Device` service, their status will be set to `STATUS_REMOVED`.

The common way for a given device to be removed is `Device.remove()`. When the method returns, the device status will be `STATUS_REMOVED`. It requires a synchronous execution of the operation.

5.4.2 Transitions to and from STATUS_OFFLINE

The `STATUS_OFFLINE` indicates that the device is currently not available for operations. That status can be set, because of different reasons. The network controller can be unplugged, connection to the device is lost etc. This variety provides an access to that status from any other except `STATUS_REMOVED`. Transitions to and from this status are:

- From `STATUS_OFFLINE` to `STATUS_REMOVED` – device is removed. The status can be set as a result of `Device.remove()` method call.
- From `STATUS_OFFLINE` to `STATUS_PROCESSING` – device data is processing.
- From `STATUS_OFFLINE` to `STATUS_NOT_CONFIGURED` – device has a pending configuration.
- From `STATUS_OFFLINE` to `STATUS_ONLINE` – device data has been read and the device is currently available for operations.
- From `STATUS_OFFLINE` to `STATUS_NOT_INITIALIZED` – That transition is not possible, because the status have to go through `STATUS_PROCESSING`. If the processing is unsuccessful, `STATUS_NOT_INITIALIZED` will be set.

- To `STATUS_OFFLINE` from `STATUS_REMOVED` – That transition is not possible. If device is removed, the service will be unregistered from the service registry.
- To `STATUS_OFFLINE` from `STATUS_PROCESSING` – device is not accessible any more while device data is processing.
- To `STATUS_OFFLINE` from `STATUS_NOT_CONFIGURED` – Not configured device is not accessible any more.
- To `STATUS_OFFLINE` from `STATUS_ONLINE` – Online device is not accessible any more.
- To `STATUS_OFFLINE` from `STATUS_NOT_INITIALIZED` – Not initialized device is not accessible any more.

The possible transitions are summarized on Illustration 8.




Illustration 8

5.4.3 Transitions to and from `STATUS_ONLINE`

The `STATUS_ONLINE` indicates that the device is currently available for operations. The online devices are initialized and ready for use. Transitions to and from this status are:

- From `STATUS_ONLINE` to `STATUS_REMOVED` – device is removed. The status can be set as a result of `Device.remove()` method call.
- From `STATUS_ONLINE` to `STATUS_PROCESSING` – device data is processing.

- From `STATUS_ONLINE` to `STATUS_NOT_CONFIGURED` – device has a pending configuration.
- From `STATUS_ONLINE` to `STATUS_OFFLINE` – Online device is not accessible any more.
- From `STATUS_ONLINE` to `STATUS_NOT_INITIALIZED` – That transition is not possible. Online devices are initialized.
- To `STATUS_ONLINE` from `STATUS_REMOVED` – That transition is not possible. If device is removed, the service will be unregistered from the service registry.
- To `STATUS_ONLINE` from `STATUS_PROCESSING` – Initial device data has been read. The device is available for operations.
- To `STATUS_ONLINE` from `STATUS_NOT_CONFIGURED` – The device pending configuration is satisfied.
- To `STATUS_ONLINE` from `STATUS_OFFLINE` – device is accessible for operations.
- To `STATUS_ONLINE` from `STATUS_NOT_INITIALIZED` – That transition is not possible. The device data has to be processed and then the device can become online. Intermediate status `STATUS_PROCESSING` will be used.

The possible transitions are summarized on Illustration 9.




Illustration 9

5.4.4 Transitions to and from `STATUS_PROCESSING`

The status indicates that the device is currently busy with an operation. It can be time consuming operation and can result to any other status. The operation processing can be reached by any other status except `STATUS_REMOVED`. An example, offline device requires some data processing to become online. It will apply the statuses `STATUS_OFFLINE`, `STATUS_PROCESSING` and `STATUS_ONLINE`. Transitions to and from this status are:

- From `STATUS_PROCESSING` to `STATUS_REMOVED` – device is removed. The status can be set as a result of `Device.remove()` method call.
- From `STATUS_PROCESSING` to `STATUS_ONLINE` – Initial device data has been read. The device is available for operations.
- From `STATUS_PROCESSING` to `STATUS_NOT_CONFIGURED` – device has a pending configuration.

- From `STATUS_PROCESSING` to `STATUS_OFFLINE` – Online device is not accessible any more.
- From `STATUS_PROCESSING` to `STATUS_NOT_INITIALIZED` – device initial data is partially read.
- To `STATUS_PROCESSING` from `STATUS_REMOVED` – That transition is not possible. If device is removed, the service will be unregistered from the service registry.
- To `STATUS_PROCESSING` from `STATUS_ONLINE` – device is busy with an operation.
- To `STATUS_PROCESSING` from `STATUS_NOT_CONFIGURED` – The device pending configuration is satisfied and the device is busy with an operation.
- To `STATUS_PROCESSING` from `STATUS_OFFLINE` – device is busy with an operation.
- To `STATUS_PROCESSING` from `STATUS_NOT_INITIALIZED` – device initial data is processing.

The possible transitions are summarized on Illustration 10.




Illustration 10

5.4.5 Transitions to and from `STATUS_NOT_INITIALIZED`

The status indicates that the device is currently not initialized. Some protocols don't provide device information right after the device is connected. The device can be initialized later when it's awakened. Not initialized device requires some data processing to become online. `STATUS_PROCESSING` is used as an intermediate status. Transitions to and from this status are:

- From `STATUS_NOT_INITIALIZED` to `STATUS_REMOVED` – device is removed. The status can be set as a result of `Device.remove()` method call.
- From `STATUS_NOT_INITIALIZED` to `STATUS_PROCESSING` – device data is processing.
- From `STATUS_NOT_INITIALIZED` to `STATUS_NOT_CONFIGURED` – That transition is not possible. device requires some data processing.
- From `STATUS_NOT_INITIALIZED` to `STATUS_OFFLINE` – device is not accessible any more.
- From `STATUS_NOT_INITIALIZED` to `STATUS_ONLINE` – That transition is not possible. Device requires some data processing to become online.

- To `STATUS_NOT_INITIALIZED` from `STATUS_REMOVED` – That transition is not possible. If device is removed, the service will be unregistered from the service registry.
- To `STATUS_NOT_INITIALIZED` from `STATUS_PROCESSING` – device data is partially read.
- To `STATUS_NOT_INITIALIZED` from `STATUS_NOT_CONFIGURED` – That transition is not possible. When device pending configuration is satisfied, the device requires additional data processing.
- To `STATUS_NOT_INITIALIZED` from `STATUS_OFFLINE` – That transition is not possible. Device requires some data processing and then can become not initialized.
- To `STATUS_NOT_INITIALIZED` from `STATUS_ONLINE` – That transition is not possible. Online device is initialized.

The possible transitions are summarized on Illustration 11.




Illustration 11

5.4.6 Transitions to and from `STATUS_NOT_CONFIGURED`

Indicates that the device is currently not configured. The device can require additional actions to become completely connected to the network. For example, a given device button has to be pushed. That status doesn't have transitions with `STATUS_NOT_INITIALIZED`, because some data processing is required. Transitions to and from this status are:

- From `STATUS_NOT_CONFIGURED` to `STATUS_REMOVED` – device is removed. The status can be set as a result of `Device.remove()` method call.
- From `STATUS_NOT_CONFIGURED` to `STATUS_PROCESSING` – device pending configuration is satisfied and some additional data processing is required.
- From `STATUS_NOT_CONFIGURED` to `STATUS_ONLINE` – device pending configuration is satisfied.
- From `STATUS_NOT_CONFIGURED` to `STATUS_OFFLINE` – device is not accessible any more.
- From `STATUS_NOT_CONFIGURED` to `STATUS_NOT_INITIALIZED` – That transition is not possible. When device pending configuration is satisfied, the device requires additional data processing.

- To `STATUS_NOT_CONFIGURED` from `STATUS_REMOVED` – That transition is not possible. If device is removed, the service will be unregistered from the service registry.
- To `STATUS_NOT_CONFIGURED` from `STATUS_PROCESSING` – Initial device data has been read but there is a pending configuration.
- To `STATUS_NOT_CONFIGURED` from `STATUS_ONLINE` – device has a pending configuration.
- To `STATUS_NOT_CONFIGURED` from `STATUS_OFFLINE` – device is going to be online, but has a pending configuration.
- To `STATUS_NOT_CONFIGURED` from `STATUS_NOT_INITIALIZED` – That transition is not possible. That transition is not possible. Device requires some data processing.

The possible transitions are summarized on Illustration 12.




Illustration 12

5.5 Device Functions

The user applications can execute the device operations and manage the device properties. That control is realized with the help of `DeviceFunction` services. The `DeviceFunction` service can be registered in the service registry with those service properties:

- `DeviceFunction.SERVICE_UID` – mandatory service property. The property value is the device function unique identifier. The value type is `java.lang.String`. To simplify the unique identifier generation, the property value must follow the rule:

function UID ::= device-id ':' function-id

function UID – device function unique identifier

device-id – the value of the `Device.SERVICE_UID` Device service property

function-id – device function identifier in the scope of the device

- `DeviceFunction.SERVICE_TYPE` – mandatory service property. The service property value contains the device function type. For example, the sensor function can have different types like temperature or pressure etc. It's an optional property. The value type is `java.lang.String`.
Organizations that want to use device function types that do not clash with OSGi Alliance defined types should prefix their types in own namespace.
- `DeviceFunction.SERVICE_VERSION` – optional service property. The service property value contains the device function version. That version can point to specific implementation version and vary in the different vendor implementations. The value type is `java.lang.String`.
- `DeviceFunction.SERVICE_DEVICE_UID` – optional service property. The property value is the device identifier. The device function belongs to this device. The value type is `java.lang.String`.
- `DeviceFunction.SERVICE_REFERENCE_UIDS` – optional service property. The service property value contains the reference device function unique identifiers. The value type is `java.lang.String[]`. It can be used to represent different relationships between the device functions.
- `DeviceFunction.SERVICE_DESCRIPTION` – optional service property. The property value is the device function description. The value type is `java.lang.String`.
- `DeviceFunction.SERVICE_OPERATION_NAMES` – optional service property. The property value is the device function operation names. The value type is `java.lang.String[]`. It's not possible to exist two or more Device Function operations with the same name i.e. the operation overloading is not allowed.
- `DeviceFunction.SERVICE_PROPERTY_NAMES` – optional service property. The property value is the device function property names. The value type is `java.lang.String[]`. It's not possible to exist two or more Device Function properties with the same name.

The `DeviceFunction` services are registered before the `Device` service. It's possible that `DeviceFunction.SERVICE_DEVICE_UID` points to missing services at the moment of the registration. The reverse order is used when the services are unregistered. `Device` service is unregistered before the `DeviceFunction` services.

Device Function service must be registered only under concrete Device Function class. It's not allowed to register Device Function service under more than one class. For example, those registrations are not allowed:

- `context.registerService(ManagedService.class.getName(), this, regProps);` - `ManagedService` interface is not a Device Function interface.
- `context.registerService(DeviceFunction.class.getName(), this, regProps);` - `DeviceFunction` interface is not concrete Device Function interface.
- `context.registerService(new String[] {BooleanControl.class.getName(), BooleanControl.class.getName()}, this, regProps);` - more than one device function is used.

That one is a valid registration: `context.registerService(Meter.class.getName(), this, regProps);` ; `Meter` is concrete Device Function interface.

That rule helps to the applications to find the supported Device Function class and to identify the metadata. Otherwise the Device Function services can be accesses, but it's not clear which are the Device Function classes and metadata.

5.5.1 Device Function Interface

Device function is built by a set of properties and operations. The function can have unique identifier, type, version, description, link to the `Device` service and information about the reference device functions. `DeviceFunction` interface must be the base interface for all functions. If the device provider defines custom

functions, all of them must extend `DeviceFunction` interface. It provides a common access to the operations and properties meta data.

There are some general type rules, which unifies the access to the device function data. They make easier the transfer over different protocols. All properties and operation arguments must use:

- Java primitive type or corresponding reference type.
- `java.lang.String`
- Java Beans, but their properties must use those rules. Java Beans are defined in JavaBeans specification [3].
- `java.util.Map` instances. The map keys can be any reference type of Java primitive types or `java.lang.String`. The values must use those rules.
- Arrays of defined types.

In order to provide common behavior, all device functions must follow a set of common rules related to the implementation of their setters, getters, operations and events:

- The setter method must be executed synchronously. If the underlying protocol can return response to the setter call, it must be awaited. It simplifies the property value modifications and doesn't require asynchronous callback.
- The operation method must be executed synchronously. If the underlying protocol can return an operation confirmation or response, they must be awaited. It simplifies the operation execution and doesn't require asynchronous callback.
- The getter must return the last known cached property value. The device implementation is responsible to keep that value up to date. It'll speed up the applications when the Device Function property values are collected. The same cached value can be shared between a few requests instead of a few calls to the real device.
- If a given Device Function operation, getter or setter is not supported, `java.lang.UnsupportedOperationException` must be thrown. It indicates that Device Function is partially supported.
- The Device Function operations, getters and setters must not override `java.lang.Object` and this interface methods. For example:
 - `hashCode()` – it's `java.lang.Object` method and invalid device function operation;
 - `wait()` – it's `java.lang.Object` method and invalid device function operation;
 - `getClass()` – it's `java.lang.Object` method and invalid device function getter;
 - `getPropertyMetadata(String propertyName)` – it's `org.osgi.service.dal.DeviceFunction` method and invalid device function getter.

5.5.2 Device Function Operations

`DeviceFunction` operations are general callable units. They can perform a specific task on the device like turn on or turn off. They can be used by the applications to control the device. Operation names are available as a value of the service property `DeviceFunction.SERVICE_OPERATION_NAMES`. The operations are identified by their names. It's not possible to exist two operations with the same name i.e. overloaded operations are not allowed or to override the property accessor methods. The operations are regular java methods. That implies that they have zero or more arguments and zero or one return value. The operation arguments and return value must follow the general type rules.

The operations can be optionally described with a set of meta data properties. Metadata is accessible with `DeviceFunction.getOperationMetadata(String)` method. The result provides metadata about the operation, operation arguments and result value. Operation arguments and result value are using the same metadata as the Device Function properties. The full details are defined in the next section.

5.5.3 Device Function Properties

`DeviceFunction` properties are class fields. Their values can be read with getter methods and can be set with setter methods. The property names are available as a value of the service property `DeviceFunction.SERVICE_PROPERTY_NAMES`. The properties are identified by their names. It's not possible to exist two properties with the same name.

The Device Function properties must be integrated according to these rules:

- Getter methods must be available for all properties with `PropertyMetadata.PROPERTY_ACCESS_READABLE` access.
- Getter method must return a subclass of `DeviceFunctionData`.
- Setter methods must be available for all properties with `PropertyMetadata.PROPERTY_ACCESS_WRITABLE` access.
- Setter method must use `DeviceFunctionData` wrapped type. For example, there is `MyFunctionData` with timestamp, unit and `BigDecimal` value. The setter must accept as an argument the value of type `BigDecimal`.
- It's possible to have a second setter method, which accepts the value as a first argument and the unit as a second argument.
- No methods are required for properties with `PropertyMetadata.PROPERTY_ACCESS_EVENTABLE` access.

The accessor method names must be defined according JavaBeans specification [3].

The properties can be optionally described with a set of meta data properties. The property values can be collected with `DeviceFunction.getPropertyMetadata(String)` method. The method result is `PropertyMetadata` with:

- Minimum value – available through `PropertyMetadata.getMinValue(String)`. The minimum value can be different for the different units.
- Maximum value – available through `PropertyMetadata.getMaxValue(String)`. The maximum value can be different for the different units.
- Enumeration of values – available through `PropertyMetadata.getEnumValues(String)`. The array of the possible values is sorted in increasing order according to the given unit.
- Resolution – available through `PropertyMetadata.getResolution(String)`. For example, if the range is `[0, 100]`, the resolution can be 10. That's the different between two values in series. The resolution type depends on the property type. If the property is using data bean like `org.osgi.service.dal.functions.data.LevelData`, the resolution will be the `BigDecimal`.
- Property access – available as a value in `PropertyMetadata.getMetadata(String)` result map. It's a bitmap of `java.lang.Integer` type and doesn't depend on the given unit. The access is available only for the Device Function properties and it's missing for the operation arguments and result metadata. The bitmap can be any combination of:
 - `PropertyMetadata.PROPERTY_ACCESS_READABLE` – Marks the property as a readable. device function must provide a getter method for this property according to JavaBeans specification [3]. device function operations must not be overridden by this getter method.

- `PropertyMetadata.PROPERTY_ACCESS_WRITABLE` – Marks the property as writable. device function must provide a setter method for this property according to JavaBeans specification [3]. device function operations must not be overridden by this setter method.
- `PropertyMetadata.PROPERTY_ACCESS_EVENTABLE` – Marks the property as eventable. device function must not provide special methods because of this access type. `DeviceFunctionEvent` is sent on property change. Note that the event can be sent when there is no value change.
- Unit - available as a value in `PropertyMetadata.getMetadata()` result map. The value contains the property supported units. The property value type is `java.lang.String[]`. Each unit must follow those rules:
 - The International System of Units must be used where it's applicable. For example, kg for kilogram and km for kilometre.
 - If the unit name matches to an Unicode symbol name, the Unicode symbol must be used. For example, the degree unit matches to the Unicode degree sign (`\u00B0`).
 - If the unit name doesn't match to an Unicode symbol, the unit symbol must be built by Unicode Basic Latin block of characters, superscript and subscript characters. For example, watt per square metre steradian is built by `W/(m\u00B2 sr)`, where `\u00B2` is Unicode superscript two.

If those rules cannot be applied to the unit symbol, custom rules are allowed.

A set of predefined unit symbols are available in `Units` interface.

- Description – available as a value in `PropertyMetadata.getMetadata()` result map. The property value type is `java.lang.String` and specifies an user readable description. It doesn't depend on the given unit.
- Vendor custom properties – available as a value in `PropertyMetadata.getMetadata()` result map and can depend on the given unit.

5.5.4 Device Function Property Event

The eventable device function properties can trigger a new event on each property value touch. It doesn't require a modification of the value. For example, the motion sensor can send a few events with no property value change when motion is detected and continued to be detected. The event must implement `DeviceFunctionEvent` interface. The event properties are:

- `DeviceFunctionEvent.PROPERTY_FUNCTION_UID` – the event source function unique identifier.
- `DeviceFunctionEvent.PROPERTY_FUNCTION_PROPERTY_NAME` – the property name.
- `DeviceFunctionEvent.PROPERTY_FUNCTION_PROPERTY_VALUE` – the property value.

For example, there is device function with an eventable boolean property called “state”. When “state” value is changed to `false`, device function implementation can post:

```
DeviceFunctionEvent {
    dal.function.UID=acme.function
    dal.function.property.name="state"
    dal.function.property.value=ACMEFunctionData(java.lang.Boolean.FALSE...)
}
```

5.6 Basic Device Functions

Concrete device function interfaces have to be defined to unify the access and control of the basic operations and related properties. The current section specifies the minimal basic set of such functionality. It can be reused and extended to cover more specific scenarios. They are about the control, monitoring and metering information.

5.6.1 BooleanControl Device Function

`BooleanControl` device function provides a binary control support. The property eventing must follow the definition in Device Function Property Event. The full function definition is available in the next table.

<i>BooleanControl</i>	
Name	Description
Operations	
<i>reverse</i>	Reverses the <code>BooleanControl</code> state. If the current state represents <code>true</code> value, it'll be reversed to <code>false</code> . If the current state represents <code>false</code> value, it'll be reversed to <code>true</code> .
<i>setTrue</i>	Sets the <code>BooleanControl</code> state to <code>true</code> value.
<i>setFalse</i>	Sets the <code>BooleanControl</code> state to <code>false</code> value.
Properties	
<i>data</i>	Contains the current state of <code>BooleanControl</code> . The property access can be: readable, writable and eventable.
Types	
light, door, window, power, other type defined in <code>org.osgi.service.dal.functions.Types</code> or vendor specific type.	

`BooleanData` `data` structure is used to provide information about the function state. That data object contains the boolean value, the value collecting time and additional metadata. The immutable `BooleanData.value` field is accessible with `BooleanData.getValue()` getter.

The function class diagram is depicted on Illustration 13. The next code snippet sets to `true` all `BooleanControl` functions.

```
final ServiceReference[] booleanControlsRefs = context.getServiceReferences(
    BooleanControl.class.getName(), null);
if (null == booleanControlsRefs) {
    return; // no such services
}
for (int i = 0; i < booleanControlsRefs.length; i++) {
    final BooleanControl booleanControl = (BooleanControl) context.getService(
        binaryControlsRefs[i]);
    if (null != booleanControl) {
        booleanControl.setTrue();
    }
}
```

```

    }
}

```

5.6.2 BooleanSensor Device Function

`BooleanSensor` device function provides binary sensor monitoring. It reports its state when an important event is available. There are no operations. The property eventing must follow the definition in Device Function Property Event. The full function definition is available in the next table.

<i>BooleanSensor</i>	
Name	Description
Properties	
<i>data</i>	Contains the current state of <code>BooleanSensor</code> . The property access can be: readable and eventable.
Types	
light, gas, smoke, door, window, power, rain, contact, fire, occupancy, water, motion, other type defined in <code>org.osgi.service.dal.functions.Types</code> or vendor specific type.	

`BooleanSensor` and `BooleanControl` are using the same `BooleanData` data structure to provide information about the state. For more details see the definition in `BooleanControl` Device Function. The function class diagram is depicted on Illustration 13.

5.6.3 MultiLevelControl Device Function

`MultiLevelControl` device function provides multi-level control support. The property eventing must follow the definition in Device Function Property Event. The full function definition is available in the next table.

<i>MultiLevelControl</i>	
Name	Description
Properties	
<i>data</i>	Contains the current state of <code>MultiLevelControl</code> . The property access can be: readable, writable and eventable.
Types	
light, temperature, flow, pressure, humidity, gas, smoke, door, window, liquid, power, noisiness, other type defined in <code>org.osgi.service.dal.functions.Types</code> or vendor specific type.	

`LevelData` data structure is used to provide information about the function level. That data object contains the `BigDecimal` value and the value unit. The measurement unit is used as it's defined in Device Function Properties. The immutable `LevelData.unit` field is accessible with `LevelData.getUnit()` getter. The immutable `LevelData.level` field is accessible with `LevelData.getLevel()` getter.

The function class diagram is depicted on Illustration 13.

5.6.4 MultiLevelSensor Device Function

`MultiLevelSensor` device function provides multi-level sensor monitoring. It reports its state when an important event is available. There are no operations. The property eventing must follow the definition in Device Function Property Event. The full function definition is available in the next table.

<i>MultiLevelSensor</i>	
Name	Description
Properties	
<i>data</i>	Contains the current state of <code>MultiLevelSensor</code> . The property access can be: readable and eventable.
Types	
light, temperature, flow, pressure, humidity, gas, smoke, door, window, liquid, power, noisiness, rain, other type defined in <code>org.osgi.service.dal.functions.Types</code> or vendor specific type.	

`MultiLevelSensor` and `MultiLevelControl` are using the same `LevelData` data structure to provide information about the level. For more details see the definition in `MultiLevelControl` Device Function. The function class diagram is depicted on Illustration 13.

5.6.5 Meter Device Function

`Meter` device function can measure metering information.

<i>Meter</i>	
Name	Description
Operations	
<i>resetTotal</i>	Resets the total metering info.
Properties	
<i>total</i>	Contains the total consumption. It has been measured since the last call of <code>resetTotal</code> or device initial run. The property access is readable.
<i>current</i>	Contains the current consumption. The property is readable.
Service Properties	
<i>dal.meter.flow</i>	Contains the metering flow. Currently, it can be “in” and “out”.
Types	
pressure, gas, power, water, heat, cold, other type defined in <code>org.osgi.service.dal.functions.Types</code> or vendor specific type.	

`Meter` device function is using the same `LevelData` data structure as `MultiLevelSensor` and `MultiLevelControl` to provide metering information. For more details see the definition in `MultiLevelControl` Device Function. The property eventing must follow the definition in `Device Function Property Event`. The function class diagram is depicted on Illustration 13.

5.6.6 Alarm Device Function

`Alarm` device function provides alarm sensor support. There is only one eventable property and no operations. The property eventing must follow the definition in `Device Function Property Event`.

<i>Alarm</i>	
Name	Description

Properties	
alarm	Specifies the alarm property name. The property is eventable.

`AlarmData` data structure is used to provide information about the available alarm. That data object contains the alarm type and severity.

The function class diagram is depicted on Illustration 13.

5.6.7 Keypad Device Function

`Keypad` device function provides support for keypad control. A keypad typically consists of one or more keys/buttons, which can be discerned. Different types of key presses like short and long press can typically also be detected. There is only one eventable property and no operations. The property eventing must follow the definition in Device Function Property Event.

Keypad	
Name	Description
Properties	
key	Specifies a property name for a key from the keypad. The property is eventable.

`KeypadData` data structure is used to provide information when a change with some key from device keypad has occurred. That data object contains the event type, key code and key name. Currently, there are a few predefined event types:

- `EVENT_TYPE_PRESSED` – used for a key pressed;
- `EVENT_TYPE_PRESSED_LONG` – used for a long key pressed;
- `EVENT_TYPE_PRESSED_DOUBLE` – used for a double key pressed;
- `EVENT_TYPE_PRESSED_DOUBLE_LONG` – used for a double and long key pressed;
- `EVENT_TYPE_RELEASED` – used for a key released.
- `EVENT_TYPE_UNKNOWN` – represents an unknown keypad event type.

The function class diagram is depicted on Illustration 13.

5.6.8 WakeUp Device Function

`WakeUp` Device Function provides device awake monitoring and management. It's especially applicable to battery-operated devices. Such device can notify the system that it's awake and can receive commands with an event to property `PROPERTY_AWAKE`. The property eventing must follow the definition in Device Function Property Event.

The device can periodically wake up for commands. The interval can be managed with `PROPERTY_WAKE_UP_INTERVAL` property.

The application can minimize the power consumption with `sleep()` operation. As a result, the device will sleep and will not receive commands to the next awake.

WakeUp

Name	Description
Properties	
awake	Specifies the awake eventable property name. If the device is awake, it will trigger a property event. The property value type is <code>BooleanData</code> .
wakeUpInterval	Specifies the wake up interval. The device can periodically wake up and receive commands. That interval is managed by this property. The property can be readable and writable. The property value type is <code>LevelData</code> .
Operations	
sleep	The device is forced to sleep to minimize the power consumption.

The function class diagram is depicted on Illustration 13.




Illustration 13

6 Data Transfer Objects

TODO: Do we need those objects?

7 Javadoc

OSGi Javadoc

1/30/14 3:20 PM

Package Summary		Page
org.osgi.service.dal	Device Package Version 1.0.	36
org.osgi.service.dal.functions	Device Functions 1.0.	93
org.osgi.service.dal.functions.data	Device Function Data 1.0.	122

Package org.osgi.service.dal

Device Package Version 1.0.

See:

[Description](#)

Interface Summary		Page
Device	Represents the device in the OSGi service registry.	37
DeviceFunction	Device Function service provides specific device operations and properties.	49
OperationMetadata	Contains metadata about Device Function operation.	66
PropertyMetadata	Contains metadata about Device Function property or Device Function operation parameter.	68
Units	Contains the most of the International System of Units unit symbols.	72

Class Summary		Page
DeviceFunctionData	Abstract <code>DeviceFunction</code> data wrapper.	54
DeviceFunctionEvent	Asynchronous event, which marks a Device Function property value modification.	58
DevicePermission	A bundle's authority to perform specific privileged administrative operations on the devices.	62

Exception Summary		Page
DeviceException	<code>DeviceException</code> is a special <code>IOException</code> , which is thrown to indicate that there is a device operation fail.	45

Package org.osgi.service.dal Description

Device Package Version 1.0.

Bundles wishing to use this package must list the package in the Import-Package header of the bundle's manifest. This package has two types of users: the consumers that use the API in this package and the providers that implement the API in this package.

Example import for consumers using the API in this package:

```
Import-Package: org.osgi.service.dal; version="[1.0,2.0)"
```

Example import for providers implementing the API in this package:

```
Import-Package: org.osgi.service.dal; version="[1.0,1.1)"
```

Interface Device

org.osgi.service.dal

```
public interface Device
```

Represents the device in the OSGi service registry. Note that `Device` services are registered last. Before their registration, there is `DeviceFunction` services registration. The reverse order is used when the services are unregistered. `Device` services are unregistered first before `DeviceFunction` services.

Field Summary		Page
String	DEVICE_CATEGORY Constant for the value of the <code>org.osgi.service.device.Constants.DEVICE_CATEGORY</code> service property.	38
String	SERVICE_DESCRIPTION The service property value contains the device description.	41
String	SERVICE_DRIVER The service property value contains the device driver name.	39
String	SERVICE_FIRMWARE_VENDOR The service property value contains the device firmware vendor.	40
String	SERVICE_FIRMWARE_VERSION The service property value contains the device firmware version.	40
String	SERVICE_HARDWARE_VENDOR The service property value contains the device hardware vendor.	40
String	SERVICE_HARDWARE_VERSION The service property value contains the device hardware version.	40
String	SERVICE_MODEL The service property value contains the device model.	40
String	SERVICE_NAME The service property value contains the device name.	39
String	SERVICE_REFERENCE_UIDS The service property value contains the reference device unique identifiers.	39
String	SERVICE_SERIAL_NUMBER The service property value contains the device serial number.	41
String	SERVICE_STATUS The service property value contains the device status.	39
String	SERVICE_STATUS_DETAIL The service property value contains the device status detail.	39
String	SERVICE_TYPES The service property value contains the device types like DVD, TV etc.	40
String	SERVICE_UID The service property value contains the device unique identifier.	38
Integer	STATUS_DETAIL_CONFIGURATION_NOT_APPLIED Device status detail indicates that the device configuration is not applied.	42
Integer	STATUS_DETAIL_CONNECTING Device status detail indicates that the device is currently connecting to the network.	42
Integer	STATUS_DETAIL_DEVICE_BROKEN Device status detail indicates that the device is broken.	42

Integer	STATUS_DETAIL_DEVICE_COMMUNICATION_ERROR Device status detail indicates that the device communication is problematic.	42
Integer	STATUS_DETAIL_DEVICE_DATA_INSUFFICIENT Device status detail indicates that the device doesn't provide enough information and cannot be determined.	43
Integer	STATUS_DETAIL_DEVICE_NOT_ACCESSIBLE Device status detail indicates that the device is not accessible and further communication is not possible.	43
Integer	STATUS_DETAIL_ERROR_APPLYING_CONFIGURATION Device status detail indicates that the device cannot be configured.	43
Integer	STATUS_DETAIL_IN_DUTY_CYCLE Device status detail indicates that the device is in duty cycle.	43
Integer	STATUS_DETAIL_INITIALIZING Device status detail indicates that the device is currently in process of initialization.	42
Integer	STATUS_DETAIL_REMOVING Device status detail indicates that the device is leaving the network.	42
Integer	STATUS_NOT_CONFIGURED Device status indicates that the device is currently not configured.	42
Integer	STATUS_NOT_INITIALIZED Device status indicates that the device is currently not initialized.	41
Integer	STATUS_OFFLINE Device status indicates that the device is currently not available for operations.	41
Integer	STATUS_ONLINE Device status indicates that the device is currently available for operations.	41
Integer	STATUS_PROCESSING Device status indicates that the device is currently busy with an operation.	41
Integer	STATUS_REMOVED Device status indicates that the device is removed from the network.	41

Method Summary		Page
Object	getServiceProperty (String propName) Returns the current value of the specified property.	43
void	remove () Removes this device.	43

Field Detail

DEVICE_CATEGORY

```
public static final String DEVICE_CATEGORY = "DAL"
```

Constant for the value of the `org.osgi.service.device.Constants.DEVICE_CATEGORY` service property. That category is used by all device services.

See Also:

`org.osgi.service.device.Constants.DEVICE_CATEGORY`

SERVICE_UID

```
public static final String SERVICE_UID = "dal.device.UID"
```

The service property value contains the device unique identifier. It's a mandatory property. The value type is `java.lang.String`. To simplify the unique identifier generation, the property value must follow the rule:

UID ::= driver-name ':' device-id

UID - device unique identifier

driver-name - the value of the [SERVICE_DRIVER](#) service property

device-id - device unique identifier in the scope of the driver

SERVICE_REFERENCE_UIDS

```
public static final String SERVICE_REFERENCE_UIDS = "dal.device.reference.UIDs"
```

The service property value contains the reference device unique identifiers. It's an optional property. The value type is `java.lang.String[]`. It can be used to represent different relationships between the devices. For example, the ZigBee controller can have a reference to the USB dongle.

SERVICE_DRIVER

```
public static final String SERVICE_DRIVER = "dal.device.driver"
```

The service property value contains the device driver name. For example, ZigBee, Z-Wave, Bluetooth etc. It's a mandatory property. The value type is `java.lang.String`.

SERVICE_NAME

```
public static final String SERVICE_NAME = "dal.device.name"
```

The service property value contains the device name. It's an optional property. The value type is `java.lang.String`.

SERVICE_STATUS

```
public static final String SERVICE_STATUS = "dal.device.status"
```

The service property value contains the device status. It's a mandatory property. The value type is `java.lang.Integer`. The possible values are:

```
35 STATUS\_ONLINE  
17  
35 STATUS\_OFFLINE  
17  
35 STATUS\_REMOVED  
17  
35 STATUS\_PROCESSING  
17  
35 STATUS\_NOT\_INITIALIZED  
17  
35 STATUS\_NOT\_CONFIGURED  
17
```

SERVICE_STATUS_DETAIL

```
public static final String SERVICE_STATUS_DETAIL = "dal.device.status.detail"
```

The service property value contains the device status detail. It holds the reason for the current device status. It's an optional property. The value type is `java.lang.Integer`. There are two value categories:

³⁵₁₇ positive values i.e. > 0
³⁵₁₇ - Those values contain details related to the current status. Examples:
[STATUS_DETAIL_CONNECTING](#) and [STATUS_DETAIL_INITIALIZING](#).
³⁵₁₇ negative values i.e. 0
³⁵₁₇ - Those values contain errors related to the current status. Examples:
[STATUS_DETAIL_CONFIGURATION_NOT_APPLIED](#), [STATUS_DETAIL_DEVICE_BROKEN](#) and
[STATUS_DETAIL_DEVICE_COMMUNICATION_ERROR](#).

SERVICE_HARDWARE_VENDOR

```
public static final String SERVICE_HARDWARE_VENDOR = "dal.device.hardware.vendor"
```

The service property value contains the device hardware vendor. It's an optional property. The value type is `java.lang.String`.

SERVICE_HARDWARE_VERSION

```
public static final String SERVICE_HARDWARE_VERSION = "dal.device.hardware.version"
```

The service property value contains the device hardware version. It's an optional property. The value type is `java.lang.String`.

SERVICE_FIRMWARE_VENDOR

```
public static final String SERVICE_FIRMWARE_VENDOR = "dal.device.firmware.vendor"
```

The service property value contains the device firmware vendor. It's an optional property. The value type is `java.lang.String`.

SERVICE_FIRMWARE_VERSION

```
public static final String SERVICE_FIRMWARE_VERSION = "dal.device.firmware.version"
```

The service property value contains the device firmware version. It's an optional property. The value type is `java.lang.String`.

SERVICE_TYPES

```
public static final String SERVICE_TYPES = "dal.device.types"
```

The service property value contains the device types like DVD, TV etc. It's an optional property. The value type is `java.lang.String[]`.

SERVICE_MODEL

```
public static final String SERVICE_MODEL = "dal.device.model"
```

The service property value contains the device model. It's an optional property. The value type is `java.lang.String`.

SERVICE_SERIAL_NUMBER

```
public static final String SERVICE_SERIAL_NUMBER = "dal.device.serial.number"
```

The service property value contains the device serial number. It's an optional property. The value type is `java.lang.String`.

SERVICE_DESCRIPTION

```
public static final String SERVICE_DESCRIPTION = "dal.device.description"
```

The service property value contains the device description. It's an optional property. The value type is `java.lang.String`.

STATUS_REMOVED

```
public static final Integer STATUS_REMOVED
```

Device status indicates that the device is removed from the network. That status must be set as the last device status and after that the device service can be unregistered from the service registry. It can be used as a value of [SERVICE_STATUS](#) service property.

STATUS_OFFLINE

```
public static final Integer STATUS_OFFLINE
```

Device status indicates that the device is currently not available for operations. It can be used as a value of [SERVICE_STATUS](#) service property.

STATUS_ONLINE

```
public static final Integer STATUS_ONLINE
```

Device status indicates that the device is currently available for operations. It can be used as a value of [SERVICE_STATUS](#) service property.

STATUS_PROCESSING

```
public static final Integer STATUS_PROCESSING
```

Device status indicates that the device is currently busy with an operation. It can be used as a value of [SERVICE_STATUS](#) service property.

STATUS_NOT_INITIALIZED

```
public static final Integer STATUS_NOT_INITIALIZED
```

Device status indicates that the device is currently not initialized. Some protocols don't provide device information right after the device is connected. The device can be initialized later when it's awakened. It can be used as a value of [SERVICE_STATUS](#) service property.

STATUS_NOT_CONFIGURED

```
public static final Integer STATUS_NOT_CONFIGURED
```

Device status indicates that the device is currently not configured. The device can require additional actions to become completely connected to the network. It can be used as a value of [SERVICE_STATUS](#) service property.

STATUS_DETAIL_CONNECTING

```
public static final Integer STATUS_DETAIL_CONNECTING
```

Device status detail indicates that the device is currently connecting to the network. It can be used as a value of [SERVICE_STATUS_DETAIL](#) service property. The device status must be [STATUS_PROCESSING](#).

STATUS_DETAIL_INITIALIZING

```
public static final Integer STATUS_DETAIL_INITIALIZING
```

Device status detail indicates that the device is currently in process of initialization. It can be used as a value of [SERVICE_STATUS_DETAIL](#) service property. The device status must be [STATUS_PROCESSING](#).

STATUS_DETAIL_REMOVING

```
public static final Integer STATUS_DETAIL_REMOVING
```

Device status detail indicates that the device is leaving the network. It can be used as a value of [SERVICE_STATUS_DETAIL](#) service property. The device status must be [STATUS_PROCESSING](#).

STATUS_DETAIL_CONFIGURATION_NOT_APPLIED

```
public static final Integer STATUS_DETAIL_CONFIGURATION_NOT_APPLIED
```

Device status detail indicates that the device configuration is not applied. It can be used as a value of [SERVICE_STATUS_DETAIL](#) service property. The device status must be [STATUS_NOT_CONFIGURED](#).

STATUS_DETAIL_DEVICE_BROKEN

```
public static final Integer STATUS_DETAIL_DEVICE_BROKEN
```

Device status detail indicates that the device is broken. It can be used as a value of [SERVICE_STATUS_DETAIL](#) service property. The device status must be [STATUS_OFFLINE](#).

STATUS_DETAIL_DEVICE_COMMUNICATION_ERROR

```
public static final Integer STATUS_DETAIL_DEVICE_COMMUNICATION_ERROR
```

Device status detail indicates that the device communication is problematic. It can be used as a value of [SERVICE_STATUS_DETAIL](#) service property. The device status must be [STATUS_ONLINE](#) or [STATUS_NOT_INITIALIZED](#).

STATUS_DETAIL_DEVICE_DATA_INSUFFICIENT

```
public static final Integer STATUS_DETAIL_DEVICE_DATA_INSUFFICIENT
```

Device status detail indicates that the device doesn't provide enough information and cannot be determined. It can be used as a value of [SERVICE_STATUS_DETAIL](#) service property. The device status must be [STATUS_NOT_INITIALIZED](#).

STATUS_DETAIL_DEVICE_NOT_ACCESSIBLE

```
public static final Integer STATUS_DETAIL_DEVICE_NOT_ACCESSIBLE
```

Device status detail indicates that the device is not accessible and further communication is not possible. It can be used as a value of [SERVICE_STATUS_DETAIL](#) service property. The device status must be [STATUS_OFFLINE](#).

STATUS_DETAIL_ERROR_APPLYING_CONFIGURATION

```
public static final Integer STATUS_DETAIL_ERROR_APPLYING_CONFIGURATION
```

Device status detail indicates that the device cannot be configured. It can be used as a value of [SERVICE_STATUS_DETAIL](#) service property. The device status must be [STATUS_NOT_CONFIGURED](#).

STATUS_DETAIL_IN_DUTY_CYCLE

```
public static final Integer STATUS_DETAIL_IN_DUTY_CYCLE
```

Device status detail indicates that the device is in duty cycle. It can be used as a value of [SERVICE_STATUS_DETAIL](#) service property. The device status must be [STATUS_OFFLINE](#).

Method Detail

getServiceProperty

```
Object getServiceProperty(String propName)
```

Returns the current value of the specified property. The method will return the same value as `org.osgi.framework.ServiceReference.getProperty(String)` for the service reference of this device.

This method must continue to return property values after the device service has been unregistered.

Parameters:

`propName` - The property name.

Returns:

The property value or `null` if the property name cannot be mapped to a value.

remove

```
void remove()  
    throws DeviceException,  
           UnsupportedOperationException,  
           SecurityException,  
           IllegalStateException
```

Removes this device. The method must synchronously remove the device from the device network.

Throws:

[DeviceException](#) - If an operation error is available.

`UnsupportedOperationException` - If the operation is not supported over this device.

`SecurityException` - If the caller does not have the appropriate `FunctionalDevicePermission[this device, DevicePermission.ACTION_REMOVE]` and the Java Runtime Environment supports permissions.

`IllegalStateException` - If this device service object has already been unregistered.

Class DeviceException

org.osgi.service.dal

```

java.lang.Object
├── java.lang.Throwable
│   ├── java.lang.Exception
│   │   ├── java.io.IOException
│   │   └── org.osgi.service.dal.DeviceException

```

All Implemented Interfaces:
Serializable

```

public class DeviceException
extends IOException

```

DeviceException is a special IOException, which is thrown to indicate that there is a device operation fail. The error reason can be located with [getCode\(\)](#) method. The cause is available with [getCause\(\)](#).

Field Summary		Page
static int	CODE_COMMUNICATION_ERROR An exception code indicates that there is an error in the communication.	46
static int	CODE_NO_DATA An exception code indicates that the requested value is currently not available.	46
static int	CODE_NOT_INITIALIZED An exception code indicates that the device is not initialized.	46
static int	CODE_TIMEOUT An exception code indicates that there is expired timeout without any processing.	46
static int	CODE_UNKNOWN An exception code indicates that the error is unknown.	46

Constructor Summary		Page
	DeviceException() Construct a new device exception with null message.	46
	DeviceException(String message) Constructs a new device exception with the given message.	46
	DeviceException(String message, Throwable cause) Constructs a new device exception with the given message and cause.	47
	DeviceException(String message, Throwable cause, int code) Constructs a new device exception with the given message, cause and code.	47

Method Summary		Page
Throwable	getCause() Returns the cause for this exception or null if the cause is missing.	47
int	getCode() Returns the exception error code.	47
void	printStackTrace() Prints the exception stack trace to the standard error stream.	48

void	printStackTrace (PrintStream s) Prints the exception stack trace to the given stream.	48
void	printStackTrace (PrintWriter s) Prints the exception stack trace to the given writer.	48

Field Detail

CODE_UNKNOWN

```
public static final int CODE_UNKNOWN = 1
```

An exception code indicates that the error is unknown.

CODE_COMMUNICATION_ERROR

```
public static final int CODE_COMMUNICATION_ERROR = 2
```

An exception code indicates that there is an error in the communication.

CODE_TIMEOUT

```
public static final int CODE_TIMEOUT = 3
```

An exception code indicates that there is expired timeout without any processing.

CODE_NOT_INITIALIZED

```
public static final int CODE_NOT_INITIALIZED = 4
```

An exception code indicates that the device is not initialized. The device status is [Device.STATUS_NOT_INITIALIZED](#) or [Device.STATUS_PROCESSING](#).

CODE_NO_DATA

```
public static final int CODE_NO_DATA = 5
```

An exception code indicates that the requested value is currently not available.

Constructor Detail

DeviceException

```
public DeviceException()
```

Construct a new device exception with `null` message. The cause is not initialized and the exception code is set to [CODE_UNKNOWN](#).

DeviceException

```
public DeviceException(String message)
```

Constructs a new device exception with the given message. The cause is not initialized and the exception code is set to [CODE_UNKNOWN](#).

Parameters:

message - The exception message.

DeviceException

```
public DeviceException(String message,  
                       Throwable cause)
```

Constructs a new device exception with the given message and cause. The exception code is set to [CODE_UNKNOWN](#).

Parameters:

message - The exception message.
cause - The exception cause.

DeviceException

```
public DeviceException(String message,  
                       Throwable cause,  
                       int code)
```

Constructs a new device exception with the given message, cause and code.

Parameters:

message - The exception message.
cause - The exception cause.
code - The exception code.

Method Detail

getCode

```
public int getCode()
```

Returns the exception error code. It indicates the reason for this exception.

Returns:

An exception code.

getCause

```
public Throwable getCause()
```

Returns the cause for this exception or `null` if the cause is missing. The cause can be protocol specific exception with an appropriate message and error code.

Overrides:

`getCause` in class `Throwable`

Returns:

An throwable cause.

printStackTrace

```
public void printStackTrace()
```

Prints the exception stack trace to the standard error stream.

Overrides:

`printStackTrace` in class `Throwable`

See Also:

`Throwable.printStackTrace()`

printStackTrace

```
public void printStackTrace(PrintStream s)
```

Prints the exception stack trace to the given stream.

Overrides:

`printStackTrace` in class `Throwable`

Parameters:

`s` - The stream used for the output.

See Also:

`Throwable.printStackTrace(java.io.PrintStream)`

printStackTrace

```
public void printStackTrace(PrintWriter s)
```

Prints the exception stack trace to the given writer.

Overrides:

`printStackTrace` in class `Throwable`

Parameters:

`s` - The writer used for the output.

See Also:

`Throwable.printStackTrace(java.io.PrintWriter)`

Interface DeviceFunction

org.osgi.service.dal

All Known Subinterfaces:

[Alarm](#), [BooleanControl](#), [BooleanSensor](#), [Keypad](#), [Meter](#), [MultiLevelControl](#), [MultiLevelSensor](#), [WakeUp](#)

```
public interface DeviceFunction
```

Device Function service provides specific device operations and properties. Each Device Function service must implement this interface. In addition to this interface, the implementation can provide own:

```

35 properties;
17
35 operations.
17

```

The Device Function service can be registered in the service registry with those service properties:

```

35 SERVICE\_UID - mandatory service property. The property value contains the device function unique
17 identifier.
35 SERVICE\_DEVICE\_UID - optional service property. The property value is the Functional Device identifiers.
17 The Device Function belongs to those devices.
35 SERVICE\_REFERENCE\_UIDS - optional service property. The property value contains the reference device
17 function unique identifiers.
35 SERVICE\_TYPE - mandatory service property. The property value is the function type.
17
35 SERVICE\_VERSION - optional service property. The property value contains the function version.
17
35 SERVICE\_DESCRIPTION - optional service property. The property value is the device function description.
17
35 SERVICE\_OPERATION\_NAMES - optional service property. The property value is the Device Function
17 operation names.
35 SERVICE\_PROPERTY\_NAMES - optional service property. The property value is the Device Function property
17 names.

```

The `DeviceFunction` services are registered before the `Device` services. It's possible that `SERVICE_DEVICE_UID` point to missing services at the moment of the registration. The reverse order is used when the services are unregistered. `DeviceFunction` services are unregistered last after `Device` services.

Device Function service must be registered only under concrete Device Function class. It's not allowed to register Device Function service under more than one class. For example, those registrations are not allowed:

```

35 context.registerService(ManagedService.class.getName(), this, regProps); - ManagedService
17 interface is not a Device Function interface.
35 context.registerService(DeviceFunction.class.getName(), this, regProps); - DeviceFunction
17 interface is not concrete Device Function interface.
35 context.registerService(new String[] {BooleanControl.class.getName(), BooleanControl.class.getName()},
17 this, regProps); - more than one device function is used.

```

That one is a valid registration: `context.registerService(Meter.class.getName(), this, regProps);`. `Meter` is concrete Device Function interface.

That rule helps to the applications to find the supported Device Function class and to identify the metadata. Otherwise the Device Function services can be accesses, but it's not clear which are the Device Function classes and metadata.

The Device Function properties must be integrated according to these rules:

```

35 Getter methods must be available for all properties with PropertyMetadata.PROPERTY\_ACCESS\_READABLE
17 access.
35 Getter method must return a subclass of DeviceFunctionData.
17
35 Setter methods must be available for all properties with PropertyMetadata.PROPERTY\_ACCESS\_WRITABLE
17 access.

```

- 35 17 Setter method must use [DeviceFunctionData](#) wrapped type. For example, there is MyFunctionData with timestamp, unit and BigDecimal value. The setter must accept as an argument the value of type BigDecimal.
- 35 17 It's possible to have a second setter method, which accepts the value as a first argument and the unit as a second argument.
- 35 17 No methods are required for properties with [PropertyMetadata.PROPERTY_ACCESS_EVENTABLE](#) access.

The accessor method names must be defined according JavaBeans specification.

The Device Function operations are java methods, which cannot override the property accessor methods. They can have zero or more parameters and zero or one return value.

Operation arguments and Device Function properties are restricted by the same set of rules. The data type can be one of the following types:

- 35 17 Java primitive type or corresponding reference type.
- 35 17 `java.lang.String`.
- 35 17 Beans, but the beans properties must use those rules. Java Beans are defined in JavaBeans specification.
- 35 17 `java.util.Maps`. The keys can be any reference type of Java primitive types or `java.lang.String`. The values must use those rules.
- 35 17 Arrays of defined types.

The properties metadata is accessible with [getPropertyMetadata\(String\)](#). The operations metadata is accessible with [getOperationMetadata\(String\)](#). In order to provide common behavior, all Device Functions must follow a set of common rules related to the implementation of their setters, getters, operations and events:

- 35 17 The setter method must be executed synchronously. If the underlying protocol can return response to the setter call, it must be awaited. It simplifies the property value modifications and doesn't require asynchronous callback.
- 35 17 The operation method must be executed synchronously. If the underlying protocol can return an operation confirmation or response, they must be awaited. It simplifies the operation execution and doesn't require asynchronous callback.
- 35 17 The getter must return the last know cached property value. The device implementation is responsible to keep that value up to date. It'll speed up the applications when the Device Function property values are collected. The same cached value can be shared between a few requests instead of a few calls to the real device.
- 35 17 If a given Device Function operation, getter or setter is not supported, `java.lang.UnsupportedOperationException` must be thrown. It indicates that Device Function is partially supported.
- 35 17 The Device Function operations, getters and setters must not override `java.lang.Object` and this interface methods.

Field Summary		Page
String	SERVICE_DESCRIPTION The service property value contains the device function description.	52
String	SERVICE_DEVICE_UID The service property value contains the device unique identifier.	52
String	SERVICE_OPERATION_NAMES The service property value contains the device function operation names.	52
String	SERVICE_PROPERTY_NAMES The service property value contains the device function property names.	52
String	SERVICE_REFERENCE_UIDS The service property value contains the reference device function unique identifiers.	52
String	SERVICE_TYPE The service property value contains the device function type.	51

String	SERVICE_UID The service property value contains the device function unique identifier.	51
String	SERVICE_VERSION The service property value contains the device function version.	51

Method Summary		Page
OperationMetadata	getOperationMetadata (String operationName) Provides metadata about the Device Function operation.	53
PropertyMetadata	getPropertyMetadata (String propertyName) Provides metadata about the Device Function property specified with the name argument.	52
Object	getServiceProperty (String propName) Returns the current value of the specified property.	53

Field Detail

SERVICE_UID

```
public static final String SERVICE_UID = "dal.function.UID"
```

The service property value contains the device function unique identifier. It's a mandatory property. The value type is `java.lang.String`. To simplify the unique identifier generation, the property value must follow the rule:

function UID ::= device-id ':' function-id

function UID - device function unique identifier

device-id - the value of the [Device.SERVICE_UID](#) Functional Device service property

function-id - device function identifier in the scope of the device

SERVICE_TYPE

```
public static final String SERVICE_TYPE = "dal.function.type"
```

The service property value contains the device function type. It's an optional property. For example, the sensor function can have different types like temperature or pressure etc. The value type is `java.lang.String`.

Organizations that want to use device function types that do not clash with OSGi Alliance defined types should prefix their types in own namespace.

The type doesn't mandate specific device function interface. It can be used with different functions.

SERVICE_VERSION

```
public static final String SERVICE_VERSION = "dal.function.version"
```

The service property value contains the device function version. That version can point to specific implementation version and vary in the different vendor implementations. It's an optional property. The value type is `java.lang.String`.

SERVICE_DEVICE_UID

```
public static final String SERVICE_DEVICE_UID = "dal.function.device.UID"
```

The service property value contains the device unique identifier. The function belongs to this device. It's an optional property. The value type is `java.lang.String`.

SERVICE_REFERENCE_UIDS

```
public static final String SERVICE_REFERENCE_UIDS = "dal.function.reference.UIDs"
```

The service property value contains the reference device function unique identifiers. It's an optional property. The value type is `java.lang.String[]`. It can be used to represent different relationships between the device functions.

SERVICE_DESCRIPTION

```
public static final String SERVICE_DESCRIPTION = "dal.function.description"
```

The service property value contains the device function description. It's an optional property. The value type is `java.lang.String`.

SERVICE_OPERATION_NAMES

```
public static final String SERVICE_OPERATION_NAMES = "dal.function.operation.names"
```

The service property value contains the device function operation names. It's an optional property. The value type is `java.lang.String[]`. It's not possible to exist two or more Device Function operations with the same name i.e. the operation overloading is not allowed.

SERVICE_PROPERTY_NAMES

```
public static final String SERVICE_PROPERTY_NAMES = "dal.function.property.names"
```

The service property value contains the device function property names. It's an optional property. The value type is `java.lang.String[]`. It's not possible to exist two or more Device Function properties with the same name.

Method Detail

getPropertyMetadata

```
PropertyMetadata getPropertyMetadata(String propertyName)  
    throws IllegalArgumentException
```

Provides metadata about the Device Function property specified with the name argument.

This method must continue to return the property metadata after the Device Function service has been unregistered.

Parameters:

`propertyName` - The function property name, which metadata is requested.

Returns:

The property metadata for the given property name. `null` if the property metadata is not supported.

Throws:

`IllegalArgumentException` - If the function property with the specified name is not supported.

getOperationMetadata

[OperationMetadata](#) `getOperationMetadata`(String operationName)
throws `IllegalArgumentException`

Provides metadata about the Device Function operation.

This method must continue to return the operation metadata after the Device Function service has been unregistered.

Parameters:

`operationName` - The function operation name, which metadata is requested.

Returns:

The operation metadata for the given operation name. `null` if the operation metadata is not supported.

Throws:

`IllegalArgumentException` - If the function operation with the specified name is not supported.

getServiceProperty

Object `getServiceProperty`(String propName)

Returns the current value of the specified property. The method will return the same value as `org.osgi.framework.ServiceReference.getProperty(String)` for the service reference of this device function.

This method must continue to return property values after the device function service has been unregistered.

Parameters:

`propName` - The property name.

Returns:

The property value or `null` if the property name cannot be mapped to a value.

Class DeviceFunctionData

org.osgi.service.dal

```
java.lang.Object
└─ org.osgi.service.dal.DeviceFunctionData
```

All Implemented Interfaces:

Comparable

Direct Known Subclasses:

[AlarmData](#), [BooleanData](#), [KeypadData](#), [LevelData](#)

```
abstract public class DeviceFunctionData
extends Object
implements Comparable
```

Abstract `DeviceFunction` data wrapper. A subclass must be used for an access to the property values by all Device Functions. It takes care about the timestamp and additional metadata. The subclasses are responsible to provide concrete value and unit if required.

The subclass is responsible to provide correct implementation of `Comparable.compareTo(Object)` method.

Field Summary		Page
static String	FIELD_METADATA Represents the metadata field name.	55
static String	FIELD_TIMESTAMP Represents the timestamp field name.	55
static String	META_INFO_DESCRIPTION Metadata key, which value represents the data description.	55
Map	metadata Contains <code>DeviceFunctionData</code> metadata.	55
long	timestamp Contains <code>DeviceFunctionData</code> timestamp.	55

Constructor Summary		Page
DeviceFunctionData (Map fields)	Constructs new <code>DeviceFunctionData</code> instance with the specified field values.	55
DeviceFunctionData (long timestamp, Map metadata)	Constructs new <code>DeviceFunctionData</code> instance with the specified arguments.	56

Method Summary		Page
boolean	equals (Object other) Two <code>DeviceFunctionData</code> instances are equal if their metadata and timestamp are equivalent.	57
Map	getMetadata () Returns <code>DeviceFunctionData</code> metadata.	56
long	getTimestamp () Returns <code>DeviceFunctionData</code> timestamp.	56

int	hashCode() Returns the hash code of this DeviceFunctionData.	57
-----	---	----

Field Detail

FIELD_TIMESTAMP

```
public static final String FIELD_TIMESTAMP = "timestamp"
```

Represents the timestamp field name. The field value is available with [timestamp](#) and [getTimestamp\(\)](#). The field type is `long`. The constant can be used as a key to [DeviceFunctionData \(Map\)](#).

FIELD_METADATA

```
public static final String FIELD_METADATA = "metadata"
```

Represents the metadata field name. The field value is available with [metadata](#) and [getMetadata\(\)](#). The field type is `Map`. The constant can be used as a key to [DeviceFunctionData \(Map\)](#).

META_INFO_DESCRIPTION

```
public static final String META_INFO_DESCRIPTION = "description"
```

Metadata key, which value represents the data description. The property value type is `java.lang.String`.

timestamp

```
public final long timestamp
```

Contains `DeviceFunctionData` timestamp. The timestamp is the difference between the value collecting time and midnight, January 1, 1970 UTC. It's measured in milliseconds. The device driver is responsible to generate that value when the value is received from the device. `Long.MIN_VALUE` value means no timestamp.

metadata

```
public final Map metadata
```

Contains `DeviceFunctionData` metadata. It's dynamic metadata related only to this specific value. Possible keys:

```

35  META\_INFO\_DESCRIPTION
17
35  custom key
17

```

Constructor Detail

DeviceFunctionData

```
public DeviceFunctionData (Map fields)
```

Constructs new `DeviceFunctionData` instance with the specified field values. The map keys must match to the field names. The map values will be assigned to the appropriate class fields. For example, the maps can be: `{"timestamp"=Long(1384440775495)}`. That map will initialize the [FIELD_TIMESTAMP](#) field with 1384440775495. If timestamp is missing, `Long.MIN_VALUE` is used.

[FIELD_TIMESTAMP](#) field value type must be `Long`. [FIELD_METADATA](#) field value type must be `Map`.

Parameters:

`fields` - Contains the new `DeviceFunctionData` instance field values.

Throws:

`ClassCastException` - If the field value types are not expected.

`NullPointerException` - If the fields map is null.

DeviceFunctionData

```
public DeviceFunctionData(long timestamp,
                          Map metadata)
```

Constructs new `DeviceFunctionData` instance with the specified arguments.

Parameters:

`timestamp` - The data timestamp.

`metadata` - The data metadata.

Method Detail

getTimestamp

```
public long getTimestamp()
```

Returns `DeviceFunctionData` timestamp. The timestamp is the difference between the value collecting time and midnight, January 1, 1970 UTC. It's measured in milliseconds. The device driver is responsible to generate that value when the value is received from the device. `Long.MIN_VALUE` value means no timestamp.

Returns:

`DeviceFunctionData` timestamp.

getMetadata

```
public Map getMetadata()
```

Returns `DeviceFunctionData` metadata. It's dynamic metadata related only to this specific value. Possible keys:

```
35 META\_INFO\_DESCRIPTION
17
35 custom key
17
```

Returns:

`DeviceFunctionData` metadata or `null` if there is no metadata.

equals

```
public boolean equals(Object other)
```

Two DeviceFunctionData instances are equal if their metadata and timestamp are equivalent.

Overrides:

equals in class Object

Parameters:

other - The other instance to compare. It must be of DeviceFunctionData type.

Returns:

true if this instance and argument have equivalent metadata and timestamp, false otherwise.

See Also:

Object.equals(java.lang.Object)

hashCode

```
public int hashCode()
```

Returns the hash code of this DeviceFunctionData.

Overrides:

hashCode in class Object

Returns:

DeviceFunctionData hash code.

See Also:

Object.hashCode()

Class DeviceFunctionEvent

org.osgi.service.dal

```
java.lang.Object
├─ org.osgi.service.event.Event
│   └─ org.osgi.service.dal.DeviceFunctionEvent
```

```
final public class DeviceFunctionEvent
extends org.osgi.service.event.Event
```

Asynchronous event, which marks a Device Function property value modification. The event can be triggered when there is a new property value, but it's possible to have events in series with no value change. The event properties must contain:

- ³⁵₁₇ [PROPERTY_FUNCTION_UID](#) - the event source function unique identifier.
- ³⁵₁₇ [PROPERTY_FUNCTION_PROPERTY_NAME](#) - the property name.
- ³⁵₁₇ [PROPERTY_FUNCTION_PROPERTY_VALUE](#) - the property value. The property value type must be a subclass of DeviceFunctionData.

Field Summary		Page
static String	EVENT_CLASS Represents the event class.	59
static String	EVENT_PACKAGE Represents the event package.	59
static String	PROPERTY_FUNCTION_PROPERTY_NAME Represents an event property key for the Device Function property name.	59
static String	PROPERTY_FUNCTION_PROPERTY_VALUE Represents an event property key for the Device Function property value.	59
static String	PROPERTY_FUNCTION_UID Represents an event property key for Device Function UID.	59
static String	TOPIC_PROPERTY_CHANGED Represents the event topic for the Device Function property changed.	59

Constructor Summary		Page
DeviceFunctionEvent (String topic, String funtionUID, String propName, DeviceFunctionData propValue)		60
Constructs a new event with the specified topic, function UID, property name and property value.		
DeviceFunctionEvent (String topic, Dictionary properties)		60
Constructs a new event with the specified topic and properties.		
DeviceFunctionEvent (String topic, Map properties)		60
Constructs a new event with the specified topic and properties.		

Method Summary		Page
String	getFunctionPropertyName () Returns the property name.	61
DeviceFunctionData	getFunctionPropertyValue () Returns the property value.	61
String	getFunctionUID () Returns the property value change source function identifier.	60

Methods inherited from class org.osgi.service.event.Event

equals, getProperty, getPropertyNames, getTopic, hashCode, matches, toString

Field Detail

EVENT_PACKAGE

```
public static final String EVENT_PACKAGE = "org/osgi/services/dal/"
```

Represents the event package. That constant can be useful for the event handlers depending on the event filters.

EVENT_CLASS

```
public static final String EVENT_CLASS = "org/osgi/services/dal/DeviceFunctionEvent/"
```

Represents the event class. That constant can be useful for the event handlers depending on the event filters.

TOPIC_PROPERTY_CHANGED

```
public static final String TOPIC_PROPERTY_CHANGED = "org/osgi/services/dal/DeviceFunctionEvent/PROPERTY_CHANGED"
```

Represents the event topic for the Device Function property changed.

PROPERTY_FUNCTION_UID

```
public static final String PROPERTY_FUNCTION_UID = "dal.function.UID"
```

Represents an event property key for Device Function UID. The property value type is `java.lang.String`. The value represents the property value change source function identifier.

PROPERTY_FUNCTION_PROPERTY_NAME

```
public static final String PROPERTY_FUNCTION_PROPERTY_NAME = "dal.function.property.name"
```

Represents an event property key for the Device Function property name. The property value type is `java.lang.String`. The value represents the property name.

PROPERTY_FUNCTION_PROPERTY_VALUE

```
public static final String PROPERTY_FUNCTION_PROPERTY_VALUE = "dal.function.property.value"
```

Represents an event property key for the Device Function property value. The property value type is a subclass of `DeviceFunctionData`. The value represents the property value.

Constructor Detail

DeviceFunctionEvent

```
public DeviceFunctionEvent(String topic,  
                           Dictionary properties)
```

Constructs a new event with the specified topic and properties.

Parameters:

`topic` - The event topic.
`properties` - The event properties.

DeviceFunctionEvent

```
public DeviceFunctionEvent(String topic,  
                           Map properties)
```

Constructs a new event with the specified topic and properties.

Parameters:

`topic` - The event topic.
`properties` - The event properties.

DeviceFunctionEvent

```
public DeviceFunctionEvent(String topic,  
                           String funtionUID,  
                           String propName,  
                           DeviceFunctionData propValue)
```

Constructs a new event with the specified topic, function UID, property name and property value.

Parameters:

`topic` - The event topic.
`funtionUID` - The event source function UID.
`propName` - The event source property name.
`propValue` - The event source property value.

Method Detail

getFunctionUID

```
public String getFunctionUID()
```

Returns the property value change source function identifier. The value is same as the value of [PROPERTY_FUNCTION_UID](#) property.

Returns:

The property value change source function.

getFunctionPropertyName

```
public String getFunctionPropertyName()
```

Returns the property name. The value is same as the value of [PROPERTY_FUNCTION_PROPERTY_NAME](#).

Returns:

The property name.

getFunctionPropertyValue

```
public DeviceFunctionData getFunctionPropertyValue()
```

Returns the property value. The value is same as the value of [PROPERTY_FUNCTION_PROPERTY_VALUE](#).

Returns:

The property value.

Class DevicePermission

org.osgi.service.dal

```

java.lang.Object
├── java.security.Permission
│   └── java.security.BasicPermission
│       └── org.osgi.service.dal.DevicePermission
    
```

All Implemented Interfaces:
Guard, Serializable

```

final public class DevicePermission
extends BasicPermission
    
```

A bundle's authority to perform specific privileged administrative operations on the devices. The actions for this permission are:

Action	Method
ACTION_REMOVE	Device.remove()

The name of the permission is a filter based. See OSGi Core Specification, Filter Based Permissions. The filter gives an access to all device service properties. The service property names are case insensitive. The filter attribute names are processed in a case insensitive manner.

Field Summary		Page
static String	ACTION_REMOVE A permission action to remove the device.	63

Constructor Summary		Page
	DevicePermission (String filter, String action) Creates a new FunctionalDevicePermission with the given filter and actions.	63
	DevicePermission (Device device, String action) Creates a new FunctionalDevicePermission with the given device and actions.	63

Method Summary		Page
boolean	equals (Object obj) Two FunctionalDevicePermission instances are equal if: <div style="margin-left: 20px;"> 35 represents the same filter and actions 17 35 represents the same device and actions 17 </div>	63
String	getActions () Returns the canonical string representation of ACTION_REMOVE action.	64
int	hashCode () Returns the hash code value for this object.	64
boolean	implies (Permission p) Determines if the specified permission is implied by this object.	64
PermissionCollection	newPermissionCollection () Returns a new PermissionCollection suitable for storing FunctionalDevicePermission instances.	64

Field Detail

ACTION_REMOVE

```
public static final String ACTION_REMOVE = "remove"
```

A permission action to remove the device.

Constructor Detail

DevicePermission

```
public DevicePermission(String filter,  
                        String action)
```

Creates a new `FunctionalDevicePermission` with the given filter and actions. The constructor must only be used to create a permission that is going to be checked.

An filter example: (dal.device.hardware.vendor=acme)

An action list example: property, remove

Parameters:

`filter` - A filter expression that can use any device service property. The filter attribute names are processed in a case insensitive manner. A special value of "*" can be used to match all devices.

`action` - [ACTION_REMOVE](#) action.

Throws:

`IllegalArgumentException` - If the filter syntax is not correct or invalid actions are specified.

DevicePermission

```
public DevicePermission(Device device,  
                        String action)
```

Creates a new `FunctionalDevicePermission` with the given device and actions. The permission must be used for the security checks like:

```
securityManager.checkPermission(new FunctionalDevicePermission(this, "remove"));
```

The permissions constructed by this constructor must not be added to the `FunctionalDevicePermission` permission collections.

Parameters:

`device` - The permission device.

`action` - [ACTION_REMOVE](#) action.

Method Detail

equals

```
public boolean equals(Object obj)
```

Two `FunctionalDevicePermission` instances are equal if:

³⁵₁₇ represents the same filter and actions

³⁵₁₇ represents the same device and actions

Overrides:

`equals` in class `BasicPermission`

Parameters:

`obj` - The object being compared for equality with this object.

Returns:

`true` if two permissions are equal, `false` otherwise.

hashCode

```
public int hashCode()
```

Returns the hash code value for this object.

Overrides:

`hashCode` in class `BasicPermission`

Returns:

Hash code value for this object.

getActions

```
public String getActions()
```

Returns the canonical string representation of [ACTION_REMOVE](#) action.

Overrides:

`getActions` in class `BasicPermission`

Returns:

The canonical string representation of the actions.

implies

```
public boolean implies(Permission p)
```

Determines if the specified permission is implied by this object. The method will throw an exception if the specified permission was not constructed by [DevicePermission\(Device, String\)](#). Returns `true` if the specified permission is a `FunctionalDevicePermission` and this permission filter matches the specified permission device properties.

Overrides:

`implies` in class `BasicPermission`

Parameters:

`p` - The permission to be implied. It must be constructed by [DevicePermission\(Device, String\)](#).

Returns:

`true` if the specified permission is implied by this permission, `false` otherwise.

Throws:

`IllegalArgumentException` - If the specified permission is not constructed by [DevicePermission\(Device, String\)](#).

newPermissionCollection

```
public PermissionCollection newPermissionCollection()
```

Returns a new `PermissionCollection` suitable for storing `FunctionalDevicePermission` instances.

Overrides:

`newPermissionCollection` in class `BasicPermission`

Returns:

A new `PermissionCollection` instance.

Interface OperationMetadata

org.osgi.service.dal

```
public interface OperationMetadata
```

Contains metadata about Device Function operation.

See Also:

[DeviceFunction](#), [PropertyMetadata](#)

Field Summary		Page
String	META_INFO_DESCRIPTION Metadata key, which value represents the operation description.	66

Method Summary		Page
Map	getMetadata () Returns metadata about the Device Function operation.	66
PropertyMetadata []	getParametersMetadata () Returns metadata about the operation parameters or <code>null</code> if no such metadata is available.	67
PropertyMetadata	getReturnValueMetadata () Returns metadata about the operation return value or <code>null</code> if no such metadata is available.	67

Field Detail

META_INFO_DESCRIPTION

```
public static final String META_INFO_DESCRIPTION = "description"
```

Metadata key, which value represents the operation description. The property value type is `java.lang.String`.

Method Detail

getMetadata

```
Map getMetadata ()
```

Returns metadata about the Device Function operation. The keys of the `java.util.Map` result must be of `java.lang.String` type. Possible keys:

```

35
17 META\_INFO\_DESCRIPTION
35
17 custom key

```

Returns:

The operation metadata or `null` if no such metadata is available.

getReturnValueMetadata

[PropertyMetadata](#) getReturnValueMetadata ()

Returns metadata about the operation return value or `null` if no such metadata is available.

Returns:

Operation return value metadata.

getParametersMetadata

[PropertyMetadata](#)[] getParametersMetadata ()

Returns metadata about the operation parameters or `null` if no such metadata is available.

Returns:

Operation parameters metadata.

Interface PropertyMetadata

org.osgi.service.dal

```
public interface PropertyMetadata
```

Contains metadata about Device Function property or Device Function operation parameter. The access to the Device Function properties is a bitmap value of [PROPERTY_ACCESS](#) metadata key. Device Function properties can be accessed in three ways. Any combinations between them are possible:

- ³⁵₁₇ [PROPERTY_ACCESS_READABLE](#) - available for all properties, which can be read. Device Function must provide a getter method for an access to the property value.
- ³⁵₁₇ [PROPERTY_ACCESS_WRITABLE](#) - available for all properties, which can be modified. Device Function must provide a setter method for a modification of the property value.
- ³⁵₁₇ [PROPERTY_ACCESS_EVENTABLE](#) - available for all properties, which can report the property value. [DeviceFunctionEvent](#)s are sent on property change.

See Also:

[DeviceFunction](#), [PropertyMetadata](#)

Field Summary		Page
String	DESCRIPTION Metadata key, which value represents the property description.	69
String	PROPERTY_ACCESS Metadata key, which value represents the access to the Device Function property.	69
int	PROPERTY_ACCESS_EVENTABLE Marks the eventable Device Function properties.	69
int	PROPERTY_ACCESS_READABLE Marks the readable Device Function properties.	69
int	PROPERTY_ACCESS_WRITABLE Marks the writable Device Function properties.	69
String	UNITS Metadata key, which value represents the property supported units.	70

Method Summary		Page
DeviceFunctionData[]	getEnumValues (String unit) Returns the property possible values according to the specified unit.	71
DeviceFunctionData	getMaxValue (String unit) Returns the property maximum value according to the specified unit.	71
Map	getMetadata (String unit) Returns metadata about the Device Function property or operation parameter.	70
DeviceFunctionData	getMinValue (String unit) Returns the property minimum value according to the specified unit.	71
Object	getResolution (String unit) Returns the resolution value of specific range.	70

Field Detail

PROPERTY_ACCESS_READABLE

```
public static final int PROPERTY_ACCESS_READABLE = 1
```

Marks the readable Device Function properties. The flag can be used as a part of bitmap value of [PROPERTY_ACCESS](#). The readable access mandates Device Function to provide a property getter method.

See Also:

[DeviceFunction](#)

PROPERTY_ACCESS_WRITABLE

```
public static final int PROPERTY_ACCESS_WRITABLE = 2
```

Marks the writable Device Function properties. The flag can be used as a part of bitmap value of [PROPERTY_ACCESS](#). The writable access mandates Device Function to provide a property setter methods.

See Also:

[DeviceFunction](#)

PROPERTY_ACCESS_EVENTABLE

```
public static final int PROPERTY_ACCESS_EVENTABLE = 4
```

Marks the eventable Device Function properties. The flag can be used as a part of bitmap value of [PROPERTY_ACCESS](#).

See Also:

[DeviceFunction](#)

PROPERTY_ACCESS

```
public static final String PROPERTY_ACCESS = "property.access"
```

Metadata key, which value represents the access to the Device Function property. The property value is a bitmap of `Integer` type. The bitmap can be any combination of:

```
35  PROPERTY\_ACCESS\_READABLE
17
35  PROPERTY\_ACCESS\_WRITABLE
17
35  PROPERTY\_ACCESS\_EVENTABLE
17
```

For example, value `Integer(3)` means that the property is readable and writable, but not eventable.

The property access is available only for Device Function properties and it's missing for the operation parameters.

DESCRIPTION

```
public static final String DESCRIPTION = "description"
```

Metadata key, which value represents the property description. The property value type is `java.lang.String`.

UNITS

```
public static final String UNITS = "units"
```

Metadata key, which value represents the property supported units. The property value type is `java.lang.String[]`. Each unit must follow those rules:

- ³⁵₁₇ The International System of Units must be used where it's applicable. For example, kg for kilogram and km for kilometre.
- ³⁵₁₇ If the unit name matches to an Unicode symbol name, the Unicode symbol must be used. For example, the degree unit matches to the Unicode degree sign (°).
- ³⁵₁₇ If the unit name doesn't match to an Unicode symbol, the unit symbol must be built by Unicode Basic Latin block of characters, superscript and subscript characters. For example, watt per square metre steradian is built by $W/(m^2 sr)$, where ² is Unicode superscript two.

If those rules cannot be applied to the unit symbol, custom rules are allowed. A set of predefined unit symbols are available in [Units](#) interface.

Method Detail

getMetadata

```
Map getMetadata(String unit)
```

Returns metadata about the Device Function property or operation parameter. The keys of the `java.util.Map` result must be of `java.lang.String` type. Possible keys:

- ³⁵₁₇ [DESCRIPTION](#) - doesn't depend on the given unit.
- ³⁵₁₇ [PROPERTY_ACCESS](#) - available only for Device Function property and missing for Device FUnction operation parameters. It doesn't depend on the given unit.
- ³⁵₁₇ [UNITS](#) - doesn't depend on the given unit.
- ³⁵₁₇ custom key - can depend on the unit.

Parameters:

`unit` - The unit to align the metadata if it's applicable. It can be null, which means that the default unit will be used.

Returns:

The property metadata or `null` if no such metadata is available.

getResolution

```
Object getResolution(String unit)  
throws IllegalArgumentException
```

Returns the resolution value of specific range. For example, if the range is [0, 100], the resolution can be 10. That's the different between two values in series. The resolution type depends on the property type. If the property is using data bean like [LevelData](#), the resolution will be the `BigDecimal`.

Parameters:

`unit` - The unit to align the resolution, can be null.

Returns:

The resolution according to the specified unit or `null` if no resolution is supported.

Throws:

`IllegalArgumentException` - If the unit is not supported.

getEnumValues

[DeviceFunctionData](#) [] **getEnumValues**(String unit)
throws `IllegalArgumentException`

Returns the property possible values according to the specified unit. If the unit is `null`, the values set is aligned to the default unit. If there is no such set of supported values, `null` is returned. The values must be sorted in increasing order.

Parameters:

`unit` - The unit to align the supported values, can be `null`.

Returns:

The supported values according to the specified unit or `null` if no such values are supported. The values must be sorted in increasing order.

Throws:

`IllegalArgumentException` - If the unit is not supported.

getMinValue

[DeviceFunctionData](#) **getMinValue**(String unit)
throws `IllegalArgumentException`

Returns the property minimum value according to the specified unit. If the unit is `null`, the minimum value is aligned to the default unit. If there is no minimum value, `null` is returned.

Parameters:

`unit` - The unit to align the minimum value, can be `null`.

Returns:

The minimum value according to the specified unit or `null` if no minimum value is supported.

Throws:

`IllegalArgumentException` - If the unit is not supported.

getMaxValue

[DeviceFunctionData](#) **getMaxValue**(String unit)
throws `IllegalArgumentException`

Returns the property maximum value according to the specified unit. If the unit is `null`, the maximum value is aligned to the default unit. If there is no maximum value, `null` is returned.

Parameters:

`unit` - The unit to align the maximum value, can be `null`.

Returns:

The maximum value according to the specified unit or `null` if no maximum value is supported.

Throws:

`IllegalArgumentException` - If the unit is not supported.

Interface Units

org.osgi.service.dal

```
public interface Units
```

Contains the most of the International System of Units unit symbols. The constant name represents the unit name. The constant value represents the unit symbol as it's defined in [PropertyMetadata.UNITS](#).

Field Summary		Page
String	AMPERE Unit of electric current defined by the International System of Units (SI).	77
String	AMPERE_PER_METRE Unit of magnetic field strength.	79
String	AMPERE_PER_SQUARE_METRE Unit of current density.	78
String	ANGSTROM Unit of length.	87
String	BAR Unit of pressure.	87
String	BARN Unit of area.	87
String	BECQUEREL Unit of activity referred to a radionuclide.	82
String	BEL Unit of logarithmic ratio quantities.	88
String	CANDELA Unit of luminous intensity defined by the International System of Units (SI).	77
String	CANDELA_PER_SQUARE_METRE Unit of luminance.	79
String	COULOMB Unit of electronic charge, amount of electricity.	80
String	COULOMB_PER_CUBIC_METRE Unit of electric charge density.	84
String	COULOMB_PER_KILOGRAM Unit of exposure (x- and gamma-rays).	85
String	COULOMB_PER_SQUARE_METRE Unit of surface charge density, electric flux density, electric displacement.	84
String	CUBIC_METRE Unit of volume.	77
String	CUBIC_METRE_PER_KILOGRAM Unit of specific volume.	78
String	DAY Unit of time.	86
String	DECIBEL Unit of logarithmic ratio quantities.	88
String	DEGREE Unit of plane angle.	86

String	DEGREE_CELSIUS Unit of Celsius temperature.	81
String	DYNE Unit of force.	88
String	ERG Unit of energy.	88
String	FARAD Unit of capacitance.	80
String	FARAD_PER_METRE Unit of permittivity.	84
String	GAL Unit of acceleration.	89
String	GAUSS Unit of magnetic flux density.	89
String	GRAY Unit of absorbed dose, specific energy (imparted), kerma.	82
String	GRAY_PER_SECOND Unit of absorbed dose rate.	85
String	HECTARE Unit of area.	86
String	HENRY Unit of inductance.	81
String	HENRY_PER_METRE Unit of permeability.	84
String	HERTZ Unit of frequency.	79
String	HOUR Unit of time.	86
String	JOULE Unit of energy, work, amount of electricity.	80
String	JOULE_PER_CUBIC_METRE Unit of energy density.	84
String	JOULE_PER_KELVIN Unit of heat capacity, entropy.	83
String	JOULE_PER_KILOGRAM Unit of specific energy.	83
String	JOULE_PER_KILOGRAM_KELVIN Unit of specific heat capacity, specific entropy.	83
String	JOULE_PER_MOLE Unit of molar energy.	84
String	JOULE_PER_MOLE_KELVIN Unit of molar entropy, molar heat capacity.	85
String	KATAL Unit of catalytic activity.	82
String	KATAL_PER_CUBIC_METRE Unit of catalytic activity concentration.	85
String	KELVIN Unit of thermodynamic temperature defined by the International System of Units (SI).	77
String	KILOGRAM Unit of mass defined by the International System of Units (SI).	76

String	KILOGRAM_PER_CUBIC_METRE Unit of density, mass density, mass concentration.	78
String	KILOGRAM_PER_SQUARE_METRE Unit of surface density.	78
String	KNOT Unit of speed.	87
String	LITRE Unit of volume.	86
String	LUMEN Unit of luminous flux.	81
String	LUX Unit of illuminance.	81
String	MAXWELL Unit of magnetic flux.	89
String	METRE Unit of length defined by the International System of Units (SI).	76
String	METRE_PER_SECOND Unit of speed, velocity.	78
String	METRE_PER_SECOND_SQUARED Unit of acceleration.	78
String	MILLIMETRE_OF_MERCURY Unit of pressure.	87
String	MOLE Unit of amount of substance defined by the International System of Units (SI).	77
String	MOLE_PER_CUBIC_METRE Unit of amount concentration, concentration.	79
String	NAUTICAL_MILE Unit of distance.	87
String	NEPER Unit of logarithmic ratio quantities.	87
String	NEWTON Unit of force.	79
String	NEWTON_METRE Unit of moment of force.	82
String	NEWTON_PER_METRE Unit of surface tension.	82
String	OERSTED Unit of magnetic field.	89
String	OHM Unit of electric resistance.	80
String	PASCAL Unit of pressure, stress.	80
String	PASCAL_SECOND Unit of dynamic viscosity.	82
String	PHOT Unit of illuminance.	88
String	PLANE_ANGLE_MINUTE Unit of plane angle.	86
String	PLANE_ANGLE_SECOND Unit of plane angle.	86

String	POISE Unit of dynamic viscosity.	88
String	PREFIX_ATTO Adopted prefix symbol to form the symbols of the decimal submultiples of SI units.	91
String	PREFIX_CENTI Adopted prefix symbol to form the symbols of the decimal submultiples of SI units.	90
String	PREFIX_DECA Adopted prefix symbol to form the symbols of the decimal multiples of SI units.	89
String	PREFIX_DECI Adopted prefix symbol to form the symbols of the decimal submultiples of SI units.	90
String	PREFIX_EXA Adopted prefix symbol to form the symbols of the decimal multiples of SI units.	90
String	PREFIX_FEMTO Adopted prefix symbol to form the symbols of the decimal submultiples of SI units.	91
String	PREFIX_GIGA Adopted prefix symbol to form the symbols of the decimal multiples of SI units.	90
String	PREFIX_HECTO Adopted prefix symbol to form the symbols of the decimal multiples of SI units.	89
String	PREFIX_KILO Adopted prefix symbol to form the symbols of the decimal multiples of SI units.	89
String	PREFIX_MEGA Adopted prefix symbol to form the symbols of the decimal multiples of SI units.	90
String	PREFIX_MICRO Adopted prefix symbol to form the symbols of the decimal submultiples of SI units.	91
String	PREFIX_MILLI Adopted prefix symbol to form the symbols of the decimal submultiples of SI units.	91
String	PREFIX_NANO Adopted prefix symbol to form the symbols of the decimal submultiples of SI units.	91
String	PREFIX_PICO Adopted prefix symbol to form the symbols of the decimal submultiples of SI units.	91
String	PREFIX_YOCTO Adopted prefix symbol to form the symbols of the decimal submultiples of SI units.	92
String	PREFIX_YOTTA Adopted prefix symbol to form the symbols of the decimal multiples of SI units.	90
String	PREFIX_ZEPTO Adopted prefix symbol to form the symbols of the decimal submultiples of SI units.	91
String	PREFIX_ZETTA Adopted prefix symbol to form the symbols of the decimal multiples of SI units.	90
String	RADIAN Unit of plane angle.	79
String	RADIAN_PER_SECOND Unit of angular velocity.	83
String	RADIAN_PER_SECOND_SQUARED Unit of angular acceleration.	83
String	RECIPROCAL_METRE Unit of wavenumber.	78
String	SECOND Unit of time defined by the International System of Units (SI).	77
String	SIEMENS Unit of electric conductance.	81

String	SIEVERT Unit of dose equivalent, ambient dose equivalent, directional dose equivalent, personal dose equivalent.	82
String	SQUARE_METRE Unit of area.	77
String	STERADIAN Unit of solid angle.	79
String	STILB Unit of luminance.	88
String	STOKES Unit of kinematic viscosity.	88
String	TESLA Unit of magnetic flux density.	81
String	TIME_MINUTE Unit of time.	85
String	TONNE Unit of mass.	87
String	VOLT Unit of electric potential difference, electromotive force.	80
String	VOLT_PER_METRE Unit of electric field strength.	84
String	WATT Unit of power, radiant flux.	80
String	WATT_PER_METRE_KELVIN Unit of thermal conductivity.	83
String	WATT_PER_SQUARE_METRE Unit of heat flux density, irradiance.	83
String	WATT_PER_SQUARE_METRE_STERADIAN Unit of radiance.	85
String	WATT_PER_STERADIAN Unit of radiant intensity.	85
String	WEBER Unit of magnetic flux.	81

Field Detail

METRE

```
public static final String METRE = "m"
```

Unit of length defined by the International System of Units (SI). It's one of the base units called metre.

KILOGRAM

```
public static final String KILOGRAM = "kg"
```

Unit of mass defined by the International System of Units (SI). It's one of the base units called kilogram.

SECOND

```
public static final String SECOND = "s"
```

Unit of time defined by the International System of Units (SI). It's one of the base units called second.

AMPERE

```
public static final String AMPERE = "A"
```

Unit of electric current defined by the International System of Units (SI). It's one of the base units called ampere.

KELVIN

```
public static final String KELVIN = "\u212a"
```

Unit of thermodynamic temperature defined by the International System of Units (SI). It's one of the base units called kelvin.

MOLE

```
public static final String MOLE = "mol"
```

Unit of amount of substance defined by the International System of Units (SI). It's one of the base units called mole.

CANDELA

```
public static final String CANDELA = "cd"
```

Unit of luminous intensity defined by the International System of Units (SI). It's one of the base units called candela.

SQUARE_METRE

```
public static final String SQUARE_METRE = "m\u00b2"
```

Unit of area. It's one of the coherent derived units in the SI expressed in terms of base units. The unit is called square metre.

CUBIC_METRE

```
public static final String CUBIC_METRE = "m\u00b3"
```

Unit of volume. It's one of the coherent derived units in the SI expressed in terms of base units. The unit is called cubic metre.

METRE_PER_SECOND

```
public static final String METRE_PER_SECOND = "m/s"
```

Unit of speed, velocity. It's one of coherent derived units in the SI expressed in terms of base units. The unit is called metre per second.

METRE_PER_SECOND_SQUARED

```
public static final String METRE_PER_SECOND_SQUARED = "m/s\u00b2"
```

Unit of acceleration. It's one of coherent derived units in the SI expressed in terms of base units. The unit is called metre per second squared.

RECIPROCAL_METRE

```
public static final String RECIPROCAL_METRE = "m\u207b\u00b9"
```

Unit of wavenumber. It's one of coherent derived units in the SI expressed in terms of base units. The unit is called reciprocal metre.

KILOGRAM_PER_CUBIC_METRE

```
public static final String KILOGRAM_PER_CUBIC_METRE = "kg/m\u00b3"
```

Unit of density, mass density, mass concentration. It's one of coherent derived units in the SI expressed in terms of base units. The unit is called kilogram per cubic metre.

KILOGRAM_PER_SQUARE_METRE

```
public static final String KILOGRAM_PER_SQUARE_METRE = "kg/m\u00b2"
```

Unit of surface density. It's one of coherent derived units in the SI expressed in terms of base units. The unit is called kilogram per square metre.

CUBIC_METRE_PER_KILOGRAM

```
public static final String CUBIC_METRE_PER_KILOGRAM = "m\u00b3/kg"
```

Unit of specific volume. It's one of coherent derived units in the SI expressed in terms of base units. The unit is called cubic metre per kilogram.

AMPERE_PER_SQUARE_METRE

```
public static final String AMPERE_PER_SQUARE_METRE = "A/m\u00b2"
```

Unit of current density. It's one of coherent derived units in the SI expressed in terms of base units. The unit is called ampere per square metre.

AMPERE_PER_METRE

```
public static final String AMPERE_PER_METRE = "A/m"
```

Unit of magnetic field strength. It's one of coherent derived units in the SI expressed in terms of base units. The unit is called ampere per metre.

MOLE_PER_CUBIC_METRE

```
public static final String MOLE_PER_CUBIC_METRE = "mol/m\u00b3"
```

Unit of amount concentration, concentration. It's one of coherent derived units in the SI expressed in terms of base units. The unit is called mole per cubic metre.

CANDELA_PER_SQUARE_METRE

```
public static final String CANDELA_PER_SQUARE_METRE = "cd/m\u00b2"
```

Unit of luminance. It's one of coherent derived units in the SI expressed in terms of base units. The unit is called candela per square metre.

RADIAN

```
public static final String RADIAN = "rad"
```

Unit of plane angle. It's one of the coherent derived units in the SI with special names and symbols. The unit is called radian.

STERADIAN

```
public static final String STERADIAN = "sr"
```

Unit of solid angle. It's one of the coherent derived units in the SI with special names and symbols. The unit is called steradian.

HERTZ

```
public static final String HERTZ = "Hz"
```

Unit of frequency. It's one of the coherent derived units in the SI with special names and symbols. The unit is called hertz.

NEWTON

```
public static final String NEWTON = "N"
```

Unit of force. It's one of the coherent derived units in the SI with special names and symbols. The unit is called newton.

PASCAL

```
public static final String PASCAL = "Pa"
```

Unit of pressure, stress. It's one of the coherent derived units in the SI with special names and symbols. The unit is called pascal.

JOULE

```
public static final String JOULE = "J"
```

Unit of energy, work, amount of electricity. It's one of the coherent derived units in the SI with special names and symbols. The unit is called joule.

WATT

```
public static final String WATT = "W"
```

Unit of power, radiant flux. It's one of the coherent derived units in the SI with special names and symbols. The unit is called watt.

COULOMB

```
public static final String COULOMB = "C"
```

Unit of electronic charge, amount of electricity. It's one of the coherent derived units in the SI with special names and symbols. The unit is called coulomb.

VOLT

```
public static final String VOLT = "V"
```

Unit of electric potential difference, electromotive force. It's one of the coherent derived units in the SI with special names and symbols. The unit is called volt.

FARAD

```
public static final String FARAD = "F"
```

Unit of capacitance. It's one of the coherent derived units in the SI with special names and symbols. The unit is called farad.

OHM

```
public static final String OHM = "\u2126"
```

Unit of electric resistance. It's one of the coherent derived units in the SI with special names and symbols. The unit is called ohm.

SIEMENS

```
public static final String SIEMENS = "S"
```

Unit of electric conductance. It's one of the coherent derived units in the SI with special names and symbols. The unit is called siemens.

WEBER

```
public static final String WEBER = "Wb"
```

Unit of magnetic flux. It's one of the coherent derived units in the SI with special names and symbols. The unit is called weber.

TESLA

```
public static final String TESLA = "T"
```

Unit of magnetic flux density. It's one of the coherent derived units in the SI with special names and symbols. The unit is called tesla.

HENRY

```
public static final String HENRY = "H"
```

Unit of inductance. It's one of the coherent derived units in the SI with special names and symbols. The unit is called henry.

DEGREE_CELSIUS

```
public static final String DEGREE_CELSIUS = "\u2103"
```

Unit of Celsius temperature. It's one of the coherent derived units in the SI with special names and symbols. The unit is called degree Celsius.

LUMEN

```
public static final String LUMEN = "lm"
```

Unit of luminous flux. It's one of the coherent derived units in the SI with special names and symbols. The unit is called lumen.

LUX

```
public static final String LUX = "lx"
```

Unit of illuminance. It's one of the coherent derived units in the SI with special names and symbols. The unit is called lux.

BECQUEREL

```
public static final String BECQUEREL = "Bq"
```

Unit of activity referred to a radionuclide. It's one of the coherent derived units in the SI with special names and symbols. The unit is called becquerel.

GRAY

```
public static final String GRAY = "Gy"
```

Unit of absorbed dose, specific energy (imparted), kerma. It's one of the coherent derived units in the SI with special names and symbols. The unit is called gray.

SIEVERT

```
public static final String SIEVERT = "Sv"
```

Unit of dose equivalent, ambient dose equivalent, directional dose equivalent, personal dose equivalent. It's one of the coherent derived units in the SI with special names and symbols. The unit is called sievert.

KATAL

```
public static final String KATAL = "kat"
```

Unit of catalytic activity. It's one of the coherent derived units in the SI with special names and symbols. The unit is called katal.

PASCAL_SECOND

```
public static final String PASCAL_SECOND = "Pa s"
```

Unit of dynamic viscosity. It's one of coherent derived units whose names and symbols include SI coherent derived units with special names and symbols. The unit is called pascal second.

NEWTON_METRE

```
public static final String NEWTON_METRE = "N m"
```

Unit of moment of force. It's one of coherent derived units whose names and symbols include SI coherent derived units with special names and symbols. The unit is called newton metre.

NEWTON_PER_METRE

```
public static final String NEWTON_PER_METRE = "N/m"
```

Unit of surface tension. It's one of coherent derived units whose names and symbols include SI coherent derived units with special names and symbols. The unit is called newton per metre.

RADIAN_PER_SECOND

```
public static final String RADIAN_PER_SECOND = "rad/s"
```

Unit of angular velocity. It's one of coherent derived units whose names and symbols include SI coherent derived units with special names and symbols. The unit is called radian per second.

RADIAN_PER_SECOND_SQUARED

```
public static final String RADIAN_PER_SECOND_SQUARED = "rad/s\u00b2"
```

Unit of angular acceleration. It's one of coherent derived units whose names and symbols include SI coherent derived units with special names and symbols. The unit is called radian per second squared.

WATT_PER_SQUARE_METRE

```
public static final String WATT_PER_SQUARE_METRE = "W/m\u00b2"
```

Unit of heat flux density, irradiance. It's one of coherent derived units whose names and symbols include SI coherent derived units with special names and symbols. The unit is called watt per square metre.

JOULE_PER_KELVIN

```
public static final String JOULE_PER_KELVIN = "J/K"
```

Unit of heat capacity, entropy. It's one of coherent derived units whose names and symbols include SI coherent derived units with special names and symbols. The unit is called joule per kelvin.

JOULE_PER_KILOGRAM_KELVIN

```
public static final String JOULE_PER_KILOGRAM_KELVIN = "J/(kg K)"
```

Unit of specific heat capacity, specific entropy. It's one of coherent derived units whose names and symbols include SI coherent derived units with special names and symbols. The unit is called joule per kilogram kelvin.

JOULE_PER_KILOGRAM

```
public static final String JOULE_PER_KILOGRAM = "J/kg"
```

Unit of specific energy. It's one of coherent derived units whose names and symbols include SI coherent derived units with special names and symbols. The unit is called joule per kilogram.

WATT_PER_METRE_KELVIN

```
public static final String WATT_PER_METRE_KELVIN = "W/(m K)"
```

Unit of thermal conductivity. It's one of coherent derived units whose names and symbols include SI coherent derived units with special names and symbols. The unit is called watt per metre kelvin.

JOULE_PER_CUBIC_METRE

```
public static final String JOULE_PER_CUBIC_METRE = "J/m\u00b3"
```

Unit of energy density. It's one of coherent derived units whose names and symbols include SI coherent derived units with special names and symbols. The unit is called joule per cubic metre.

VOLT_PER_METRE

```
public static final String VOLT_PER_METRE = "V/m"
```

Unit of electric field strength. It's one of coherent derived units whose names and symbols include SI coherent derived units with special names and symbols. The unit is called volt per metre.

COULOMB_PER_CUBIC_METRE

```
public static final String COULOMB_PER_CUBIC_METRE = "C/m\u00b3"
```

Unit of electric charge density. It's one of coherent derived units whose names and symbols include SI coherent derived units with special names and symbols. The unit is called coulomb per cubic metre.

COULOMB_PER_SQUARE_METRE

```
public static final String COULOMB_PER_SQUARE_METRE = "C/m\u00b2"
```

Unit of surface charge density, electric flux density, electric displacement. It's one of coherent derived units whose names and symbols include SI coherent derived units with special names and symbols. The unit is called coulomb per square metre.

FARAD_PER_METRE

```
public static final String FARAD_PER_METRE = "F/m"
```

Unit of permittivity. It's one of coherent derived units whose names and symbols include SI coherent derived units with special names and symbols. The unit is called farad per metre.

HENRY_PER_METRE

```
public static final String HENRY_PER_METRE = "H/m"
```

Unit of permeability. It's one of coherent derived units whose names and symbols include SI coherent derived units with special names and symbols. The unit is called henry per metre.

JOULE_PER_MOLE

```
public static final String JOULE_PER_MOLE = "J/mol"
```

Unit of molar energy. It's one of coherent derived units whose names and symbols include SI coherent derived units with special names and symbols. The unit is called joule per mole.

JOULE_PER_MOLE_KELVIN

```
public static final String JOULE_PER_MOLE_KELVIN = "J/(mol K) "
```

Unit of molar entropy, molar heat capacity. It's one of coherent derived units whose names and symbols include SI coherent derived units with special names and symbols. The unit is called joule per mole kelvin.

COULOMB_PER_KILOGRAM

```
public static final String COULOMB_PER_KILOGRAM = "C/kg"
```

Unit of exposure (x- and gamma-rays). It's one of coherent derived units whose names and symbols include SI coherent derived units with special names and symbols. The unit is called coulomb per kilogram.

GRAY_PER_SECOND

```
public static final String GRAY_PER_SECOND = "Gy/s"
```

Unit of absorbed dose rate. It's one of coherent derived units whose names and symbols include SI coherent derived units with special names and symbols. The unit is called gray per second.

WATT_PER_STERADIAN

```
public static final String WATT_PER_STERADIAN = "W/sr"
```

Unit of radiant intensity. It's one of coherent derived units whose names and symbols include SI coherent derived units with special names and symbols. The unit is called watt per steradian.

WATT_PER_SQUARE_METRE_STERADIAN

```
public static final String WATT_PER_SQUARE_METRE_STERADIAN = "W/(m\u00b2 sr)"
```

Unit of radiance. It's one of coherent derived units whose names and symbols include SI coherent derived units with special names and symbols. The unit is called watt per square metre steradian.

KATAL_PER_CUBIC_METRE

```
public static final String KATAL_PER_CUBIC_METRE = "kat/m\u00b3"
```

Unit of catalytic activity concentration. It's one of coherent derived units whose names and symbols include SI coherent derived units with special names and symbols. The unit is called katal per cubic metre.

TIME_MINUTE

```
public static final String TIME_MINUTE = "min"
```

Unit of time. It's one of non-SI units accepted for use with the International System of Units. The unit is called minute.

HOUR

```
public static final String HOUR = "h"
```

Unit of time. It's one of non-SI units accepted for use with the International System of Units. The unit is called hour.

DAY

```
public static final String DAY = "d"
```

Unit of time. It's one of non-SI units accepted for use with the International System of Units. The unit is called day.

DEGREE

```
public static final String DEGREE = "\u00b0"
```

Unit of plane angle. It's one of non-SI units accepted for use with the International System of Units. The unit is called degree.

PLANE_ANGLE_MINUTE

```
public static final String PLANE_ANGLE_MINUTE = "\u2032"
```

Unit of plane angle. It's one of non-SI units accepted for use with the International System of Units. The unit is called minute.

PLANE_ANGLE_SECOND

```
public static final String PLANE_ANGLE_SECOND = "\u2033"
```

Unit of plane angle. It's one of non-SI units accepted for use with the International System of Units. The unit is called second.

HECTARE

```
public static final String HECTARE = "ha"
```

Unit of area. It's one of non-SI units accepted for use with the International System of Units. The unit is called hectare.

LITRE

```
public static final String LITRE = "l"
```

Unit of volume. It's one of non-SI units accepted for use with the International System of Units. The unit is called litre. International System of Units accepts two symbols: lower-case l and capital L. That constant value is using the lower-case l.

TONNE

```
public static final String TONNE = "t"
```

Unit of mass. It's one of non-SI units accepted for use with the International System of Units. The unit is called tonne.

BAR

```
public static final String BAR = "bar"
```

Unit of pressure. It's one of other non-SI units. The unit is called bar.

MILLIMETRE_OF_MERCURY

```
public static final String MILLIMETRE_OF_MERCURY = "mmHg"
```

Unit of pressure. It's one of other non-SI units. The unit is called millimetre of mercury.

ANGSTROM

```
public static final String ANGSTROM = "\u212b"
```

Unit of length. It's one of other non-SI units. The unit is called angstrom.

NAUTICAL_MILE

```
public static final String NAUTICAL_MILE = "M"
```

Unit of distance. It's one of other non-SI units. The unit is called nautical mile.

BARN

```
public static final String BARN = "b"
```

Unit of area. It's one of other non-SI units. The unit is called barn.

KNOT

```
public static final String KNOT = "kn"
```

Unit of speed. It's one of other non-SI units. The unit is called knot.

NEPER

```
public static final String NEPER = "Np"
```

Unit of logarithmic ratio quantities. It's one of other non-SI units. The unit is called neper.

BEL

```
public static final String BEL = "B"
```

Unit of logarithmic ratio quantities. It's one of other non-SI units. The unit is called bel.

DECIBEL

```
public static final String DECIBEL = "dB"
```

Unit of logarithmic ratio quantities. It's one of other non-SI units. The unit is called decibel.

ERG

```
public static final String ERG = "erg"
```

Unit of energy. It's one of non-SI units associated with the CGS and the CGS-Gaussian system of units. The unit is called erg.

DYNE

```
public static final String DYNE = "dyn"
```

Unit of force. It's one of non-SI units associated with the CGS and the CGS-Gaussian system of units. The unit is called dyne.

POISE

```
public static final String POISE = "P"
```

Unit of dynamic viscosity. It's one of non-SI units associated with the CGS and the CGS-Gaussian system of units. The unit is called poise.

STOKES

```
public static final String STOKES = "St"
```

Unit of kinematic viscosity. It's one of non-SI units associated with the CGS and the CGS-Gaussian system of units. The unit is called stokes.

STILB

```
public static final String STILB = "sb"
```

Unit of luminance. It's one of non-SI units associated with the CGS and the CGS-Gaussian system of units. The unit is called stilb.

PHOT

```
public static final String PHOT = "ph"
```

Unit of illuminance. It's one of non-SI units associated with the CGS and the CGS-Gaussian system of units. The unit is called phot.

GAL

```
public static final String GAL = "Gal"
```

Unit of acceleration. It's one of non-SI units associated with the CGS and the CGS-Gaussian system of units. The unit is called gal.

MAXWELL

```
public static final String MAXWELL = "Mx"
```

Unit of magnetic flux. It's one of non-SI units associated with the CGS and the CGS-Gaussian system of units. The unit is called maxwell.

GAUSS

```
public static final String GAUSS = "G"
```

Unit of magnetic flux density. It's one of non-SI units associated with the CGS and the CGS-Gaussian system of units. The unit is called gauss.

OERSTED

```
public static final String OERSTED = "Oe"
```

Unit of magnetic field. It's one of non-SI units associated with the CGS and the CGS-Gaussian system of units. The unit is called oersted.

PREFIX_DECA

```
public static final String PREFIX_DECA = "da"
```

Adopted prefix symbol to form the symbols of the decimal multiples of SI units. It's called deca and represents the 1st power of ten.

PREFIX_HECTO

```
public static final String PREFIX_HECTO = "h"
```

Adopted prefix symbol to form the symbols of the decimal multiples of SI units. It's called hecto and represents the 2nd power of ten.

PREFIX_KILO

```
public static final String PREFIX_KILO = "k"
```

Adopted prefix symbol to form the symbols of the decimal multiples of SI units. It's called kilo and represents the 3rd power of ten.

PREFIX_MEGA

```
public static final String PREFIX_MEGA = "M"
```

Adopted prefix symbol to form the symbols of the decimal multiples of SI units. It's called mega and represents the 6th power of ten.

PREFIX_GIGA

```
public static final String PREFIX_GIGA = "G"
```

Adopted prefix symbol to form the symbols of the decimal multiples of SI units. It's called giga and represents the 9th power of ten.

PREFIX_EXA

```
public static final String PREFIX_EXA = "E"
```

Adopted prefix symbol to form the symbols of the decimal multiples of SI units. It's called exa and represents the 18th power of ten.

PREFIX_ZETTA

```
public static final String PREFIX_ZETTA = "Z"
```

Adopted prefix symbol to form the symbols of the decimal multiples of SI units. It's called zetta and represents the 21th power of ten.

PREFIX_YOTTA

```
public static final String PREFIX_YOTTA = "Y"
```

Adopted prefix symbol to form the symbols of the decimal multiples of SI units. It's called yotta and represents the 24th power of ten.

PREFIX_DECI

```
public static final String PREFIX_DECI = "d"
```

Adopted prefix symbol to form the symbols of the decimal submultiples of SI units. It's called deci and represents the 1st negative power of ten.

PREFIX_CENTI

```
public static final String PREFIX_CENTI = "c"
```

Adopted prefix symbol to form the symbols of the decimal submultiples of SI units. It's called centi and represents the 2nd negative power of ten.

PREFIX_MILLI

```
public static final String PREFIX_MILLI = "m"
```

Adopted prefix symbol to form the symbols of the decimal submultiples of SI units. It's called milli and represents the 3rd negative power of ten.

PREFIX_MICRO

```
public static final String PREFIX_MICRO = "\u00b5"
```

Adopted prefix symbol to form the symbols of the decimal submultiples of SI units. It's called micro and represents the 6th negative power of ten.

PREFIX_NANO

```
public static final String PREFIX_NANO = "n"
```

Adopted prefix symbol to form the symbols of the decimal submultiples of SI units. It's called nano and represents the 9th negative power of ten.

PREFIX_PICO

```
public static final String PREFIX_PICO = "p"
```

Adopted prefix symbol to form the symbols of the decimal submultiples of SI units. It's called pico and represents the 12th negative power of ten.

PREFIX_FEMTO

```
public static final String PREFIX_FEMTO = "f"
```

Adopted prefix symbol to form the symbols of the decimal submultiples of SI units. It's called femto and represents the 15th negative power of ten.

PREFIX_ATTO

```
public static final String PREFIX_ATTO = "a"
```

Adopted prefix symbol to form the symbols of the decimal submultiples of SI units. It's called atto and represents the 18th negative power of ten.

PREFIX_ZEPTO

```
public static final String PREFIX_ZEPTO = "z"
```

Adopted prefix symbol to form the symbols of the decimal submultiples of SI units. It's called zepto and represents the 21th negative power of ten.

PREFIX_YOCTO

```
public static final String PREFIX_YOCTO = "y"
```

Adopted prefix symbol to form the symbols of the decimal submultiples of SI units. It's called yocto and represents the 24th negative power of ten.

Package org.osgi.service.dal.functions

Device Functions 1.0.

See:

[Description](#)

Interface Summary		Page
Alarm	Alarm Device Function provides alarm sensor support.	94
BooleanControl	BooleanControl Device Function provides a boolean control support.	95
BooleanSensor	BooleanSensor Device Function provides boolean sensor monitoring.	99
Keypad	Keypad Device Function provides support for keypad control.	101
Meter	Meter Device Function can measure metering information.	102
MultiLevelControl	MultiLevelControl Device Function provides multi-level control support.	106
MultiLevelSensor	MultiLevelSensor Device Function provides multi-level sensor monitoring.	109
Types	Shares common constants for all device functions defined in this package.	111
WakeUp	WakeUp Device Function provides device awake monitoring and management.	119

Package org.osgi.service.dal.functions Description

Device Functions 1.0.

Bundles wishing to use this package must list the package in the Import-Package header of the bundle's manifest. This package has two types of users: the consumers that use the API in this package and the providers that implement the API in this package.

Example import for consumers using the API in this package:

```
Import-Package: org.osgi.service.dal.functions; version="[1.0,2.0)"
```

Example import for providers implementing the API in this package:

```
Import-Package: org.osgi.service.dal.functions; version="[1.0,1.1)"
```

Interface Alarm

[org.osgi.service.dal.functions](#)

All Superinterfaces:

[DeviceFunction](#)

```
public interface Alarm
extends DeviceFunction
```

Alarm Device Function provides alarm sensor support. There is only one eventable property and no operations.

See Also:

[AlarmData](#)

Field Summary

Field Summary		Page
String	PROPERTY_ALARM Specifies the alarm property name.	94

Fields inherited from interface org.osgi.service.dal.DeviceFunction

[SERVICE_DESCRIPTION](#), [SERVICE_DEVICE_UID](#), [SERVICE_OPERATION_NAMES](#), [SERVICE_PROPERTY_NAMES](#), [SERVICE_REFERENCE_UIDS](#), [SERVICE_TYPE](#), [SERVICE_UID](#), [SERVICE_VERSION](#)

Methods inherited from interface org.osgi.service.dal.DeviceFunction

[getOperationMetadata](#), [getPropertyMetadata](#), [getServiceProperty](#)

Field Detail

PROPERTY_ALARM

```
public static final String PROPERTY_ALARM = "alarm"
```

Specifies the alarm property name. The property is eventable.

See Also:

[AlarmData](#)

Interface BooleanControl

org.osgi.service.dal.functions

All Superinterfaces:

[DeviceFunction](#)

```
public interface BooleanControl
extends DeviceFunction
```

`BooleanControl` Device Function provides a boolean control support. The function state is accessible with [getData\(\)](#) getter and [setData\(boolean\)](#) setter. The state can be reversed with [reverse\(\)](#) method, can be set to true value with [setTrue\(\)](#) method and can be set to false value with [setFalse\(\)](#) method.

As an example, the function is easily mappable to ZigBee OnOff cluster and Z-Wave Binary Switch command class. The control type can be:

```
35 Types.TYPE\_LIGHT
17
35 Types.TYPE\_DOOR
17
35 Types.TYPE\_WINDOW
17
35 Types.TYPE\_POWER
17
35 other type defined in Types
17
35 custom - vendor specific type
17
```

See Also:

[BooleanData](#)

Field Summary		Page
String	OPERATION_REVERSE Specifies the reverse operation name.	96
String	OPERATION_SET_FALSE Specifies the operation name, which sets the control state to false value.	96
String	OPERATION_SET_TRUE Specifies the operation name, which sets the control state to true value.	96
String	PROPERTY_DATA Specifies the state property name.	96

Fields inherited from interface org.osgi.service.dal.[DeviceFunction](#)

[SERVICE_DESCRIPTION](#), [SERVICE_DEVICE_UID](#), [SERVICE_OPERATION_NAMES](#), [SERVICE_PROPERTY_NAMES](#), [SERVICE_REFERENCE_UIDS](#), [SERVICE_TYPE](#), [SERVICE_UID](#), [SERVICE_VERSION](#)

Method Summary		Page
BooleanData	getData() Returns the current state of <code>BooleanControl</code> .	96
void	reverse() Reverses the <code>BooleanControl</code> state.	97
void	setData(boolean data) Sets the <code>BooleanControl</code> state to the specified value.	97
void	setFalse() Sets the <code>BooleanControl</code> state to false value.	98

void	setTrue() Sets the <code>BooleanControl</code> state to <code>true</code> value.	97
------	---	----

Methods inherited from interface [org.osgi.service.dal.DeviceFunction](#)

[getOperationMetadata](#), [getPropertyMetadata](#), [getServiceProperty](#)

Field Detail

OPERATION_REVERSE

```
public static final String OPERATION_REVERSE = "reverse"
```

Specifies the reverse operation name. The operation can be executed with [reverse\(\)](#) method.

OPERATION_SET_TRUE

```
public static final String OPERATION_SET_TRUE = "setTrue"
```

Specifies the operation name, which sets the control state to `true` value. The operation can be executed with [setTrue\(\)](#) method.

OPERATION_SET_FALSE

```
public static final String OPERATION_SET_FALSE = "setFalse"
```

Specifies the operation name, which sets the control state to `false` value. The operation can be executed with [setFalse\(\)](#) method.

PROPERTY_DATA

```
public static final String PROPERTY_DATA = "data"
```

Specifies the state property name. The property value is accessible with [getData\(\)](#) method.

See Also:

[BooleanData](#)

Method Detail

getData

```
BooleanData getData()
    throws UnsupportedOperationException,
           IllegalStateException,
           DeviceException
```

Returns the current state of `BooleanControl`. It's a getter method for [PROPERTY_DATA](#) property.

Returns:

The current state of `BooleanControl`.

Throws:

`UnsupportedOperationException` - If the operation is not supported.

`IllegalStateException` - If this device function service object has already been unregistered.
[DeviceException](#) - If an operation error is available.

See Also:

[BooleanData](#), [PROPERTY_DATA](#)

setData

```
void setData(boolean data)
    throws UnsupportedOperationException,
           IllegalStateException,
           DeviceException,
           IllegalArgumentException
```

Sets the `BooleanControl` state to the specified value. It's setter method for [PROPERTY_DATA](#) property.

Parameters:

`data` - The new function value.

Throws:

`UnsupportedOperationException` - If the operation is not supported.
`IllegalStateException` - If this device function service object has already been unregistered.
[DeviceException](#) - If an operation error is available.
`IllegalArgumentException` - If there is an invalid argument.

See Also:

[PROPERTY_DATA](#)

reverse

```
void reverse()
    throws UnsupportedOperationException,
           IllegalStateException,
           DeviceException
```

Reverses the `BooleanControl` state. If the current state represents `true` value, it'll be reversed to `false`. If the current state represents `false` value, it'll be reversed to `true`. The operation name is [OPERATION_REVERSE](#).

Throws:

`UnsupportedOperationException` - If the operation is not supported.
`IllegalStateException` - If this device function service object has already been unregistered.
[DeviceException](#) - If an operation error is available.

setTrue

```
void setTrue()
    throws UnsupportedOperationException,
           IllegalStateException,
           DeviceException
```

Sets the `BooleanControl` state to `true` value. The operation name is [OPERATION_SET_TRUE](#).

Throws:

`UnsupportedOperationException` - If the operation is not supported.
`IllegalStateException` - If this device function service object has already been unregistered.
[DeviceException](#) - If an operation error is available.

setFalse

```
void setFalse()  
    throws UnsupportedOperationException,  
           IllegalStateException,  
           DeviceException
```

Sets the `BooleanControl` state to false value. The operation name is [OPERATION_SET_FALSE](#).

Throws:

`UnsupportedOperationException` - If the operation is not supported.

`IllegalStateException` - If this device function service object has already been unregistered.

[DeviceException](#) - If an operation error is available.

Interface BooleanSensor

org.osgi.service.dal.functions

All Superinterfaces:

[DeviceFunction](#)

```
public interface BooleanSensor
extends DeviceFunction
```

BooleanSensor Device Function provides boolean sensor monitoring. It reports its state when an important event is available. The state is accessible with [getData\(\)](#) getter. There are no operations.

As an example, the function is easily mappable to ZigBee Occupancy Sensing cluster and Z-Wave Binary Sensor command class. The sensor type can be:

- 35 [Types.TYPE_LIGHT](#)
- 17
- 35 [Types.TYPE_GAS](#)
- 17
- 35 [Types.TYPE_SMOKE](#)
- 17
- 35 [Types.TYPE_DOOR](#)
- 17
- 35 [Types.TYPE_WINDOW](#)
- 17
- 35 [Types.TYPE_POWER](#)
- 17
- 35 [Types.TYPE_RAIN](#)
- 17
- 35 [Types.TYPE_CONTACT](#)
- 17
- 35 [Types.TYPE_FIRE](#)
- 17
- 35 [Types.TYPE_OCCUPANCY](#)
- 17
- 35 [Types.TYPE_WATER](#)
- 17
- 35 [Types.TYPE_MOTION](#)
- 17
- 35 other type defined in [Types](#)
- 17
- 35 custom - vendor specific type
- 17

See Also:

[BooleanData](#)

Field Summary		Page
String	PROPERTY_DATA Specifies the state property name.	100

Fields inherited from interface org.osgi.service.dal.DeviceFunction

[SERVICE_DESCRIPTION](#), [SERVICE_DEVICE_UID](#), [SERVICE_OPERATION_NAMES](#), [SERVICE_PROPERTY_NAMES](#), [SERVICE_REFERENCE_UIDS](#), [SERVICE_TYPE](#), [SERVICE_UID](#), [SERVICE_VERSION](#)

Method Summary		Page
BooleanData	getData() Returns the BooleanSensor current state.	100

Methods inherited from interface org.osgi.service.dal.DeviceFunction

[getOperationMetadata](#), [getPropertyMetadata](#), [getServiceProperty](#)

Field Detail

PROPERTY_DATA

```
public static final String PROPERTY_DATA = "data"
```

Specifies the state property name. The property value is accessible with [getData\(\)](#) getter.

Method Detail

getData

```
BooleanData getData()  
    throws UnsupportedOperationException,  
           IllegalStateException,  
           DeviceException
```

Returns the `BooleanSensor` current state. It's a getter method for [PROPERTY_DATA](#) property.

Returns:

The `BooleanSensor` current state.

Throws:

`UnsupportedOperationException` - If the operation is not supported.

`IllegalStateException` - If this device function service object has already been unregistered.

[DeviceException](#) - If an operation error is available.

See Also:

[BooleanData](#)

Interface Keypad

org.osgi.service.dal.functions

All Superinterfaces:

[DeviceFunction](#)

```
public interface Keypad
extends DeviceFunction
```

Keypad Device Function provides support for keypad control. A keypad typically consists of one or more keys/buttons, which can be discerned. Different types of key presses like short and long press can typically also be detected. There is only one eventable property and no operations.

Keypad can enumerate all supported keys in the key property metadata, [PropertyMetadata.getEnumValues\(String\)](#). KeypadData event type will be [KeypadData.EVENT_TYPE_UNKNOWN](#) in this case.

See Also:

[KeypadData](#)

Field Summary		Page
String	PROPERTY_KEY Specifies a property name for a key from the keypad.	101

Fields inherited from interface [org.osgi.service.dal.DeviceFunction](#)

[SERVICE_DESCRIPTION](#), [SERVICE_DEVICE_UID](#), [SERVICE_OPERATION_NAMES](#), [SERVICE_PROPERTY_NAMES](#), [SERVICE_REFERENCE_UIDS](#), [SERVICE_TYPE](#), [SERVICE_UID](#), [SERVICE_VERSION](#)

Methods inherited from interface [org.osgi.service.dal.DeviceFunction](#)

[getOperationMetadata](#), [getPropertyMetadata](#), [getServiceProperty](#)

Field Detail

PROPERTY_KEY

```
public static final String PROPERTY_KEY = "key"
```

Specifies a property name for a key from the keypad. The property is eventable.

See Also:

[KeypadData](#)

Interface Meter

org.osgi.service.dal.functions

All Superinterfaces:

[DeviceFunction](#)

```
public interface Meter
extends DeviceFunction
```

Meter Device Function can measure metering information. The function provides three properties and one operation:

- 35 [PROPERTY_CURRENT](#)
- 17 - property accessible with [getCurrent\(\)](#) getter;
- 35 [PROPERTY_TOTAL](#)
- 17 - property accessible with [getTotal\(\)](#) getter;
- 35 [SERVICE_FLOW](#)
- 17 - property accessible with [getTotal\(\)](#) getter;
- 35 [OPERATION_RESET_TOTAL](#)
- 17 - operation can be executed with [resetTotal\(\)](#).

As an example, the function is easily mappable to ZigBee Simple Metering cluster and Z-Wave Meter command class. The sensor type can be:

- 35 [Types.TYPE_PRESSURE](#)
- 17
- 35 [Types.TYPE_GAS](#)
- 17
- 35 [Types.TYPE_POWER](#)
- 17
- 35 [Types.TYPE_WATER](#)
- 17
- 35 [Types.TYPE_HEAT](#)
- 17
- 35 [Types.TYPE_COLD](#)
- 17
- 35 other type defined in [Types](#)
- 17
- 35 custom - vendor specific type
- 17

See Also:

[LevelData](#)

Field Summary		Page
String	FLOW_IN Represents the metering consumption flow.	103
String	FLOW_OUT Represents the metering generation flow.	103
String	OPERATION_RESET_TOTAL Specifies the reset total operation name.	104
String	PROPERTY_CURRENT Specifies the current consumption property name.	103
String	PROPERTY_TOTAL Specifies the total consumption property name.	103
String	SERVICE_FLOW The service property value contains the metering flow.	103

Fields inherited from interface [org.osgi.service.dal.DeviceFunction](#)

[SERVICE_DESCRIPTION](#), [SERVICE_DEVICE_UID](#), [SERVICE_OPERATION_NAMES](#), [SERVICE_PROPERTY_NAMES](#),

[SERVICE_REFERENCE_UIDS](#), [SERVICE_TYPE](#), [SERVICE_UID](#), [SERVICE_VERSION](#)

Method Summary		Page
LevelData	getCurrent() Returns the current metering info.	104
LevelData	getTotal() Returns the total metering info.	104
void	resetTotal() Resets the total metering info.	104

Methods inherited from interface org.osgi.service.dal.[DeviceFunction](#)

[getOperationMetadata](#), [getPropertyMetadata](#), [getServiceProperty](#)

Field Detail

FLOW_IN

```
public static final String FLOW_IN = "in"
```

Represents the metering consumption flow. It can be used as [SERVICE_FLOW](#) property value.

FLOW_OUT

```
public static final String FLOW_OUT = "out"
```

Represents the metering generation flow. It can be used as [SERVICE_FLOW](#) property value.

SERVICE_FLOW

```
public static final String SERVICE_FLOW = "dal.meter.flow"
```

The service property value contains the metering flow. It's an optional property and available only if it's supported by the meter. The value type is `java.lang.String`. Possible property values:

```
35  FLOW\_IN
17
35  FLOW\_OUT
17
```

PROPERTY_CURRENT

```
public static final String PROPERTY_CURRENT = "current"
```

Specifies the current consumption property name. The property can be read with [getCurrent\(\)](#) getter.

PROPERTY_TOTAL

```
public static final String PROPERTY_TOTAL = "total"
```

Specifies the total consumption property name. It has been measured since the last call of [resetTotal\(\)](#) or device initial run. The property can be read with [getTotal\(\)](#) getter.

OPERATION_RESET_TOTAL

```
public static final String OPERATION_RESET_TOTAL = "resetTotal"
```

Specifies the reset total operation name. The operation can be executed with [resetTotal\(\)](#) method.

Method Detail

getCurrent

```
LevelData getCurrent()  
    throws UnsupportedOperationException,  
           IllegalStateException,  
           DeviceException
```

Returns the current metering info. It's a getter method for [PROPERTY_CURRENT](#) property.

Returns:

The current metering info.

Throws:

[UnsupportedOperationException](#) - If the operation is not supported.

[IllegalStateException](#) - If this device function service object has already been unregistered.

[DeviceException](#) - If an operation error is available.

See Also:

[LevelData](#)

getTotal

```
LevelData getTotal()  
    throws UnsupportedOperationException,  
           IllegalStateException,  
           DeviceException
```

Returns the total metering info. It's a getter method for [PROPERTY_TOTAL](#) property.

Returns:

The total metering info.

Throws:

[UnsupportedOperationException](#) - If the operation is not supported.

[IllegalStateException](#) - If this device function service object has already been unregistered.

[DeviceException](#) - If an operation error is available.

See Also:

[LevelData](#)

resetTotal

```
void resetTotal()  
    throws UnsupportedOperationException,  
           IllegalStateException,  
           DeviceException
```

Resets the total metering info.

Throws:

[UnsupportedOperationException](#) - If the operation is not supported.

[IllegalStateException](#) - If this device function service object has already been unregistered.

[DeviceException](#) - If an operation error is available.

Interface MultiLevelControl

org.osgi.service.dal.functions

All Superinterfaces:

[DeviceFunction](#)

```
public interface MultiLevelControl
extends DeviceFunction
```

MultiLevelControl Device Function provides multi-level control support. The function level is accessible with [getData\(\)](#) getter, [setData\(BigDecimal\)](#) setter and [setData\(BigDecimal, String\)](#) setter.

As an example, the function is easily mappable to ZigBee Level Control and Z-Wave Multilevel Switch command class. The control type can be:

- 35 [Types.TYPE_LIGHT](#)
- 17
- 35 [Types.TYPE_TEMPERATURE](#)
- 17
- 35 [Types.TYPE_FLOW](#)
- 17
- 35 [Types.TYPE_PRESSURE](#)
- 17
- 35 [Types.TYPE_HUMIDITY](#)
- 17
- 35 [Types.TYPE_GAS](#)
- 17
- 35 [Types.TYPE_SMOKE](#)
- 17
- 35 [Types.TYPE_DOOR](#)
- 17
- 35 [Types.TYPE_WINDOW](#)
- 17
- 35 [Types.TYPE_LIQUID](#)
- 17
- 35 [Types.TYPE_POWER](#)
- 17
- 35 [Types.TYPE_NOISINESS](#)
- 17
- 35 other type defined in [Types](#)
- 17
- 35 custom - vendor specific type
- 17

See Also:

[LevelData](#)

Field Summary		Page
String	PROPERTY_DATA Specifies the level property name.	107

Fields inherited from interface org.osgi.service.dal.DeviceFunction
SERVICE_DESCRIPTION , SERVICE_DEVICE_UID , SERVICE_OPERATION_NAMES , SERVICE_PROPERTY_NAMES , SERVICE_REFERENCE_UIDS , SERVICE_TYPE , SERVICE_UID , SERVICE_VERSION

Method Summary		Page
LevelData	getData() Returns MultiLevelControl level.	107
void	setData(BigDecimal level) Sets MultiLevelControl level to the specified value.	107
void	setData(BigDecimal level, String unit) Sets MultiLevelControl level according to the specified unit.	108

Methods inherited from interface org.osgi.service.dal.DeviceFunction
getOperationMetadata , getPropertyMetadata , getServiceProperty

Field Detail

PROPERTY_DATA

```
public static final String PROPERTY_DATA = "data"
```

Specifies the level property name. The property can be read with [getData\(\)](#) getter and can be set with [setData\(BigDecimal\)](#) or [setData\(BigDecimal, String\)](#) setters.

Method Detail

getData

```
LevelData getData ()  
    throws UnsupportedOperationException,  
           IllegalStateException,  
           DeviceException
```

Returns `MultiLevelControl` level. It's a getter method for [PROPERTY_DATA](#) property.

Returns:

`MultiLevelControl` level.

Throws:

`UnsupportedOperationException` - If the operation is not supported.
`IllegalStateException` - If this device function service object has already been unregistered.
[DeviceException](#) - If an operation error is available.

See Also:

[LevelData](#)

setData

```
void setData (BigDecimal level)  
    throws UnsupportedOperationException,  
           IllegalStateException,  
           DeviceException,  
           IllegalArgumentException
```

Sets `MultiLevelControl` level to the specified value. It's a setter method for [PROPERTY_DATA](#) property.

Parameters:

level - The new control level.

Throws:

`UnsupportedOperationException` - If the operation is not supported.
`IllegalStateException` - If this device function service object has already been unregistered.
[DeviceException](#) - If an operation error is available.
`IllegalArgumentException` - If there is an invalid argument.

setData

```
void setData(BigDecimal level,  
             String unit)  
    throws UnsupportedOperationException,  
           IllegalStateException,  
           DeviceException,  
           IllegalArgumentException
```

Sets `MultiLevelControl` level according to the specified unit. It's a setter method for [PROPERTY_DATA](#) property.

Parameters:

level - The new control level.
unit - The level unit.

Throws:

`UnsupportedOperationException` - If the operation is not supported.
`IllegalStateException` - If this device function service object has already been unregistered.
[DeviceException](#) - If an operation error is available.
`IllegalArgumentException` - If there is an invalid argument.

Interface MultiLevelSensor

org.osgi.service.dal.functions

All Superinterfaces:

[DeviceFunction](#)

```
public interface MultiLevelSensor
extends DeviceFunction
```

MultiLevelSensor Device Function provides multi-level sensor monitoring. It reports its state when an important event is available. The state is accessible with [getData\(\)](#) getter. There are no operations.

As an example, the function is easily mappable to ZigBee Illuminance Measurement, Temperature Measurement, Pressure Measurement, Flow Measurement and Relative Humidity Measurement cluster and Z-Wave Multilevel Sensor command class. The sensor type can be:

- 35 [Types.TYPE_LIGHT](#)
- 17
- 35 [Types.TYPE_TEMPERATURE](#)
- 17
- 35 [Types.TYPE_FLOW](#)
- 17
- 35 [Types.TYPE_PRESSURE](#)
- 17
- 35 [Types.TYPE_HUMIDITY](#)
- 17
- 35 [Types.TYPE_GAS](#)
- 17
- 35 [Types.TYPE_SMOKE](#)
- 17
- 35 [Types.TYPE_DOOR](#)
- 17
- 35 [Types.TYPE_WINDOW](#)
- 17
- 35 [Types.TYPE_LIQUID](#)
- 17
- 35 [Types.TYPE_POWER](#)
- 17
- 35 [Types.TYPE_NOISINESS](#)
- 17
- 35 [Types.TYPE_RAIN](#)
- 17
- 35 other type defined in [Types](#)
- 17
- 35 custom - vendor specific type
- 17

See Also:

[LevelData](#)

Field Summary		Page
String	PROPERTY_DATA Specifies the state property name.	110

Fields inherited from interface org.osgi.service.dal.DeviceFunction

[SERVICE_DESCRIPTION](#), [SERVICE_DEVICE_UID](#), [SERVICE_OPERATION_NAMES](#), [SERVICE_PROPERTY_NAMES](#), [SERVICE_REFERENCE_UIDS](#), [SERVICE_TYPE](#), [SERVICE_UID](#), [SERVICE_VERSION](#)

Method Summary		Page
LevelData	getData() Returns the MultiLevelSensor current state.	110

Methods inherited from interface org.osgi.service.dal.DeviceFunction

[getOperationMetadata](#), [getPropertyMetadata](#), [getServiceProperty](#)

Field Detail

PROPERTY_DATA

```
public static final String PROPERTY_DATA = "data"
```

Specifies the state property name. The property can be read with [getData\(\)](#) getter.

See Also:

[LevelData](#)

Method Detail

getData

```
LevelData getData ()  
    throws UnsupportedOperationException,  
           IllegalStateException,  
           DeviceException
```

Returns the `MultiLevelSensor` current state. It's a getter method for [PROPERTY_DATA](#) property.

Returns:

The `MultiLevelSensor` current state.

Throws:

`UnsupportedOperationException` - If the operation is not supported.

`IllegalStateException` - If this device function service object has already been unregistered.

[DeviceException](#) - If an operation error is available.

See Also:

[LevelData](#)

Interface Types

org.osgi.service.dal.functions

public interface **Types**

Shares common constants for all device functions defined in this package. The defined device function types are mapped as follow:

- 35
17 [TYPE_LIGHT](#) - [MultiLevelControl](#), [MultiLevelSensor](#), [BooleanSensor](#) and [BooleanControl](#)
- 35
17 [TYPE_TEMPERATURE](#) - [MultiLevelControl](#) and [MultiLevelSensor](#)
- 35
17 [TYPE_FLOW](#) - [MultiLevelControl](#) and [MultiLevelSensor](#)
- 35
17 [TYPE_PRESSURE](#) - [MultiLevelControl](#), [MultiLevelSensor](#) and [Meter](#)
- 35
17 [TYPE_HUMIDITY](#) - [MultiLevelControl](#) and [MultiLevelSensor](#)
- 35
17 [TYPE_GAS](#) - [MultiLevelControl](#), [MultiLevelSensor](#), [BooleanSensor](#) and [Meter](#)
- 35
17 [TYPE_SMOKE](#) - [MultiLevelControl](#), [MultiLevelSensor](#) and [BooleanSensor](#)
- 35
17 [TYPE_DOOR](#) - [MultiLevelControl](#), [MultiLevelSensor](#), [BooleanSensor](#) and [BooleanControl](#)
- 35
17 [TYPE_WINDOW](#) - [MultiLevelControl](#), [MultiLevelSensor](#), [BooleanSensor](#) and [BooleanControl](#)
- 35
17 [TYPE_LIQUID](#) - [MultiLevelControl](#) and [MultiLevelSensor](#)
- 35
17 [TYPE_POWER](#) - [MultiLevelControl](#), [MultiLevelSensor](#), [BooleanSensor](#), [BooleanControl](#) and [Meter](#)
- 35
17 [TYPE_NOISINESS](#) - [MultiLevelControl](#) and [MultiLevelSensor](#)
- 35
17 [TYPE_RAIN](#) - [MultiLevelSensor](#) and [BooleanSensor](#)
- 35
17 [TYPE_CONTACT](#) - [BooleanSensor](#)
- 35
17 [TYPE_FIRE](#) - [BooleanSensor](#)
- 35
17 [TYPE_OCCUPANCY](#) - [BooleanSensor](#)
- 35
17 [TYPE_WATER](#) - [BooleanSensor](#) and [Meter](#)
- 35
17 [TYPE_MOTION](#) - [BooleanSensor](#)
- 35
17 [TYPE_HEAT](#) - [Meter](#)
- 35
17 [TYPE_COLD](#) - [Meter](#)

The mapping is not mandatory. The device function can use custom defined types.

Field Summary		Page
String	<p>TYPE_COLD</p> <p>The device function type is applicable to:</p> <p style="text-align: center;"><small>35</small> <small>17</small> Meter - indicates that the Meter measures thermal energy provided by a source.</p> <p>This type can be specified as a value of DeviceFunction.SERVICE_TYPE.</p>	118
String	<p>TYPE_CONTACT</p> <p>The device function type is applicable to:</p> <p style="text-align: center;"><small>35</small> <small>17</small> BinarySensor - indicates that the BinarySensor can detect contact.</p>	117
String	<p>TYPE_DOOR</p> <p>The device function type is applicable to:</p> <p style="text-align: center;"><small>35</small> <small>17</small> MultiLevelControl - indicates that the MultiLevelControl can control the door position.</p>	115

String	<p>TYPE_FIRE</p> <p>The device function type is applicable to:</p> <pre> 35 17 BinarySensor - indicates that the BinarySensor can detect fire. </pre>	117
String	<p>TYPE_FLOW</p> <p>The device function type is applicable to:</p> <pre> 35 17 MultiLevelControl - indicates that the MultiLevelControl can control the flow level. </pre>	114
String	<p>TYPE_GAS</p> <p>The device function type is applicable to:</p> <pre> 35 17 MultiLevelControl - indicates that the MultiLevelControl can control the gas level. </pre>	115
String	<p>TYPE_HEAT</p> <p>The device function type is applicable to:</p> <pre> 35 17 Meter - indicates that the Meter measures thermal energy provided by a source. </pre> <p>This type can be specified as a value of DeviceFunction.SERVICE_TYPE.</p>	118
String	<p>TYPE_HUMIDITY</p> <p>The device function type is applicable to:</p> <pre> 35 17 MultiLevelControl - indicates that the MultiLevelControl can control the humidity level. </pre>	114
String	<p>TYPE_LIGHT</p> <p>The device function type is applicable to:</p> <pre> 35 17 MultiLevelControl - indicates that the MultiLevelControl can control light devices. </pre>	113
String	<p>TYPE_LIQUID</p> <p>The device function type is applicable to:</p> <pre> 35 17 MultiLevelControl - indicates that the MultiLevelControl can control the liquid level. </pre>	116
String	<p>TYPE_MOTION</p> <p>The device function type is applicable to:</p> <pre> 35 17 BinarySensor - indicates that the BinarySensor can detect motion. </pre>	118
String	<p>TYPE_NOISINESS</p> <p>The device function type is applicable to:</p> <pre> 35 17 MultiLevelControl - indicates that the MultiLevelControl can control the noise level. </pre>	116
String	<p>TYPE_OCCUPANCY</p> <p>The device function type is applicable to:</p> <pre> 35 17 BinarySensor - indicates that the BinarySensor can detect presence. </pre>	117

String	<p>TYPE_POWER</p> <p>The device function type is applicable to:</p> <p><code>MultiLevelControl</code> - indicates that the <code>MultiLevelControl</code> can control the power level.</p>	116
String	<p>TYPE_PRESSURE</p> <p>The device function type is applicable to:</p> <p><code>MultiLevelControl</code> - indicates that the <code>MultiLevelControl</code> can control the pressure level.</p>	114
String	<p>TYPE_RAIN</p> <p>The device function type is applicable to:</p> <p><code>MultiLevelSensor</code> - indicates that the <code>MultiLevelSensor</code> can monitor the rain rate.</p>	117
String	<p>TYPE_SMOKE</p> <p>The device function type is applicable to:</p> <p><code>MultiLevelControl</code> - indicates that the <code>MultiLevelControl</code> can control the smoke level.</p>	115
String	<p>TYPE_TEMPERATURE</p> <p>The device function type is applicable to:</p> <p><code>MultiLevelControl</code> - indicates that the <code>MultiLevelControl</code> can control temperature devices.</p>	114
String	<p>TYPE_WATER</p> <p>The device function type is applicable to:</p> <p><code>BinarySensor</code> - indicates that the <code>BinarySensor</code> can detect water leak.</p>	118
String	<p>TYPE_WINDOW</p> <p>The device function type is applicable to:</p> <p><code>MultiLevelControl</code> - indicates that the <code>MultiLevelControl</code> can control the window position.</p>	116

Field Detail

TYPE_LIGHT

```
public static final String TYPE_LIGHT = "light"
```

The device function type is applicable to:

- `MultiLevelControl` - indicates that the `MultiLevelControl` can control light devices. Usually, such devices are called dimmable. `MultiLevelControl` minimum value can switch off the device and `MultiLevelControl` maximum value can increase the device light to the maximum possible value.
- `MultiLevelSensor` - indicates that the sensor can monitor the light level.
- `BinarySensor` - indicates that the `BinarySensor` can detected light. `true` state means that there is light. `false` state means that there is no light.

³⁵₁₇ `BinaryControl` - indicates that there is a light device control. `true` state means that the light device will be turned on. `false` state means that the light device will be turned off.

This type can be specified as a value of [DeviceFunction.SERVICE_TYPE](#).

TYPE_TEMPERATURE

```
public static final String TYPE_TEMPERATURE = "temperature"
```

The device function type is applicable to:

³⁵₁₇ `MultiLevelControl` - indicates that the `MultiLevelControl` can control temperature devices. For example, such device can be thermostat. `MultiLevelControl` minimum value is the lowest supported temperature. `MultiLevelControl` maximum value is the highest supported temperature.

³⁵₁₇ `MultiLevelSensor` - indicates that the sensor can monitor the temperature.

This type can be specified as a value of [DeviceFunction.SERVICE_TYPE](#).

TYPE_FLOW

```
public static final String TYPE_FLOW = "flow"
```

The device function type is applicable to:

³⁵₁₇ `MultiLevelControl` - indicates that the `MultiLevelControl` can control the flow level. `MultiLevelControl` minimum value is the minimum supported flow level. `MultiLevelControl` maximum value is the maximum supported flow level.

³⁵₁₇ `MultiLevelSensor` - indicates that the sensor can monitor the flow level.

This type can be specified as a value of [DeviceFunction.SERVICE_TYPE](#).

TYPE_PRESSURE

```
public static final String TYPE_PRESSURE = "pressure"
```

The device function type is applicable to:

³⁵₁₇ `MultiLevelControl` - indicates that the `MultiLevelControl` can control the pressure level. `MultiLevelControl` minimum value is the lowest supported pressure level. `MultiLevelControl` maximum value is the highest supported pressure level.

³⁵₁₇ `MultiLevelSensor` - indicates that the sensor can monitor the pressure level.

³⁵₁₇ `Meter` - Indicates that the `Meter` measures pressure.

This type can be specified as a value of [DeviceFunction.SERVICE_TYPE](#).

TYPE_HUMIDITY

```
public static final String TYPE_HUMIDITY = "humidity"
```

The device function type is applicable to:

³⁵₁₇ `MultiLevelControl` - indicates that the `MultiLevelControl` can control the humidity level. It's typical functionality for HVAC (heating, ventilation, and air conditioning) devices.

MultiLevelControl minimum value is the lowest supported humidity level. MultiLevelControl maximum value is the highest supported humidity level.
³⁵₁₇ MultiLevelSensor - indicates that the sensor can monitor the humidity level.

This type can be specified as a value of [DeviceFunction.SERVICE_TYPE](#).

TYPE_GAS

```
public static final String TYPE_GAS = "gas"
```

The device function type is applicable to:

³⁵₁₇ MultiLevelControl - indicates that the MultiLevelControl can control the gas level. MultiLevelControl minimum value is the lowest supported gas level. MultiLevelControl maximum value is the highest supported gas level.
³⁵₁₇ MultiLevelSensor - indicates that the sensor can monitor the gas level.
³⁵₁₇ BinarySensor - indicates that the BinarySensor supports gas detection. true state means there is gas. false state means that there is no gas.
³⁵₁₇ Meter - indicates that the Meter measures the gas consumption.

This type can be specified as a value of [DeviceFunction.SERVICE_TYPE](#).

TYPE_SMOKE

```
public static final String TYPE_SMOKE = "smoke"
```

The device function type is applicable to:

³⁵₁₇ MultiLevelControl - indicates that the MultiLevelControl can control the smoke level. MultiLevelControl minimum value is the lowest supported smoke level. MultiLevelControl maximum value is the highest supported smoke level.
³⁵₁₇ MultiLevelSensor - indicates that the sensor can monitor the smoke level.
³⁵₁₇ BinarySensor - indicates that the BinarySensor can detect smoke. true state means that there is smoke. false state means that there is no rain.

This type can be specified as a value of [DeviceFunction.SERVICE_TYPE](#).

TYPE_DOOR

```
public static final String TYPE_DOOR = "door"
```

The device function type is applicable to:

³⁵₁₇ MultiLevelControl - indicates that the MultiLevelControl can control the door position. MultiLevelControl minimum value can completely close the door. MultiLevelControl maximum value can open the door to the maximum allowed position.
³⁵₁₇ MultiLevelSensor - indicates that the sensor can monitor the door position.
³⁵₁₇ BinarySensor - indicates that the BinarySensor can detect the door state. true state means that the door is opened. false state means that the door is closed.
³⁵₁₇ BinaryControl - indicates that there is a door position control. true state means that the door will be opened. false state means that the the door will be closed.

This type can be specified as a value of [DeviceFunction.SERVICE_TYPE](#).

TYPE_WINDOW

```
public static final String TYPE_WINDOW = "window"
```

The device function type is applicable to:

- 35
17 `MultiLevelControl` - indicates that the `MultiLevelControl` can control the window position. `MultiLevelControl` minimum value can completely close the window. `MultiLevelControl` maximum value can open the window to the maximum allowed position.
- 35
17 `MultiLevelSensor` - indicates that the sensor can monitor the window position.
- 35
17 `BinarySensor` - indicates that the `BinarySensor` can window state. `true` state means that the window is opened. `false` state means that the window is closed.
- 35
17 `BinaryControl` - indicates that there is a window position control. `true` state means that the window will be opened. `false` state means that the the window will be closed.

This type can be specified as a value of [DeviceFunction.SERVICE_TYPE](#).

TYPE_LIQUID

```
public static final String TYPE_LIQUID = "liquid"
```

The device function type is applicable to:

- 35
17 `MultiLevelControl` - indicates that the `MultiLevelControl` can control the liquid level. `MultiLevelControl` minimum value is the lowest supported liquid level. `MultiLevelControl` maximum value is the highest supported liquid level.
- 35
17 `MultiLevelSensor` - indicates that the sensor can monitor the liquid level.

This type can be specified as a value of [DeviceFunction.SERVICE_TYPE](#).

TYPE_POWER

```
public static final String TYPE_POWER = "power"
```

The device function type is applicable to:

- 35
17 `MultiLevelControl` - indicates that the `MultiLevelControl` can control the power level. `MultiLevelControl` minimum value is the lowest supported power level. `MultiLevelControl` maximum value is the highest supported power level.
- 35
17 `MultiLevelSensor` - indicates that the sensor can monitor the power level.
- 35
17 `BinarySensor` - indicates that the `BinarySensor` can detect motion. `true` state means that there is power restore. `false` state means that there is power cut.
- 35
17 `BinaryControl` - indicates that there is electricity control. `true` state means that the power will be restored. `false` state means that the power will be cut.
- 35
17 `Meter` - indicates that the `Meter` measures the power consumption.

This type can be specified as a value of [DeviceFunction.SERVICE_TYPE](#).

TYPE_NOISINESS

```
public static final String TYPE_NOISINESS = "noisiness"
```

The device function type is applicable to:

- 35
17 MultiLevelControl - indicates that the MultiLevelControl can control the noise level. MultiLevelControl minimum value is the lowest supported noise level. MultiLevelControl maximum value is the highest supported noise level.
- 35
17 MultiLevelSensor - indicates that the sensor can monitor the noise level.

This type can be specified as a value of [DeviceFunction.SERVICE_TYPE](#).

TYPE_RAIN

```
public static final String TYPE_RAIN = "rain"
```

The device function type is applicable to:

- 35
17 MultiLevelSensor - indicates that the MultiLevelSensor can monitor the rain rate. It's not applicable to MultiLevelControl.
- 35
17 BinarySensor - indicates that the BinarySensor can detect rain. true state means that there is rain. false state means that there is no rain.

This type can be specified as a value of [DeviceFunction.SERVICE_TYPE](#).

TYPE_CONTACT

```
public static final String TYPE_CONTACT = "contact"
```

The device function type is applicable to:

- 35
17 BinarySensor - indicates that the BinarySensor can detect contact. true state means that there is contact. false state means that there is no contact.

This type can be specified as a value of [DeviceFunction.SERVICE_TYPE](#).

TYPE_FIRE

```
public static final String TYPE_FIRE = "fire"
```

The device function type is applicable to:

- 35
17 BinarySensor - indicates that the BinarySensor can detect fire. true state means that there is fire. false state means that there is no fire.

This type can be specified as a value of [DeviceFunction.SERVICE_TYPE](#).

TYPE_OCCUPANCY

```
public static final String TYPE_OCCUPANCY = "occupancy"
```

The device function type is applicable to:

- 35
17 BinarySensor - indicates that the BinarySensor can detect presence. true state means that someone is detected. false state means that nobody is detected.

This type can be specified as a value of [DeviceFunction.SERVICE_TYPE](#).

TYPE_WATER

```
public static final String TYPE_WATER = "water"
```

The device function type is applicable to:

³⁵₁₇ BinarySensor - indicates that the BinarySensor can detect water leak. true state means that there is water leak. false state means that there is no water leak.

³⁵₁₇ Meter - indicates that the Meter measures water consumption.

This type can be specified as a value of [DeviceFunction.SERVICE_TYPE](#).

TYPE_MOTION

```
public static final String TYPE_MOTION = "motion"
```

The device function type is applicable to:

³⁵₁₇ BinarySensor - indicates that the BinarySensor can detect motion. true state means that there is motion detection. false state means that there is no motion detection.

This type can be specified as a value of [DeviceFunction.SERVICE_TYPE](#).

TYPE_HEAT

```
public static final String TYPE_HEAT = "heat"
```

The device function type is applicable to:

³⁵₁₇ Meter - indicates that the Meter measures thermal energy provided by a source.

This type can be specified as a value of [DeviceFunction.SERVICE_TYPE](#).

TYPE_COLD

```
public static final String TYPE_COLD = "cold"
```

The device function type is applicable to:

³⁵₁₇ Meter - indicates that the Meter measures thermal energy provided by a source.

This type can be specified as a value of [DeviceFunction.SERVICE_TYPE](#).

Interface WakeUp

[org.osgi.service.dal.functions](#)

All Superinterfaces:

[DeviceFunction](#)

```
public interface WakeUp
extends DeviceFunction
```

WakeUp Device Function provides device awake monitoring and management. It's especially applicable to battery-operated devices. Such device can notify the system that it's awake and can receive commands with an event to property [PROPERTY_AWAKE](#).

The device can periodically wake up for commands. The interval can be managed with [PROPERTY_WAKE_UP_INTERVAL](#) property.

The application can minimize the power consumption with [sleep\(\)](#) operation. As a result, the device will sleep and will not receive commands to the next awake.

See Also:

[LevelData](#), [BooleanData](#)

Field Summary		Page
String	OPERATION_SLEEP Specifies the sleep operation name.	120
String	PROPERTY_AWAKE Specifies the awake property name.	120
String	PROPERTY_WAKE_UP_INTERVAL Specifies the wake up interval.	120

Fields inherited from interface org.osgi.service.dal.DeviceFunction
SERVICE_DESCRIPTION , SERVICE_DEVICE_UID , SERVICE_OPERATION_NAMES , SERVICE_PROPERTY_NAMES , SERVICE_REFERENCE_UIDS , SERVICE_TYPE , SERVICE_UID , SERVICE_VERSION

Method Summary		Page
LevelData	getWakeUpInterval() Returns the current wake up interval.	120
void	setWakeUpInterval (BigDecimal interval) Sets wake up interval according to the default unit.	121
void	setWakeUpInterval (BigDecimal interval, String unit) Sets wake up interval according to the specified unit.	121
void	sleep() The device is forced to sleep to minimize the power consumption.	121

Methods inherited from interface org.osgi.service.dal.DeviceFunction
getOperationMetadata , getPropertyMetadata , getServiceProperty

Field Detail

PROPERTY_AWAKE

```
public static final String PROPERTY_AWAKE = "awake"
```

Specifies the awake property name. The property access type can be [PropertyMetadata.PROPERTY_ACCESS_EVENTABLE](#). If the device is awake, it will trigger a property event.

The property value type is `BooleanData`. The boolean data is always `true`. It marks that the device is awake.

PROPERTY_WAKE_UP_INTERVAL

```
public static final String PROPERTY_WAKE_UP_INTERVAL = "wakeUpInterval"
```

Specifies the wake up interval. The device can periodically wake up and receive commands. That interval is managed by this property. The current property value is available with [getWakeUpInterval\(\)](#) and can be modified with [setWakeUpInterval\(BigDecimal\)](#) and [setWakeUpInterval\(BigDecimal, String\)](#).

OPERATION_SLEEP

```
public static final String OPERATION_SLEEP = "sleep"
```

Specifies the sleep operation name. The operation can be executed with [sleep\(\)](#) method.

Method Detail

getWakeUpInterval

```
LevelData getWakeUpInterval()  
    throws UnsupportedOperationException,  
           IllegalStateException,  
           DeviceException
```

Returns the current wake up interval. It's a getter method for [PROPERTY_WAKE_UP_INTERVAL](#) property. The device can periodically wake up and receive command based on this interval.

The interval can be measured in different units like hours, minutes, seconds etc. The unit is specified in `LevelData` instance.

Returns:

The current wake up interval.

Throws:

`UnsupportedOperationException` - If the operation is not supported.

`IllegalStateException` - If this device function service object has already been unregistered.

[DeviceException](#) - If an operation error is available.

See Also:

[LevelData](#)

setWakeUpInterval

```
void setWakeUpInterval(BigDecimal interval)
    throws UnsupportedOperationException,
           IllegalStateException,
           DeviceException,
           IllegalArgumentException
```

Sets wake up interval according to the default unit. It's a setter method for [PROPERTY_WAKE_UP_INTERVAL](#) property. The device can periodically wake up and receive command based on this interval.

Parameters:

interval - The new wake up interval.

Throws:

`UnsupportedOperationException` - If the operation is not supported.
`IllegalStateException` - If this device function service object has already been unregistered.
[DeviceException](#) - If an operation error is available.
`IllegalArgumentException` - If there is an invalid argument.

setWakeUpInterval

```
void setWakeUpInterval(BigDecimal interval,
                       String unit)
    throws UnsupportedOperationException,
           IllegalStateException,
           DeviceException,
           IllegalArgumentException
```

Sets wake up interval according to the specified unit. It's a setter method for [PROPERTY_WAKE_UP_INTERVAL](#) property. The device can periodically wake up and receive command based on this interval.

Parameters:

interval - The new wake up interval.
unit - The interval unit.

Throws:

`UnsupportedOperationException` - If the operation is not supported.
`IllegalStateException` - If this device function service object has already been unregistered.
[DeviceException](#) - If an operation error is available.
`IllegalArgumentException` - If there is an invalid argument.

sleep

```
void sleep()
    throws UnsupportedOperationException,
           IllegalStateException,
           DeviceException
```

The device is forced to sleep to minimize the power consumption.

Throws:

`UnsupportedOperationException` - If the operation is not supported.
`IllegalStateException` - If this device function service object has already been unregistered.
[DeviceException](#) - If an operation error is available.

Package org.osgi.service.dal.functions.data

Device Function Data 1.0.

See:

[Description](#)

Class Summary		Page
AlarmData	Device Function alarm data.	123
BooleanData	Device Function boolean data wrapper.	129
KeypadData	Represents a keypad event data that is collected when a change with some key from device keypad has occurred.	133
LevelData	Device Function level data wrapper.	138

Package org.osgi.service.dal.functions.data Description

Device Function Data 1.0.

Bundles wishing to use this package must list the package in the Import-Package header of the bundle's manifest. This package has two types of users: the consumers that use the API in this package and the providers that implement the API in this package.

Example import for consumers using the API in this package:

```
Import-Package: org.osgi.service.dal.functions.data; version="[1.0,2.0)"
```

Example import for providers implementing the API in this package:

```
Import-Package: org.osgi.service.dal.functions.data; version="[1.0,1.1)"
```

Class AlarmData

org.osgi.service.dal.functions.data

```
java.lang.Object
├── org.osgi.service.dal.DeviceFunctionData
│   └── org.osgi.service.dal.functions.data.AlarmData
```

All Implemented Interfaces:

Comparable

```
public class AlarmData
extends DeviceFunctionData
```

Device Function alarm data. It cares about the alarm type, severity, timestamp and additional metadata. It doesn't support unit. The alarm type is mapped to DeviceFunctionData value.

See Also:

[Alarm](#), [DeviceFunctionData](#)

Field Summary		Page
static String	FIELD_SEVERITY Represents the severity field name.	124
static String	FIELD_TYPE Represents the type field name.	124
int	severity Represents the alarm severity.	126
static int	SEVERITY_HIGH The severity rating indicates that there is an alarm with high priority.	126
static int	SEVERITY_LOW The severity rating indicates that there is an alarm with lowest priority.	126
static int	SEVERITY_MEDIUM The severity rating indicates that there is an alarm with medium priority.	126
static int	SEVERITY_NONE The severity constant indicates that there is no severity rating for this alarm.	126
static int	SEVERITY_URGENT The severity rating indicates that there an urgent alarm.	126
int	type Represents the alarm type.	126
static int	TYPE_COLD The alarm type indicates that temperature is too low.	125
static int	TYPE_GAS_CO The alarm type indicates that carbon monoxide is detected.	125
static int	TYPE_GAS_CO2 The alarm type indicates that carbon dioxide is detected.	125
static int	TYPE_HEAT The alarm type indicates that temperature is too high.	125
static int	TYPE_HW_FAIL The alarm type indicates that there is hardware failure.	125
static int	TYPE_POWER_FAIL The alarm type indicates a power cut.	125

static int	TYPE_SMOKE The alarm type indicates that smoke is detected.	124
static int	TYPE_SW_FAIL The alarm type indicates that there is software failure.	125
static int	TYPE_WATER The alarm type indicates that water leak is detected.	125

Fields inherited from class org.osgi.service.dal.DeviceFunctionData		
FIELD_METADATA , FIELD_TIMESTAMP , META_INFO_DESCRIPTION , metadata , timestamp		

Constructor Summary		Page
AlarmData (Map fields)	Constructs new AlarmData instance with the specified field values.	127
AlarmData (long timestamp, Map metadata, int severity, int type)	Constructs new AlarmData instance with the specified arguments.	127

Method Summary		Page
int	compareTo (Object o)	128
int	getSeverity () Returns the alarm severity.	128
int	getType () Returns the alarm type.	127

Methods inherited from class org.osgi.service.dal.DeviceFunctionData		
equals , getMetadata , getTimestamp , hashCode		

Field Detail

FIELD_SEVERITY

```
public static final String FIELD_SEVERITY = "severity"
```

Represents the severity field name. The field value is available with [severity](#) and [getSeverity\(\)](#). The field type is int. The constant can be used as a key to [AlarmData\(Map\)](#).

FIELD_TYPE

```
public static final String FIELD_TYPE = "type"
```

Represents the type field name. The field value is available with [type](#) and [getType\(\)](#). The field type is int. The constant can be used as a key to [AlarmData\(Map\)](#).

TYPE_SMOKE

```
public static final int TYPE_SMOKE = 1
```

The alarm type indicates that smoke is detected.

TYPE_HEAT

```
public static final int TYPE_HEAT = 2
```

The alarm type indicates that temperature is too high.

TYPE_COLD

```
public static final int TYPE_COLD = 3
```

The alarm type indicates that temperature is too low.

TYPE_GAS_CO2

```
public static final int TYPE_GAS_CO2 = 4
```

The alarm type indicates that carbon dioxide is detected.

TYPE_GAS_CO

```
public static final int TYPE_GAS_CO = 5
```

The alarm type indicates that carbon monoxide is detected.

TYPE_WATER

```
public static final int TYPE_WATER = 6
```

The alarm type indicates that water leak is detected.

TYPE_POWER_FAIL

```
public static final int TYPE_POWER_FAIL = 7
```

The alarm type indicates a power cut.

TYPE_HW_FAIL

```
public static final int TYPE_HW_FAIL = 8
```

The alarm type indicates that there is hardware failure.

TYPE_SW_FAIL

```
public static final int TYPE_SW_FAIL = 9
```

The alarm type indicates that there is software failure.

SEVERITY_NONE

```
public static final int SEVERITY_NONE = 0
```

The severity constant indicates that there is no severity rating for this alarm.

SEVERITY_LOW

```
public static final int SEVERITY_LOW = 1
```

The severity rating indicates that there is an alarm with lowest priority.

SEVERITY_MEDIUM

```
public static final int SEVERITY_MEDIUM = 2
```

The severity rating indicates that there is an alarm with medium priority. The severity priority is higher than [SEVERITY_LOW](#) and lower than [SEVERITY_HIGH](#).

SEVERITY_HIGH

```
public static final int SEVERITY_HIGH = 3
```

The severity rating indicates that there is an alarm with high priority. The severity priority is higher than [SEVERITY_MEDIUM](#) and lower than [SEVERITY_URGENT](#).

SEVERITY_URGENT

```
public static final int SEVERITY_URGENT = 4
```

The severity rating indicates that there an urgent alarm. That severity has highest priority.

severity

```
public final int severity
```

Represents the alarm severity. The field is accessible with [getSeverity\(\)](#) getter. The vendor can define own alarm severity ratings with negative values.

type

```
public final int type
```

Represents the alarm type. The field is accessible with [getType\(\)](#) getter. The vendor can define own alarm types with negative values.

Constructor Detail

AlarmData

```
public AlarmData(Map fields)
```

Constructs new `AlarmData` instance with the specified field values. The map keys must match to the field names. The map values will be assigned to the appropriate class fields. For example, the maps can be: {"severity"=Integer(1)...}. That map will initialize the [FIELD_SEVERITY](#) field with 1. If severity is missing, [SEVERITY_NONE](#) is used.

[FIELD_SEVERITY](#) field value type must be `Integer`. [FIELD_TYPE](#) field value type must be `Integer`.

Parameters:

`fields` - Contains the new `AlarmData` instance field values.

Throws:

`ClassCastException` - If the field value types are not expected.

`IllegalArgumentException` - If the alarm type is missing.

`NullPointerException` - If the fields map is `null`.

AlarmData

```
public AlarmData(long timestamp,
                 Map metadata,
                 int severity,
                 int type)
```

Constructs new `AlarmData` instance with the specified arguments.

Parameters:

`timestamp` - The alarm data timestamp.

`metadata` - The alarm data metadata.

`severity` - The alarm data severity.

`type` - The alarm data type.

Method Detail

getType

```
public int getType()
```

Returns the alarm type. The type can be one of the predefined:

```

35  TYPE\_SMOKE
17
35  TYPE\_HEAT
17
35  TYPE\_COLD
17
35  TYPE\_GAS\_CO
17
35  TYPE\_GAS\_CO2
17
35  TYPE\_WATER
17
35  TYPE\_POWER\_FAIL
17
35  TYPE\_HW\_FAIL
17
35  TYPE\_SW\_FAIL
17
```

The vendor can define own alarm types with negative values.

Returns:
The alarm type.

getSeverity

```
public int getSeverity()
```

Returns the alarm severity.

Returns:
The alarm severity.

compareTo

```
public int compareTo(Object o)
```

Specified by:
`compareTo` in interface `Comparable`

Class BooleanData

org.osgi.service.dal.functions.data

```
java.lang.Object
├─ org.osgi.service.dal.DeviceFunctionData
│   └─ org.osgi.service.dal.functions.data.BooleanData
```

All Implemented Interfaces:

Comparable

```
public class BooleanData
extends DeviceFunctionData
```

Device Function boolean data wrapper. It can contain a boolean value, timestamp and additional metadata. It doesn't support measurement unit.

See Also:

[BooleanControl](http://org.osgi.service.dal.functions.data.BooleanControl), [BooleanSensor](http://org.osgi.service.dal.functions.data.BooleanSensor), [DeviceFunctionData](http://org.osgi.service.dal.DeviceFunctionData)

Field Summary		Page
static String	FIELD_VALUE Represents the value field name.	130
boolean	value Represents the boolean value.	130

Fields inherited from class org.osgi.service.dal. DeviceFunctionData
FIELD_METADATA , FIELD_TIMESTAMP , META_INFO_DESCRIPTION , metadata , timestamp

Constructor Summary		Page
BooleanData (Map fields)	Constructs new <code>BooleanData</code> instance with the specified field values.	130
BooleanData (long timestamp, Map metadata, boolean value)	Constructs new <code>BooleanData</code> instance with the specified arguments.	130

Method Summary		Page
int	compareTo (Object o) Compares this <code>BooleanData</code> instance with the given argument.	131
boolean	equals (Object other) Two <code>BooleanData</code> instances are equal if they contain equal metadata, timestamp and boolean value.	131
boolean	getValue () Returns <code>BooleanData</code> value.	130
int	hashCode () Returns the hash code for this <code>BooleanData</code> object.	131

Methods inherited from class org.osgi.service.dal. DeviceFunctionData
getMetadata , getTimestamp

Field Detail

FIELD_VALUE

```
public static final String FIELD_VALUE = "value"
```

Represents the value field name. The field value is available with [value](#) and [getValue\(\)](#). The field type is boolean. The constant can be used as a key to [BooleanData \(Map\)](#).

value

```
public final boolean value
```

Represents the boolean value. The field is accessible with [getValue\(\)](#) getter.

Constructor Detail

BooleanData

```
public BooleanData (Map fields)
```

Constructs new `BooleanData` instance with the specified field values. The map keys must match to the field names. The map values will be assigned to the appropriate class fields. For example, the maps can be: {"value"=Boolean(true)...}. That map will initialize the [FIELD_VALUE](#) field with `true`.

[FIELD_VALUE](#) field value type must be `Boolean`.

Parameters:

`fields` - Contains the new `BooleanData` instance field values.

Throws:

`ClassCastException` - If the field value types are not expected.

`IllegalArgumentException` - If the value is missing.

`NullPointerException` - If the fields map is null.

BooleanData

```
public BooleanData (long timestamp,  
                  Map metadata,  
                  boolean value)
```

Constructs new `BooleanData` instance with the specified arguments.

Parameters:

`timestamp` - The boolean data timestamp.

`metadata` - The boolean data metadata.

`value` - The boolean value.

Method Detail

getValue

```
public boolean getValue()
```

Returns `BooleanData` value.

Returns:

`BooleanData` value.

equals

```
public boolean equals(Object other)
```

Two `BooleanData` instances are equal if they contain equal metadata, timestamp and boolean value.

Overrides:

[equals](#) in class [DeviceFunctionData](#)

Parameters:

`other` - The object to compare this data.

Returns:

`true` if this object is equivalent to the specified one.

See Also:

[DeviceFunctionData.equals\(java.lang.Object\)](#)

hashCode

```
public int hashCode()
```

Returns the hash code for this `BooleanData` object. The hash code is a sum of [DeviceFunctionData.hashCode\(\)](#) and `Boolean.hashCode()`, where `Boolean.hashCode()` represents the boolean value hash code.

Overrides:

[hashCode](#) in class [DeviceFunctionData](#)

Returns:

The hash code of this `BooleanData` object.

See Also:

[DeviceFunctionData.hashCode\(\)](#)

compareTo

```
public int compareTo(Object o)
```

Compares this `BooleanData` instance with the given argument. The argument can be:

³⁵₁₇ `Boolean` - the method returns `0` if this instance contains equivalent boolean value. `-1` if this instance contains `false` and the argument is `true`. `1` if this instance contains `true` and the argument is `false`.

³⁵₁₇ `BooleanData` - the method returns `-1` if metadata or timestamp are not equivalent. Otherwise, the boolean value is compared with the same rules as `Boolean` argument.

³⁵₁₇ `Map` - the map must be built according the rules of [BooleanData\(Map\)](#). Metadata, timestamp and value are compared according `BooleanData` and `Boolean` argument rules.

Specified by:

`compareTo` in interface `Comparable`

Parameters:

`o` - An argument to be compared.

Returns:

-1, 0 or 1 depending on the comparison rules.

Throws:

`ClassCastException` - If the method is called with `Map` and field value types are not expected.

`IllegalArgumentException` - If the method is called with `Map` and the value is missing.

`NullPointerException` - If the argument is `null`.

See Also:

`Comparable.compareTo(java.lang.Object)`

Class KeypadData

org.osgi.service.dal.functions.data

```
java.lang.Object
├─ org.osgi.service.dal.DeviceFunctionData
│   └─ org.osgi.service.dal.functions.data.KeypadData
```

All Implemented Interfaces:

Comparable

```
public class KeypadData
extends DeviceFunctionData
```

Represents a keypad event data that is collected when a change with some key from device keypad has occurred. The key code is mapped to `DeviceFunctionData` value.

See Also:

[Keypad](#), [DeviceFunctionData](#)

Field Summary		Page
static int	EVENT_TYPE_PRESSED Represents a keypad event type for a key pressed.	135
static int	EVENT_TYPE_PRESSED_DOUBLE Represents a keypad event type for a double key pressed.	135
static int	EVENT_TYPE_PRESSED_DOUBLE_LONG Represents a keypad event type for a double and long key pressed.	135
static int	EVENT_TYPE_PRESSED_LONG Represents a keypad event type for a long key pressed.	135
static int	EVENT_TYPE_RELEASED Represents a keypad event type for a key released.	135
static int	EVENT_TYPE_UNKNOWN Represents an unknown keypad event type.	134
int	eventType Represents the keypad event type.	135
static String	FIELD_EVENT_TYPE Represents the event type field name.	134
static String	FIELD_KEY_CODE Represents the key code field name.	134
static String	FIELD_KEY_NAME Represents the key name field name.	134
int	keyCode Represents the key code.	135
String	keyName Represents the key name, if it's available.	135

Fields inherited from class [org.osgi.service.dal.DeviceFunctionData](#)

[FIELD_METADATA](#), [FIELD_TIMESTAMP](#), [META_INFO_DESCRIPTION](#), [metadata](#), [timestamp](#)

Constructor Summary		Page
KeypadData (Map fields)	Constructs new <code>KeypadData</code> instance with the specified field values.	136
KeypadData (long timestamp, Map metadata, int eventType, int keyCode, String keyName)	Constructs new <code>KeypadData</code> instance with the specified arguments.	136

Method Summary		Page
int	compareTo (Object o)	137
int	getEventType () Returns the event type.	136
int	getKeyCode () The code of the key.	136
String	getKeyName () Represents a human readable name of the corresponding key code.	137

Methods inherited from class org.osgi.service.dal. DeviceFunctionData
equals , getMetadata , getTimestamp , hashCode

Field Detail

FIELD_KEY_NAME

```
public static final String FIELD_KEY_NAME = "keyName"
```

Represents the key name field name. The field value is available with [keyName](#) and [getKeyName\(\)](#). The field type is `String`. The constant can be used as a key to [KeypadData \(Map\)](#).

FIELD_EVENT_TYPE

```
public static final String FIELD_EVENT_TYPE = "eventType"
```

Represents the event type field name. The field value is available with [eventType](#) and [getEventType\(\)](#). The field type is `int`. The constant can be used as a key to [KeypadData \(Map\)](#).

FIELD_KEY_CODE

```
public static final String FIELD_KEY_CODE = "keyCode"
```

Represents the key code field name. The field value is available with [keyCode](#) and [getKeyCode\(\)](#). The field type is `int`. The constant can be used as a key to [KeypadData \(Map\)](#).

EVENT_TYPE_UNKNOWN

```
public static final int EVENT_TYPE_UNKNOWN = 0
```

Represents an unknown keypad event type.

EVENT_TYPE_PRESSED

```
public static final int EVENT_TYPE_PRESSED = 1
```

Represents a keypad event type for a key pressed.

EVENT_TYPE_PRESSED_LONG

```
public static final int EVENT_TYPE_PRESSED_LONG = 2
```

Represents a keypad event type for a long key pressed.

EVENT_TYPE_PRESSED_DOUBLE

```
public static final int EVENT_TYPE_PRESSED_DOUBLE = 3
```

Represents a keypad event type for a double key pressed.

EVENT_TYPE_PRESSED_DOUBLE_LONG

```
public static final int EVENT_TYPE_PRESSED_DOUBLE_LONG = 4
```

Represents a keypad event type for a double and long key pressed.

EVENT_TYPE_RELEASED

```
public static final int EVENT_TYPE_RELEASED = 5
```

Represents a keypad event type for a key released.

eventType

```
public final int eventType
```

Represents the keypad event type. The vendor can define own event types with negative values. The field is accessible with [getEventType\(\)](#) getter.

keyName

```
public final String keyName
```

Represents the key name, if it's available. The field is accessible with [getKeyName\(\)](#) getter.

keyCode

```
public final int keyCode
```

Represents the key code. This field is mandatory and it holds the semantics(meaning) of the key. The field is accessible with [getKeyCode\(\)](#) getter.

Constructor Detail

KeypadData

```
public KeypadData(Map fields)
```

Constructs new `KeypadData` instance with the specified field values. The map keys must match to the field names. The map values will be assigned to the appropriate class fields. For example, the maps can be: {"eventType"=Integer(1)...}. That map will initialize the [FIELD_EVENT_TYPE](#) field with 1.

[FIELD_EVENT_TYPE](#) field value type must be `Integer`. [FIELD_KEY_CODE](#) field value type must be `Integer`. [FIELD_KEY_NAME](#) field value type must be `String`.

Parameters:

`fields` - Contains the new `KeypadData` instance field values.

Throws:

`ClassCastException` - If the field value types are not expected.

`IllegalArgumentException` - If the event type or key code is missing.

`NullPointerException` - If the fields map is `null`.

KeypadData

```
public KeypadData(long timestamp,
                  Map metadata,
                  int eventType,
                  int keyCode,
                  String keyName)
```

Constructs new `KeypadData` instance with the specified arguments.

Parameters:

`timestamp` - The data timestamp.

`metadata` - The data metadata.

`eventType` - The data event type.

`keyCode` - The data key code.

`keyName` - The data key name.

Method Detail

getEventType

```
public int getEventType()
```

Returns the event type. The vendor can define own event types with negative values.

Returns:

The event type.

getKeyCode

```
public int getKeyCode()
```

The code of the key. This field is mandatory and it holds the semantics(meaning) of the key.

Returns:

The key code.

getKeyName

```
public String getKeyName()
```

Represents a human readable name of the corresponding key code. This field is optional and sometimes it could be missed(might be `null`).

Returns:

A string with the name of the key or `null` if not specified.

compareTo

```
public int compareTo(Object o)
```

Specified by:

`compareTo` in interface `Comparable`

Class LevelData

org.osgi.service.dal.functions.data

```
java.lang.Object
├─ org.osgi.service.dal.DeviceFunctionData
│   └─ org.osgi.service.dal.functions.data.LevelData
```

All Implemented Interfaces:

Comparable

```
public class LevelData
extends DeviceFunctionData
```

Device Function level data wrapper. It supports all properties defined in `DeviceFunctionData`.

See Also:

[MultiLevelControl](#), [MultiLevelSensor](#), [Meter](#), [DeviceFunctionData](#)

Field Summary		Page
static String	FIELD_LEVEL Represents the level field name.	139
static String	FIELD_UNIT Represents the unit field name.	139
BigDecimal	level Represents the current level.	139
String	unit Represent the unit as it's defined in PropertyMetadata.UNITS .	139

Fields inherited from class org.osgi.service.dal.DeviceFunctionData
FIELD_METADATA , FIELD_TIMESTAMP , META_INFO_DESCRIPTION , metadata , timestamp

Constructor Summary		Page
LevelData (Map fields)	Constructs new <code>LevelData</code> instance with the specified field values.	139
LevelData (long timestamp, Map metadata, String unit, BigDecimal level)	Constructs new <code>LevelData</code> instance with the specified arguments.	140

Method Summary		Page
int	compareTo (Object o) Compares this <code>LevelData</code> instance with the given argument.	141
boolean	equals (Object other) Two <code>LevelData</code> instances are equal if they contain equal metadata, timestamp, unit and level.	140
BigDecimal	getLevel () Returns <code>LevelData</code> value.	140
String	getUnit () Returns <code>LevelData</code> unit as it's specified in PropertyMetadata.UNITS or null if the unit is missing.	140

int	hashCode() Returns the hash code for this <code>LevelData</code> object.	141
-----	---	-----

Methods inherited from class `org.osgi.service.dal.DeviceFunctionData`[getMetadata](#), [getTimestamp](#)**Field Detail****FIELD_LEVEL**

```
public static final String FIELD_LEVEL = "level"
```

Represents the level field name. The field value is available with [level](#) and [getLevel\(\)](#). The field type is `BigDecimal`. The constant can be used as a key to [LevelData\(Map\)](#).

FIELD_UNIT

```
public static final String FIELD_UNIT = "unit"
```

Represents the unit field name. The field value is available with [unit](#) and [getUnit\(\)](#). The field type is `String`. The constant can be used as a key to [LevelData\(Map\)](#).

unit

```
public final String unit
```

Represent the unit as it's defined in [PropertyMetadata.UNITS](#). The field is optional. The field is accessible with [getUnit\(\)](#) getter.

level

```
public final BigDecimal level
```

Represents the current level. It's mandatory field. The field is accessible with [getLevel\(\)](#) getter.

Constructor Detail**LevelData**

```
public LevelData(Map fields)
```

Constructs new `LevelData` instance with the specified field values. The map keys must match to the field names. The map values will be assigned to the appropriate class fields. For example, the maps can be: `{"level"=BigDecimal(1)...}`. That map will initialize the [FIELD_LEVEL](#) field with 1.

[FIELD_UNIT](#) field value type must be `String`. [FIELD_LEVEL](#) field value type must be `BigDecimal`.

Parameters:

`fields` - Contains the new `LevelData` instance field values.

Throws:

`ClassCastException` - If the field value types are not expected.

`IllegalArgumentException` - If the level is missing.

NullPointerException - If the fields map is null.

LevelData

```
public LevelData(long timestamp,
                 Map metadata,
                 String unit,
                 BigDecimal level)
```

Constructs new `LevelData` instance with the specified arguments.

Parameters:

timestamp - The data timestamp.
metadata - The data metadata.
unit - The data unit.
level - The level value.

Method Detail

getLevel

```
public BigDecimal getLevel()
```

Returns `LevelData` value. The value type is `BigDecimal` instead of `double` to guarantee value accuracy.

Returns:

The `LevelData` value.

getUnit

```
public String getUnit()
```

Returns `LevelData` unit as it's specified in [PropertyMetadata.UNITS](#) or `null` if the unit is missing.

Returns:

The value unit or `null` if the unit is missing.

equals

```
public boolean equals(Object other)
```

Two `LevelData` instances are equal if they contain equal metadata, timestamp, unit and level.

Overrides:

[equals](#) in class [DeviceFunctionData](#)

Parameters:

other - The object to compare this data.

Returns:

`true` if this object is equivalent to the specified one.

See Also:

[DeviceFunctionData.equals\(java.lang.Object\)](#)

hashCode

```
public int hashCode()
```

Returns the hash code for this `LevelData` object. The hash code is a sum of [DeviceFunctionData.hashCode\(\)](#), `String.hashCode()` and `BigDecimal.hashCode()`, where `String.hashCode()` represents the unit hash code and `BigDecimal.hashCode()` represents the level hash code.

Overrides:

[hashCode](#) in class [DeviceFunctionData](#)

Returns:

The hash code of this `LevelData` object.

See Also:

[DeviceFunctionData.hashCode\(\)](#)

compareTo

```
public int compareTo(Object o)
```

Compares this `LevelData` instance with the given argument. The argument can be:

- ³⁵₁₇ `BigDecimal` - the method returns the result of `BigDecimal.compareTo(Object)` for this instance level and the specified argument.
- ³⁵₁₇ `LevelData` - the method returns `-1` if metadata, timestamp or unit are not equivalent. Otherwise, the level is compared with the same rules as `BigDecimal` argument.
- ³⁵₁₇ `Map` - the map must be built according the rules of [LevelData \(Map\)](#). Metadata, timestamp, unit and level are compared according `BigDecimal` and `LevelData` argument rules.

Specified by:

`compareTo` in interface `Comparable`

Parameters:

- o - An argument to be compared.

Returns:

`-1`, `0` or `1` depending on the comparison rules.

Throws:

- `ClassCastException` - If the method is called with `Map` and the field value types are not expected.
- `IllegalArgumentException` - If the method is called with `Map` and the level is missing.
- `NullPointerException` - If the argument is `null`.

See Also:

`Comparable.compareTo(java.lang.Object)`

8 Considered Alternatives

8.1 Use Configuration Admin to update the Device service properties

OSGi service properties are used to represent the Device service properties. The properties can be updated with the help of `org.osgi.framework.ServiceRegistration.setProperties(Dictionary)` method. The service registration is intended for a private usage and should not be shared between the bundles.

The current design provides set methods, which can be used when an external application wants to modify the Device service properties. It's simple and a part of Device interface. We have to define a new permission check, because there is no such protection to `org.osgi.framework.ServiceRegistration.setProperties` method.

Considered alternative was about property update based on configuration update in the Configuration Admin service. The Device service properties can be updated when the corresponding configuration properties are updated. The disadvantages here are:

- Device properties duplication – they are stored in the device configuration and in the Device service properties.
- Possible performance issue when a lot of devices are used.

8.2 DeviceAdmin interface availability

DeviceAdmin service was removed from the current RFC document. That management functionality can be provided by a different specification document. That considered alternative is kept for completeness.

DeviceAdmin service can simplify the device service registration. It hides the implementation details i.e. realize program to an interface rather than to an implementation.

The considered alternative is not to use that interface and to register the Device service implementation to the OSGi service registry. Here are two code snippets, which demonstrates positives and negatives:

1. Without DeviceAdmin

```
Map ipCameraProps = new HashMap(3, 1F);
ipCameraProps.put("IP.Camera.Address", "192.168.0.21");
ipCameraProps.put("IP.Camera.Username", "test");
ipCameraProps.put("IP.Camera.Password", "test");

//WARNING - an access to implementation class, which should be bundle private
IPCameraDeviceImpl ipCameraImpl = new IPCameraDeviceImpl(ipCameraProps);
ipCameraImpl.register(bundleContext);
// play the video stream...
```



```
// remove the device
ipCameraImpl.unregister();
```

That snippet demonstrate program to implementation rather than an interface, which break basic OOP rule.

2. With DeviceAdmin

```
Map ipCameraProps = new HashMap(3, 1F);
ipCameraProps.put("IP.Camera.Address", "192.168.0.21");
ipCameraProps.put("IP.Camera.Username", "test");
ipCameraProps.put("IP.Camera.Password", "test");

DeviceAdmin ipCameraDeviceAdmin = getIPCameraDeviceAdmin();
Device ipCamera = ipCameraDeviceAdmin.add(ipCameraProps);
// play the device video stream
// remove the device
ipCamera.remove();
```

It demonstrate program to interface rather than an implementation, which is the correct approach.

8.3 Access helper methods removal of FunctionalDevice

org.osgi.service.functionaldevice.FunctionalDevice.getChildren(), org.osgi.service.functionaldevice.FunctionalDevice.getParent() and org.osgi.service.functionaldevice.FunctionalDevice.getReferences() were removed, because they provided access to the FunctionalDevice services outside the OSGi service registry. It can be problematic in various scenarios like:

- The service Find Hook can be ignored.
- No service unget is possible for such shared service instances.
- The dependency tools based on the service registry cannot track such sharings.

9 Security Considerations

9.1 Device Permission

The device permission controls the bundle's authority to perform specific privileged administrative operations on the devices. The action for this permission is:

Action	Method
ACTION_REMOVE	Device.remove()

--	--

The name of the permission is a filter based. For more details about filter based permissions, see OSGi Core Specification, Filter Based Permissions. The filter provides an access to all device service properties. The service property names are case insensitive. The filter attribute names are processed in a case insensitive manner. For example, the operator can give a bundle the permission to only manage devices of vendor “acme”:

```
org.osgi.service.dal.DevicePermission("dal.device.hardware.vendor=acme", ...)
```

The permission action allows the operator to assign only the necessary permissions to the bundle. For example, the management bundle can have permission to remove all registered devices:

```
org.osgi.service.dal.DevicePermission("*", "remove")
```

The code that needs to check the device permission must always use the constructor that takes the device as a parameter `DevicePermission(Device, String)` with a single action. For example, the implementation of `org.osgi.service.dal.Device.remove()` method must check that the caller has an access to the operation:

```
public class DeviceImpl implements Device {
    public void start() {
        securityManager.checkPermission(new DevicePermission(this, "remove"));
    }
}
```

9.2 Required Permissions

The Functional Device implementation must check the caller for the appropriate Functional Device Permission before execution of the real operation actions like remove. Once the Functional Device Permission is checked against the caller the implementation will proceed with the actual operation. The operation can require a number of other permissions to complete. The implementation must isolate the caller from such permission checks by use of proper privileged blocks.

10 Document Support

10.1 References

- [1]. Bradner, S., Key words for use in RFCs to Indicate Requirement Levels, RFC2119, March 1997.
- [2]. Software Requirements & Specifications. Michael Jackson. ISBN 0-201-87712-0
- [3]. JavaBeans Spec, <http://www.oracle.com/technetwork/java/javase/documentation/spec-136004.html>
- [4]. Unicode Standard Annex #15, Unicode Normalization Forms

10.2 Author's Address

Name	Evgeni Grigorov
Company	ProSyst Software
Address	Aachenerstr. 222, 50935 Cologne, Germany
Voice	+49 221 6604 501
e-mail	e.grigorov@prosyst.com

10.3 Acronyms and Abbreviations

Item	Description
Device Abstraction Layer	Unifies the work with devices provided by different protocols.
Device Abstraction API	Unified API for management of devices provided by different protocols.
Device Abstraction Adapter	Examples for such adapters are ZigBee Adapter, Z-Wave Adapter etc. Provides support for a particular device protocol to Device Abstraction Layer. The adapter integrates the protocol specific driver devices.

10.4 End of Document