

# Realizing Trustworthiness in Linked Data Applications Based on Individual Data Source Trust Assessment.

## Extended Abstract

Michaela Kümpel<sup>1</sup>, Michael Beetz<sup>1</sup>

<sup>1</sup>Authors are with the Institute for Artificial Intelligence, University of Bremen, Bremen, Germany

Robots need large amounts of semantic environment and object information in order to autonomously accomplish given tasks [1, 2]. *The Semantic Web* offers vast semantic information in *Linked Data* sources that robots can utilize to understand object-related actions [3, 4, 5] such as determining if a product is vegan or vegetarian and if a vegetarian meal should be served to a vegan, for example. *The Semantic Web*[6] is an extension of the current Web[7] aiming at structuring content of Web pages by using standardized formats to represent entities, their properties and relations so that it can be understood by robotic or software agents. When these structured ontologies are linked to each other, we refer to them as *Linked Data* [8].

Through an integration of Linked Data, robots get access to tremendous amounts of data and semantic information that can be accessed by propagating the links between ontologies. With that much data being accessible however, reliability and trustworthiness of the provided information needs to be addressed. For a robotic store assistant, it is important to know if the product they are to pick out of a shelf weighs 200 gram or 2 kilogram, and whether the provided information is reliable. If a robot is enabled to appraise information reliability, they can be enabled to exclude data from certain sources, implement a minimal trust value for queried data or adapt their action plan to account for varying trust values and successfully pick a 2 kilogram object they thought would weigh 200 gram.

The amount of Web pages and data contributors with different foci as well as the continuous data expansion in the Semantic Web call for a reliability assessment of its contained information. Additionally, an ontology in Semantic Web format can be comprised of data from many other sources. The wikidata overview page for the word ‘vegan’, for example, includes information from sources like KBpedia or WordNet. On the one hand, these connections are one of the main advantages of Linked Data, allowing for an inspection of different data sources as well as a query propagation over many links. On the other hand, they permit unreliable data to be accessed.

The tRDF vocabulary was developed as a tool for an assessment of trustworthiness of data published on the Web [9]. Since ontologies in the Semantic Web can be comprised of data from

---


FOIS'21: International Workshop on Ontologies for Autonomous Robotics (ROBONTICS 2021)

✉ kording(at)uni-bremen.de (M. Kümpel)

🆔 0000-0002-0408-3953 (M. Kümpel); 0000-0002-7888-7444 (M. Beetz)



© 2021 Copyright for this paper by its authors. Use permitted under Creative Commons License Attribution 4.0 International (CC BY 4.0).

 CEUR Workshop Proceedings (CEUR-WS.org)

many different sources, the focus in the tRDF vocabulary lies on data sources of entities in the offered ontologies. This concentration on data instead of publisher is also called content trust [10]. With tRDF, an individual trust analysis can be performed by modeling trust as a value  $[-1, 1]$ , with  $-1$  representing not trustworthy data and  $1$  trustworthy data [11].

The representation of trustworthiness of data sources for entities in ontologies enables a robot to assess trustworthiness of the acquired data. For a continuous trust assessment and recommendation however, we believe that logging of data access is necessary. Individual preferences for data access can thus be derived from the activity log for creation of a trustworthiness recommendation. As a consequence, regular content updates of data sources can result in higher trust values of the queried data as proposed by Gil and Artz [10].

Such a data source representation and trustworthiness assessment builds the basis for an automated inclusion or exclusion of certain content as an implementation of trustworthiness. This can be achieved by using tSPARQL [12, 13], for example.

We believe that the realization of trustworthiness in Linked Data applications is very important and therefore will continue to work on the topic in robotic applications, where we face the research challenge of a fine-tuned handling of trust values in robot action planning. Future work therefore will focus on an adaptation of action plans for a range of trust values.

**Acknowledgments** We thank Matthias Buchinger and Mahdi Sellami for the discussions towards realization of this project.

The research reported in this abstract has been partially supported by the Federal Ministry for Economic Affairs and Energy BMWi within the Knowledge4Retail project, subproject semantic Digital Twin 01MK20001M (<https://knowledge4retail.org>) as well as the German Research Foundation DFG, as part of Collaborative Research Center (Sonderforschungsbereich) 1320 “EASE - Everyday Activity Science and Engineering”, University of Bremen (<http://www.ease-crc.org/>).

## References

- [1] M. Tenorth, M. Beetz, Knowrob—knowledge processing for autonomous personal robots, in: 2009 IEEE/RSJ international conference on intelligent robots and systems, IEEE, 2009, pp. 4261–4266.
- [2] M. Beetz, D. Beßler, A. Haidu, M. Pomarlan, A. K. Bozcuoğlu, G. Bartels, Know rob 2.0—a 2nd generation knowledge processing framework for cognition-enabled robotic agents, in: 2018 IEEE International Conference on Robotics and Automation (ICRA), IEEE, 2018, pp. 512–519.
- [3] L. Fischer, S. Hasler, J. Deigmöller, T. Schnürer, M. Redert, U. Pluntke, K. Nagel, C. Senzel, J. Ploennigs, A. Richter, et al., Which tool to use? grounded reasoning in everyday environments with assistant robots., in: CogRob@ KR, 2018, pp. 3–10.
- [4] M. Waibel, M. Beetz, J. Civera, R. d’Andrea, J. Elfring, D. Galvez-Lopez, K. Haussermann, R. Janssen, J. Montiel, A. Perzylo, et al., A world wide web for robots, IEEE Robotics & Automation Magazine 18 (2011) 69–82.
- [5] M. Kümpel, A. de Groot, I. Tiddi, M. Beetz, Using linked data to help robots understand

- product-related actions, in: JOWO 2020, The Joint Ontology Workshops, volume 2708, CEUR-WS, 2020. URL: <http://ceur-ws.org/Vol-2708/robotics2.pdf>.
- [6] T. Berners-Lee, J. Hendler, O. Lassila, et al., The semantic web, *Scientific american* 284 (2001) 28–37.
  - [7] E. Sirin, J. Hendler, B. Parsia, Semi-automatic composition of web services using semantic descriptions, in: 1st Workshop on Web Services: Modeling, Architecture and Infrastructure, 2003, pp. 17–24.
  - [8] C. Bizer, R. Cyganiak, T. Heath, et al., How to publish linked data on the web (2007).
  - [9] O. Hartig, Trustworthiness of data on the web, in: Proceedings of the STI Berlin & CSW PhD Workshop, Citeseer, 2008.
  - [10] Y. Gil, D. Artz, Towards content trust of web resources, *Journal of Web Semantics* 5 (2007) 227–239.
  - [11] S. P. Marsh, Formalising trust as a computational concept (1994).
  - [12] O. Hartig, Querying trust in rdf data with tsparql, in: European Semantic Web Conference, Springer, 2009, pp. 5–20.
  - [13] O. Hartig, Specification for tsparql, 2008.