

# Intro to Shiny - Practical 3

Luke A McGuinness - 15 November 2019

---

```
#####
# LOAD EXTERNAL PACKAGES, SCRIPTS AND DATA #
#####

library(shiny)
library(ggplot2)
library(BristolVis)
#####

# USER INTERFACE #

#####

ui <- fluidPage(
  titlePanel(title = "Demo of a shiny app"),

  # Define sidebar layout
  sidebarLayout(
    sidebarPanel(
      # Define number of observations to plot in the figure
      sliderInput(inputId = "numberofrowsplot",
                  label = "Number of rows to plot in figure",
                  value = 100,
                  min = 50,
                  max = 150),

      # Define number of observations to show in the table
      numericInput(inputId = "numberofrowstable",
                  label = "Number of rows to show in table",
                  value = 10,
                  min = 5,
                  max = 20,
                  step = 5),

      # Define the variable that is used to colour the points
      selectInput(inputId = "pointcolour",
                  label = "Variable to fill by:",
                  choices = c("sex","diet","status")),

      # Define the plot's title
     textInput(inputId = "titletext",
                label = "Plot title:")
    ),

    mainPanel(
      plotOutput("barPlot"),
      tableOutput("table")
    )
  )
)#####
# SERVER #
```

```
#####
server <- function(input, output) {

  # Create plot object
  output$barPlot <- renderPlot({

    # Restrict the bmi dataset to the number of rows defined by the slider
    bmi2_plot <- head(x = bmi2,
                       n = input$numberoffrowsplot)

    # Create plot using the restricted dataset
    ggplot(data = bmi2_plot, aes_string(color = input$pointcolour)) +
      geom_point(aes(x = age, y= bmi)) +
      labs(title = input$titletext)

  })

  # Create table object
  output$table <- renderTable({
    head(x = bmi2,
         n = input$numberoffrowstable)
  })

}

#####
# CALL TO shinyApp FUNCTION #
#####

shinyApp(ui = ui, server = server)
```