


JavaScript Crash Course

Sumner Evans and Sam Sartor

November 10, 2016



Colorado School of Mines
Linux Users Group

JavaScript is *NOT* Java ¹

- JavaScript was written was created in 10 days in May 1995 by Brendan Eich.
- JavaScript was originally called Mocha and was renamed to LiveScript before being renamed again to JavaScript.
- Why **JavaScript**? Because Java happened to be popular then (that was before people realized how much Java sucks in a browser) and JavaScript looks syntactically similar at a glance.
- JavaScript is standardized² by Ecma International and there have been a number of ECMAScript versions. The latest is ECMAScript 6, but it is not fully supported by any browsers, including Firefox which only has partial support.

¹Lots of this slide's information is from:

https://www.w3.org/community/webed/wiki/A_Short_History_of_JavaScript

²JavaScript standards aren't actually that standard.

JavaScript is *NOT* Java ¹

- JavaScript was written was created in 10 days in May 1995 by Brendan Eich.
- JavaScript was originally called Mocha and was renamed to LiveScript before being renamed again to JavaScript.
- Why **JavaScript**? Because Java happened to be popular then (that was before people realized how much Java sucks in a browser) and JavaScript looks syntactically similar at a glance.
- JavaScript is standardized² by Ecma International and there have been a number of ECMAScript versions. The latest is ECMAScript 6, but it is not fully supported by any browsers, including Firefox which only has partial support.

¹Lots of this slide's information is from:

https://www.w3.org/community/webed/wiki/A_Short_History_of_JavaScript

²JavaScript standards aren't actually that standard.

JavaScript is *NOT* Java ¹

- JavaScript was written was created in 10 days in May 1995 by Brendan Eich.
- JavaScript was originally called Mocha and was renamed to LiveScript before being renamed again to JavaScript.
- Why **Java**Script? Because Java happened to be popular then (that was before people realized how much Java sucks in a browser) and JavaScript looks syntactically similar at a glance.
- JavaScript is standardized² by Ecma International and there have been a number of ECMAScript versions. The latest is ECMAScript 6, but it is not fully supported by any browsers, including Firefox which only has partial support.

¹Lots of this slide's information is from:

https://www.w3.org/community/webed/wiki/A_Short_History_of_JavaScript

²JavaScript standards aren't actually that standard.

JavaScript is *NOT* Java ¹

- JavaScript was written was created in 10 days in May 1995 by Brendan Eich.
- JavaScript was originally called Mocha and was renamed to LiveScript before being renamed again to JavaScript.
- Why **Java**Script? Because Java happened to be popular then (that was before people realized how much Java sucks in a browser) and JavaScript looks syntactically similar at a glance.
- JavaScript is standardized² by Ecma International and there have been a number of ECMAScript versions. The latest is ECMAScript 6, but it is not fully supported by any browsers, including Firefox which only has partial support.

¹Lots of this slide's information is from:

https://www.w3.org/community/webed/wiki/A_Short_History_of_JavaScript

²JavaScript standards aren't actually that standard.

Objects & Primitives

- Everything is either a primitive or an object.
- Objects are ALWAYS passed by reference
- Primitives are ALWAYS passed by value
- Objects in JavaScript are mutable keyed collections/dictionaries.
- JavaScript is *pseudoclassical*.
- JavaScript uses *prototypes* for inheritance.
- There is no such thing as a *class* in JavaScript.¹

¹ECMAScript 6 added support for classes, but JavaScript classes are just wrappers around the underlying prototype-based structure.

Objects & Primitives

- Everything is either a primitive or an object.
- Objects are ALWAYS passed by reference
- Primitives are ALWAYS passed by value
- Objects in JavaScript are mutable keyed collections/dictionaries.
- JavaScript is *pseudoclassical*.
- JavaScript uses *prototypes* for inheritance.
- There is no such thing as a *class* in JavaScript.¹

¹ECMAScript 6 added support for classes, but JavaScript classes are just wrappers around the underlying prototype-based structure.

Objects & Primitives

- Everything is either a primitive or an object.
- Objects are ALWAYS passed by reference
- Primitives are ALWAYS passed by value
- Objects in JavaScript are mutable keyed collections/dictionaries.
- JavaScript is *pseudoclassical*.
- JavaScript uses *prototypes* for inheritance.
- There is no such thing as a *class* in JavaScript.¹

¹ECMAScript 6 added support for classes, but JavaScript classes are just wrappers around the underlying prototype-based structure.

Objects & Primitives

- Everything is either a primitive or an object.
- Objects are ALWAYS passed by reference
- Primitives are ALWAYS passed by value
- Objects in JavaScript are mutable keyed collections/dictionaries.
- JavaScript is *pseudoclassical*.
- JavaScript uses *prototypes* for inheritance.
- There is no such thing as a *class* in JavaScript.¹

¹ECMAScript 6 added support for classes, but JavaScript classes are just wrappers around the underlying prototype-based structure.

Objects & Primitives

- Everything is either a primitive or an object.
- Objects are ALWAYS passed by reference
- Primitives are ALWAYS passed by value
- Objects in JavaScript are mutable keyed collections/dictionaries.
- JavaScript is *pseudoclassical*.
- JavaScript uses *prototypes* for inheritance.
- There is no such thing as a *class* in JavaScript.¹

¹ECMAScript 6 added support for classes, but JavaScript classes are just wrappers around the underlying prototype-based structure.

Objects & Primitives

- Everything is either a primitive or an object.
- Objects are ALWAYS passed by reference
- Primitives are ALWAYS passed by value
- Objects in JavaScript are mutable keyed collections/dictionaries.
- JavaScript is *pseudoclassical*.
- JavaScript uses *prototypes* for inheritance.
- There is no such thing as a *class* in JavaScript.¹

¹ECMAScript 6 added support for classes, but JavaScript classes are just wrappers around the underlying prototype-based structure.

Objects & Primitives

- Everything is either a primitive or an object.
- Objects are ALWAYS passed by reference
- Primitives are ALWAYS passed by value
- Objects in JavaScript are mutable keyed collections/dictionaries.
- JavaScript is *pseudoclassical*.
- JavaScript uses *prototypes* for inheritance.
- There is no such thing as a *class* in JavaScript.¹

¹ECMAScript 6 added support for classes, but JavaScript classes are just wrappers around the underlying prototype-based structure.

Primitives: Types¹

JavaScript has six primitive types:

- Boolean
- Null
- Undefined (yes, this is a type)
- Number (can be a number between $-(2^{53} - 1)$ and $2^{53} - 1$, NaN, -Infinity, or Infinity).
- String (single or double quotes declares a string literal²)
- Symbol (new in ECMAScript 6)

¹Info on this slide from: https://developer.mozilla.org/en-US/docs/Web/JavaScript/Data_structures

²Single quotes are recommended by Douglas Crockford because HTML normally uses double quotes and to avoid conflicts when manipulating DOM objects, single quotes should be used.

Objects: Inheritance and the Prototype Chain

- Every JavaScript object is linked to a *prototype*. If a member is not found in an object (i.e. if `obj.fooBar == undefined`) then the prototype is searched. It defines a sort of “default” set of values for the object.
- “Empty” objects start with `Object.prototype` defined as their prototype.
- You can set the prototype of an object to another object (or to `undefined`) by calling `myObj.prototype = otherObj;`
- Since the prototype of an object is just another object, it too can have a prototype. Hence the prototype *chain*. When you access a property of an object, the whole prototype chain is searched for it.
- The prototype relationship is a dynamic relationship. If a property is added to the prototype, it is automatically visible to all objects based on that prototype.

Objects: Inheritance and the Prototype Chain

- Every JavaScript object is linked to a *prototype*. If a member is not found in an object (i.e. if `obj.foobar == undefined`) then the prototype is searched. It defines a sort of “default” set of values for the object.
- “Empty” objects start with `Object.prototype` defined as their prototype.
- You can set the prototype of an object to another object (or to `undefined`) by calling `myObj.prototype = otherObj;`
- Since the prototype of an object is just another object, it too can have a prototype. Hence the prototype *chain*. When you access a property of an object, the whole prototype chain is searched for it.
- The prototype relationship is a dynamic relationship. If a property is added to the prototype, it is automatically visible to all objects based on that prototype.

Objects: Inheritance and the Prototype Chain

- Every JavaScript object is linked to a *prototype*. If a member is not found in an object (i.e. if `obj.foobar == undefined`) then the prototype is searched. It defines a sort of “default” set of values for the object.
- “Empty” objects start with `Object.prototype` defined as their prototype.
- You can set the prototype of an object to another object (or to `undefined`) by calling `myObj.prototype = otherObj;`
- Since the prototype of an object is just another object, it too can have a prototype. Hence the *prototype chain*. When you access a property of an object, the whole prototype chain is searched for it.
- The prototype relationship is a dynamic relationship. If a property is added to the prototype, it is automatically visible to all objects based on that prototype.

Objects: Inheritance and the Prototype Chain

- Every JavaScript object is linked to a *prototype*. If a member is not found in an object (i.e. if `obj.foobar == undefined`) then the prototype is searched. It defines a sort of “default” set of values for the object.
- “Empty” objects start with `Object.prototype` defined as their prototype.
- You can set the prototype of an object to another object (or to `undefined`) by calling `myObj.prototype = otherObj;`
- Since the prototype of an object is just another object, it too can have a prototype. Hence the *prototype chain*. When you access a property of an object, the whole prototype chain is searched for it.
- The prototype relationship is a dynamic relationship. If a property is added to the prototype, it is automatically visible to all objects based on that prototype.

Objects: Inheritance and the Prototype Chain

- Every JavaScript object is linked to a *prototype*. If a member is not found in an object (i.e. if `obj.foobar == undefined`) then the prototype is searched. It defines a sort of “default” set of values for the object.
- “Empty” objects start with `Object.prototype` defined as their prototype.
- You can set the prototype of an object to another object (or to `undefined`) by calling `myObj.prototype = otherObj;`
- Since the prototype of an object is just another object, it too can have a prototype. Hence the *prototype chain*. When you access a property of an object, the whole prototype chain is searched for it.
- The prototype relationship is a dynamic relationship. If a property is added to the prototype, it is automatically visible to all objects based on that prototype.

Objects: Syntax

```
1 var myObj = { // this is an object literal
2   a: 3,
3   'b': 'JavaScript',
4   'is-awesome?': true,
5   doSomething: function () {
6     console.log(this.a); // 3
7     console.log(a); // error
8   }, // trailing commas are allowed
9 };
10 myObj.doSomething();
11 console.log(myObj.b, myObj['is-awesome?']);
```

Output:

```
1 3
2 error: a is undefined
3 JavaScript true
```

Objects: Arrays

JavaScript arrays are basically vectors (and are also objects, remember?).

```
1 var arr = [1, 'a', {}, [], true];
2 arr[0] = 'not a number';
3 arr.push('this is basically a vector');
4 console.log(arr);
```

Output:

```
1 [ 'not a number', 'a', {}, [], true, 'this is basically a vector' ]
```

Note that the elements of an array do not have to be the same type.

JavaScript is an **untyped** language. I don't know what that means and I don't think that Brendan did either when he wrote the language.

Variables are declared using the `var` keyword¹.

Examples:

- `var name;` - creates variable name of type undefined.
- `var name = 'Sumner';` - string literal
- `var age = 18;` - declaring a number literal
- `var hasFriends = false;` - declaring a boolean
- `var significantOther = null;`

¹Sometimes you don't need to use `var` as I have described above.

Functions

- Functions are just objects with two special properties: a context (scope) and the function code.
- Functions can be defined anywhere where an object can be defined and can be stored in variables.
- Functions can access all arguments passed to a function via the `arguments` variable.
- Functions can access the callee of a function (`callee.func()`) via the `this` variable.
- Functions can also have named parameters.
- Functions always return a value. If no return is explicitly specified, the function will return `undefined`.

Functions

- Functions are just objects with two special properties: a context (scope) and the function code.
- Functions can be defined anywhere where an object can be defined and can be stored in variables.
- Functions can access all arguments passed to a function via the `arguments` variable.
- Functions can access the callee of a function (`callee.func()`) via the `this` variable.
- Functions can also have named parameters.
- Functions always return a value. If no return is explicitly specified, the function will return `undefined`.

Functions

- Functions are just objects with two special properties: a context (scope) and the function code.
- Functions can be defined anywhere where an object can be defined and can be stored in variables.
- Functions can access all arguments passed to a function via the `arguments` variable.
- Functions can access the callee of a function (`callee.func()`) via the `this` variable.
- Functions can also have named parameters.
- Functions always return a value. If no return is explicitly specified, the function will return `undefined`.

Functions

- Functions are just objects with two special properties: a context (scope) and the function code.
- Functions can be defined anywhere where an object can be defined and can be stored in variables.
- Functions can access all arguments passed to a function via the `arguments` variable.
- Functions can access the callee of a function (`callee.func()`) via the `this` variable.
- Functions can also have named parameters.
- Functions always return a value. If no return is explicitly specified, the function will return `undefined`.

Functions

- Functions are just objects with two special properties: a context (scope) and the function code.
- Functions can be defined anywhere where an object can be defined and can be stored in variables.
- Functions can access all arguments passed to a function via the `arguments` variable.
- Functions can access the callee of a function (`callee.func()`) via the `this` variable.
- Functions can also have named parameters.
- Functions always return a value. If no return is explicitly specified, the function will return `undefined`.

Functions

- Functions are just objects with two special properties: a context (scope) and the function code.
- Functions can be defined anywhere where an object can be defined and can be stored in variables.
- Functions can access all arguments passed to a function via the `arguments` variable.
- Functions can access the callee of a function (`callee.func()`) via the `this` variable.
- Functions can also have named parameters.
- Functions always return a value. If no return is explicitly specified, the function will return `undefined`.

Functions: Callback

Since JavaScript functions are objects, they can be passed just like other objects.

```
1 function doStuff(callback) {
2     // do a bunch of processing
3     var x = 3;
4     console.log('in doStuff');
5     callback(x);
6 }
7
8 doStuff(function(x) {
9     console.log(x * 3);
10 });
```

Output:

```
1 in doStuff
2 9
```

Functions: New

JavaScript functions can be invoked with the `new` keyword, mimicking traditional class-based languages:

```
1 function Thing(val) {
2     this.v = val;
3 }
4
5 var t = new Thing(12);
6 console.log(t.v); // prints 12
```

But don't be fooled. Really that is just equivalent to:

```
1 ...
2
3 var t = {};
4 t.prototype = Thing.prototype;
5 t.Thing(12); // the important bit!
6 console.log(t.v); // prints 12
```

Scope

There are two scopes in JavaScript: global and function.¹

Variables declared outside of a function are automatically in the global scope.

Variables declared within a function *without* the `var` keyword are also in the global scope.

```
1 var a = 2;
2 (function() {
3     b = 3
4     var c = 5;
5 })(); // this creates and invokes the function immediately
6
7 console.log(a); // logs 2
8 console.log(b); // logs 3
9 console.log(c); // error since c is undefined in global scope
```

Global Abatement

Because your code could coexist with other people's code, on the same HTML page, it is recommended that you reduce your *global footprint* by only creating a few global objects and then putting all assets into that object.

```
1 myGlobal = (function() {
2     var myInternalData = 10;
3     return {
4         data: 5,
5         subObject: {
6             cool: 'things',
7         },
8         fn: function() { return myInternalData; },
9     };
10 })();
```

Since you can add properties to objects at will, you can still split your code into multiple files.

Private Variables

You can simulate private variables the same way:

```
1 var Dog = function(name) {
2     var gender = 'male';
3     this.name = name;
4     this.isBoy = function () {
5         return gender == 'male';
6     };
7 };
8
9 var myDog = new Dog('Sebastian');
10 console.log(myDog.gender); // logs undefined
11 console.log(myDog.name); // logs 'Sebastian'
12 console.log(myDog.isBoy()); // logs true
```

Syntax: Control Statements

```
1  // if statement syntax is identical to C++
2  if (condition) {
3  } else if (condition) {
4  } else {
5  }
6
7  // ternary syntax is just like C++
8  var a = condition ? val_if_true : val_if_false;
9
10 for (initializer; condition; incrementor) {
11     // for loop syntax is identical
12 }
13
14 for (var prop in obj) {
15     obj[prop].doThing(); // prop is the key
16                         // could be a number or a string
17 }
```

Pitfalls: Variable Hoisting

Variables are *hoisted* to the top of the function they are declared in. Thus, the following is entirely valid.

```
1 function scopeEx() {
2     b = 5;
3     console.log(b); // logs 5
4     var b = 3
5     console.log(b); // logs 3
6 }
```

This is confusing. Just declare your variables before you use them.

¹In ES6, variables declared with `let` are actually block scope.

Pitfalls: Truthy, Falsy and == vs ===

JavaScript has the notion of being *truthy* and *falsy*.

The following values are always falsy: `false`, `0`, `""`, `null`, `undefined`, `NaN`.

Do not expect all falsy values to be equal to each other (`false == null` is `false`).

JavaScript has two equality operators:

- `==` compares without checking variable type. This will cast then compare.
- `===` compares and checks variable type.

DOM Manipulation

The *Document Object Model* is an API used by JavaScript to interact with the elements of an HTML document.¹

jQuery is great for simple DOM manipulation.

```
1 <div id="cool">Cool</div>
2 <div class="myCls">jQuery Demo</div>
```

```
1 var coolDiv = document.getElementById('cool'); // pure JS
2 coolDiv.style.background = 'blue';
3
4 var coolDiv = $('#cool'); // jQuery
5 coolDiv.css('background-color', 'blue');
```

jQuery does a ton of other useful things as well, but that's what the docs are for.

¹https://en.wikipedia.org/wiki/Document_Object_Model

Canvas Manipulation

While many JS games (like 2048) use lots of HTML and CSS to draw the game, with some JS and DOM/JQuery-stuff for the logic. However, you can also draw the game directly using a Canvas. All you need then is a few lines of HTML and the rest can happen in your script. You can even create 3D stuff with WebGL or a 3rd party library like Three.js.

```
1 var c = document.getElementById("myCanvas");
2 var ctx = c.getContext("2d");
3 ctx.moveTo(0,0);
4 ctx.lineTo(200,100);
5 ctx.stroke();
```

- DOM Manipulation (HTML and CSS stuff)
 - ✓ JQuery (Yep)
- HTML5 Canvas (Direct drawing from JS)
 - ✓ EaselJS (Nice iteration callbacks)
 - bHive (Never used it, but other people like it)
 - ✓ Paper.js (Good vector and shape drawing)
 - WebGL (3D Graphics if you can OpenGL the things)
 - * ✓ Three.js (3D Graphics if you can't Opengl the things)
 - * BabylonJS (Looks pretty I guess)
- WebSockets (TCP, multiplayer, experimental, good luck)
 - Socket.io (talk to your Node.JS server?)
- Audio Stuff
 - SoundJS (Again, never used)
 - Google (you are smart, figure it out)

Additional Resources

A lot of this presentation was based off of *JavaScript: The Good Parts* by Douglas Crockford. This is an essential read for anyone interested in learning JavaScript for anything more than writing a few simple scripts.

MDN is the best resource for JavaScript documentation (<https://developer.mozilla.org/en-US/>).

JSHint (<http://jshint.com/about/>) is a tool which checks JavaScript syntax and helps prevent bugs in your code. JSHint has plugins for most IDEs and text editors. Here's a SO article on the Vim plugin: <http://stackoverflow.com/questions/473478/vim-jshint/5893447>