

```

<!-- *****-->
<!-- -->
<!-- 2013-03-06 -->
<!-- DOCUMENT ELEMENT
TTNITF -->
<!-- FULL VERSION 3.4 -->
<!-- -->
<!-- This DTD cover the TT textformat called TTNITF. -->
<!-- It covers text, webbfeeds, sportsresults and also financial tables -->
<!-- even though they are no longer transmitted in this format. -->
<!-- -->
<!-- For a full specification of the components please look at -->
<!-- TTNITF_version3_4_eng.doc/pdf -->
<!-- -->
<!-- *****-->
<!-- EXTERNAL ENTITY DECLARATIONS EXCEPT ELEMENTS AND DTDS --
>
<!-- *****-->
<!-- COMMENTS -->
<!-- IH added BNG as RUBBE-attribute -->
<!-- IH added FRC as RUBBE-attribute -->
<!-- JL added MDE as RUBBE-attribute -->
<!-- JL added FRAGA and SVAR -->
<!-- JL added element o attribute used during Olympics -->
<!-- JL added RESSORT|RESTYP|RESDISCIPLINE|RESSTAGE in RESVAD and the
attribute RESID for Olympics -->
<!-- JL added element SPEKMETA with subelement and attribute QVAL in PLAC -->
<!-- JL added element EMBARGODATETIME to hold the exact date and time the
embargo finishes. -->
<!-- JL added TAKE in HEAD that can be used to hold the number of a take in a series of
takes. -->
<!-- JL restored FAKTATEXT and BAKGRUNDTEXT in BODY since they had been
accidently removed -->
<!-- -->
<!-- *****-->
<!-- NOTATION DECLARATIONS -->
<!-- *****-->
<!-- ENTITY DECLARATIONS FOR STAND-ALONE MODELGROUPS -->
<!-- *****-->
<!ENTITY ouml "&#246;">
<!ENTITY Ouml "&#214;">
<!ENTITY auml "&#228;">
<!ENTITY Auml "&#196;">
<!ENTITY aring "&#229;">
<!ENTITY Aring "&#197;">
<!ENTITY eacute "&#233;">

```

<!ENTITY uacute "ú">
<!ENTITY tstr "-">
<!ENTITY nbsp " ">
<!ENTITY aacute "á">
<!ENTITY Aacute "Á">
<!ENTITY aelig "æ">
<!ENTITY Aelig "Æ">
<!ENTITY agrave "à">
<!ENTITY Agrave "À">
<!ENTITY Acirc "Â">
<!ENTITY acirc "â">
<!ENTITY atilde "ã">
<!ENTITY Atilde "Ã">
<!ENTITY ccedil "ç">
<!ENTITY Ccedil "Ç">
<!ENTITY Eacute "É">
<!ENTITY egrave "è">
<!ENTITY Egrave "È">
<!ENTITY ecirc "ê">
<!ENTITY Ecirc "Ê">
<!ENTITY euml "ë">
<!ENTITY Euml "Ë">
<!ENTITY icirc "î">
<!ENTITY Icirc "Î">
<!ENTITY iacute "í">
<!ENTITY Iacute "Í">
<!ENTITY igrave "ì">
<!ENTITY Igrave "Ì">
<!ENTITY iuml "ï">
<!ENTITY Iuml "Ï">
<!ENTITY ntilde "ñ">
<!ENTITY Ntilde "Ñ">
<!ENTITY ograve "ò">
<!ENTITY Ograve "Ò">
<!ENTITY oacute "ó">
<!ENTITY Oacute "Ó">
<!ENTITY oslash "ø">
<!ENTITY Oslash "Ø">
<!ENTITY Ocirc "Ô">
<!ENTITY ocirc "ô">
<!ENTITY otilde "õ">
<!ENTITY Otilde "Õ">
<!ENTITY uuml "ü">
<!ENTITY Uuml "Ü">
<!ENTITY Uacute "Ú">
<!ENTITY ucirc "û">

```

<!ENTITY Ucirc "&#219;">
<!ENTITY Ugrave "&#217;">
<!ENTITY ugrave "&#249;">
<!ENTITY yacute "&#253;">
<!ENTITY Yacute "&#221;">
<!ENTITY yuml "&#255;">
<!ENTITY szlig "&#223;">
<!ENTITY eth "&#240;">
<!ENTITY ETH "&#208;">
<!ENTITY thorn "&#254;">
<!ENTITY THORN "&#222;">
<!--*****-->
<!-- ELEMENT DECLARATIONS -->
<!--*****-->
<!ELEMENT ACTADV EMPTY> <!-- 2:42 Action advised-->
<!ELEMENT ak (#PCDATA)> <!-- stock notation in UTLAKT-->
<!ELEMENT an (#PCDATA)> <!-- number in AKTIE-->
<!ELEMENT anamn (#PCDATA)> <!-- name in AKTIE-->
<!ELEMENT ar (#PCDATA)> <!-- year in NUMF -->
<!ELEMENT BF (#PCDATA)> <!-- Lost games away -->
<!ELEMENT BFS (#PCDATA)> <!-- Lost games away after extension -->
<!ELEMENT BFSS (#PCDATA)> <!-- Lost games away after shootout -->
<!ELEMENT BG (#PCDATA)> <!-- Goals scored away -->
<!ELEMENT bh (#PCDATA)> <!-- Payed highest today in AKTIE-->
<!ELEMENT bht (#PCDATA)> <!-- Payed highest today in TEO-->
<!ELEMENT bhk (#PCDATA)> <!-- Payed highest today in KON-->
<!ELEMENT BHEAD (BHR+)> <!-- Header for stock market tables -->
<!ELEMENT BHR ((hb?, ko?, lb?, ud?, da?, anamn, ch, bu, sa, bh?, bl?, bs, an?) | (bnamn,
vrr, vr2, vr5, vr1?,vr10?, brr, br2, br5, br1?,br10?) | (fnamn, nav, utd, utb, df1, df2?) |
(hnamn, hl1, hl2) | (inamn, va?, inx, dk?, ch) | (ff?, kd?, ra?, di?, knamn, ch, bu, sa, bhk, blt?,
kv?, no?) | (ar, em, fe, hu, tj) | (onamn, fd, ok, kr?, sk, sr?, ch?, br, bk, no?) | (sl, inx, kk, sk,
bso, vo) | (pa, dr, ch, pk, sk, sb) | (thb?, la?, en?, tk?, tnamn, ch, bu, sa, bht, blt?, bst?) |
(unamn, ak, fk, df1?) | (va, ku, ch, ph))*> <!-- One header row in stockmarket tables -->
<!ELEMENT BI (#PCDATA)> <!-- Goals scored away against -->
<!ELEMENT BILD (BILDFIL, BILDTEXT, BILDSKAPARE)> <!--Information about one
image -->
<!ELEMENT BILDFIL (#PCDATA)> <!-- Name of image file -->
<!ELEMENT BILDSKAPARE (#PCDATA)> <!-- Creator of image -->
<!ELEMENT BILDTEXT (P+)> <!-- Caption of image -->
<!ELEMENT bk (#PCDATA)> <!-- payed in OBL-->
<!ELEMENT bl (#PCDATA)> <!-- Lowest today in AKTIE -->
<!ELEMENT blt (#PCDATA)> <!-- Lowest today in TEO-->
<!ELEMENT blk (#PCDATA)> <!-- Lowest today in KON-->
<!ELEMENT BLAG (#PCDATA)> <!-- Name of away-team in one gameresult -->
<!ELEMENT BLANKRAD EMPTY> <!-- Deprecated - used to insert empty lines in the old
7801-format. -->

```

<!ELEMENT bnamn (#PCDATA)> <!-- Name of loan institute in BORA-->
 <!ELEMENT BO (#PCDATA)> <!-- Draw games away -->
 <!ELEMENT BODY (RUBBE?, ((TEXT*,FAKTATEXT*,BAKGRUNDTEXT*) | SPORTRES?|EKOTABELL?))> <!-- IIM 8:10 The actual content of the file-->
 <!ELEMENT br (#PCDATA)> <!-- payed interest in OBL-->
 <!ELEMENT brr (#PCDATA)> <!-- Loan interest in BORA floating -->
 <!ELEMENT br1 (#PCDATA)> <!-- Loan interest in BORA 1 year fixed -->
 <!ELEMENT br2 (#PCDATA)> <!-- Loan interest in BORA 2 years fixed -->
 <!ELEMENT br5 (#PCDATA)> <!-- Loan interest in BORA 5 years fixed -->
 <!ELEMENT br10 (#PCDATA)> <!-- Loan interest in BORA 10 years fixed -->
 <!ELEMENT BRES (#PCDATA)> <!-- Away team result in a gameresult -->
 <!ELEMENT BRODTEXT (P | CITAT | MELLIS | TABELL | UL | FRAGA | SVAR)*> <!--
 Main textpart of a text -->
 <!ELEMENT bs (#PCDATA)> <!-- latest payed in AKTIE-->
 <!ELEMENT bso (#PCDATA)> <!-- latest payed in OPT-->
 <!ELEMENT bst (#PCDATA)> <!-- latest payed in TEO -->
 <!ELEMENT BTAB (BTR+)> <!-- Stock market table -->
 <!ELEMENT BTR ((hb?, ko?, lb?, ud?, da?, anamn, ch, bu, sa, bh?, bl?, bs, an?) | (bnamn, vrr, vr2, vr5, vr1?,vr10?, brr, br2, br5, br1?,br10?) | (fnamn, nav, utd, utb, df1, df2?) | (hnamn, hl1, hl2) | (inamn, va?, inx, dk?, ch) | (ff?, kd?, ra?, di?, knamn, ch, bu, sa, bhk, blt?, kv?, no?) | (ar, em, fe, hu, tj) | (onamn, fd, ok, kr?, sk, sr?, ch?, br, bk, no?) | (sl, inx, kk, sk, bso, vo) | (pa, dr, ch, pk, sk, sb) | (thb?, la?, en?, tk?, tnamn, ch, bu, sa, bht, blt?, bst?) | (unamn, ak, fk, df1?) | (va, ku, ch, ph))> <!-- Stock market table row -->
 <!ELEMENT bu (#PCDATA)> <!-- Buyer offer in AKTIE, TEO-->
 <!ELEMENT BV (#PCDATA)> <!-- Games won away -->
 <!ELEMENT BVS (#PCDATA)> <!-- Games won away after extension -->
 <!ELEMENT BVSS (#PCDATA)> <!-- Games won away after shootout -->
 <!ELEMENT BYLINE (#PCDATA)> <!-- byline of writer -->
 <!ELEMENT CAPTION (#PCDATA)> <!-- 2:120 Caption-->
 <!ELEMENT ch (#PCDATA)> <!-- changes in AKTIE-->
 <!ELEMENT CITAT (#PCDATA)> <!-- Quote, can exist in INGRESS and BRODTEXT -->
 <!ELEMENT COUNTRY (#PCDATA)> <!-- Country of competitor in extended result during olympics -->
 <!ELEMENT da (#PCDATA)> <!-- profit in AKTIE-->
 <!ELEMENT DAT (ORT, SOURCE)> <!-- Dateline -->
 <!ELEMENT DATESENT (#PCDATA)> <!-- 1:70 Date Sent. -->
 <!ELEMENT DEPARTMENT (#PCDATA)> <!-- One department in SPEKMETA/DEPARTMENTS -->
 <!ELEMENT DEPARTMENTS (DEPARTMENT*)> <!-- Any number of DEPARTMENTS in SPEKMETA -->
 <!ELEMENT DEST (#PCDATA)> <!-- 1:05 Destination-->
 <!ELEMENT df1 (#PCDATA)> <!-- changes since last new year in FOND-->
 <!ELEMENT df2 (#PCDATA)> <!-- changes two years back in FOND -->
 <!ELEMENT dk (#PCDATA)> <!-- Today in INDEX-->
 <!ELEMENT di (#PCDATA)> <!-- Profit in KON-->
 <!ELEMENT dr (#PCDATA)> <!-- Numbers drawn in PRE-->

<!ELEMENT DUEL (PERSON,PERSON)> <!-- Olympic sports result where to teams or persons have met in a "game". -->

<!ELEMENT EDSTAT (#PCDATA)> <!-- 2:07 Edit Status like new version etc -->

<!ELEMENT EKOTABELL (RUBRIK?, INGRESS?, MELLIS*, (BHEAD?,((FONDF?, OPTION?, MELLIS*, BLANKRAD?, BTAB?)+ |BRODTEXT?)*))*> <!-- Main element of all stock market info -->

<!ELEMENT em (#PCDATA)> <!-- Date and time for embargo. Format according to xs:datetime -->

<!ELEMENT EMBARGODATETIME (#PCDATA) > <!-- emission in NUMF-->

<!ELEMENT en (#PCDATA)> <!-- one share in TEO-->

<!ELEMENT ENDSIZE (#PCDATA)> <!-- 9:10 Total size of objectdata-->

<!ELEMENT EPAFAKTA (P+)> <!-- Game detail for one game result -->

<!ELEMENT EPAPER (#PCDATA)> <!-- Halftime etc result in one game -->

<!ELEMENT EPATEXT (P+)> <!-- Text about the game devided in paragraphs. -->

<!ELEMENT EPAVAD (#PCDATA)> <!-- What the game is played for -->

<!ELEMENT EPAVAR (#PCDATA)> <!-- Where the game was played -->

<!ELEMENT fd (#PCDATA)> <!-- date in OBL-->

<!ELEMENT fe (#PCDATA)> <!-- fifty in NUMF-->

<!ELEMENT ff (#PCDATA)> <!-- day in KON-->

<!ELEMENT FIFO EMPTY> <!-- 1:20 File Format. TTNIFT has number 27 with IPTC-->

<!ELEMENT FIFOVER EMPTY> <!-- 1:22 File Format Version-->

<!ELEMENT FIXID (#PCDATA)> <!-- 2:22 Fixture Identifier-->

<!ELEMENT fk (#PCDATA)> <!-- previous price in UTLAKT-->

<!ELEMENT FM (#PCDATA)> <!-- Games lost totally -->

<!ELEMENT FMS (#PCDATA)> <!-- Games lost after extension -->

<!ELEMENT fnamn (#PCDATA)> <!-- Name of FOND-->

<!ELEMENT FONDF (#PCDATA)> <!-- Name of person handling FOND -->

<!ELEMENT FRAGA (#PCDATA)> <!-- Quoted question in BRODTEXT -->

<!ELEMENT FSS (#PCDATA)> <!-- Games lost after shootout -->

<!ELEMENT GM (#PCDATA)> <!-- Goals scored totally -->

<!ELEMENT hb (#PCDATA)> <!-- highest in AKTIE -->

<!ELEMENT HEAD (MODVER, DEST*, FIFO, FIFOVER, SERVID, NR?, PRODID+, DATESENT?, TIMESENT?, UNO?, RECVER, TEXTTYP, SLUGG, EDSTAT?, URG, SUBREF*, FIXID?, KEYWORD*, SPECIAL?, ACTADV?, HEADLINE, HSOURCE, CAPTION?, WRITER, LANG, EMBARGODATETIME?, TAKE?, REFUNO*, SIZEMODE, MAXSUBSIZE, SIZEANNO,SPEKMETA?)> <!--IIM RECORD SET 1, 2 and 7-->

<!ELEMENT HEADLINE (#PCDATA)> <!-- 2:105 Headline-->

<!ELEMENT HF (#PCDATA)> <!-- Games lost home -->

<!ELEMENT HFS (#PCDATA)> <!-- Games lost home after extension -->

<!ELEMENT HFSS (#PCDATA)> <!-- Games lost home after shootout -->

<!ELEMENT HG (#PCDATA)> <!-- Goals scored home -->

<!ELEMENT HI (#PCDATA)> <!-- Goals scored agains home -->

<!ELEMENT hl1 (#PCDATA)> <!-- new high/low in HILO-->

<!ELEMENT hl2 (#PCDATA)> <!-- latest high/low in HILO-->

<!ELEMENT HLAG (#PCDATA)> <!-- Name of hometeam in a gameresult -->

<!ELEMENT hnamn (#PCDATA)> <!-- Name in HILO-->
<!ELEMENT HO (#PCDATA)> <!-- Games drawn home -->
<!ELEMENT HRES (#PCDATA)> <!-- Home result in one game result -->
<!ELEMENT HSOURCE (#PCDATA)> <!-- 2:115 Source Identifier-->
<!ELEMENT ht (#PCDATA)> <!-- BetHo9798 in TEO-->
<!ELEMENT hu (#PCDATA)> <!-- One hundred in NUMF-->
<!ELEMENT HV (#PCDATA)> <!-- Games won at home -->
<!ELEMENT HVS (#PCDATA)> <!-- Games won at home after extension -->
<!ELEMENT HVSS (#PCDATA)> <!-- Games won at home after shootout -->
<!ELEMENT IM (#PCDATA)> <!-- Goals against totally -->
<!ELEMENT inamn (#PCDATA)> <!-- Name in INDEX-->
<!ELEMENT INGRESS (P | CITAT)*> <!-- Lead part of one text -->
<!ELEMENT inx (#PCDATA)> <!-- Index in INDEX and price in OPT-->
<!ELEMENT kd (#PCDATA)> <!-- converted from in KON-->
<!ELEMENT kk (#PCDATA)> <!-- Buyers offer in OPT-->
<!ELEMENT KEYWORD (#PCDATA)> <!-- Keywords -->
<!ELEMENT knamn (#PCDATA)> <!-- Name in KONV-->
<!ELEMENT ko (#PCDATA)> <!-- -->
<!ELEMENT kr (#PCDATA)> <!-- Buyers interest in OBL-->
<!ELEMENT ku (#PCDATA)> <!-- Exchange rate in VAL-->
<!ELEMENT kv (#PCDATA)> <!-- Rate in KON-->
<!ELEMENT la (#PCDATA)> <!-- La in TEO-->
<!ELEMENT LAG (#PCDATA)> <!-- Name of team -->
<!ELEMENT LANG (#PCDATA)> <!-- 2:135 Language-->
<!ELEMENT lb (#PCDATA)> <!-- lowest in AKTIE-->
<!ELEMENT LI (#PCDATA)> <!-- One row in a bullet list -->
<!ELEMENT MAXSUBSIZE (#PCDATA)> <!-- 7:20 Max subfile size tags inclusive-->
<!ELEMENT MELLIS (#PCDATA)> <!-- Sub headline in BRODTEXT -->
<!ELEMENT MODVER EMPTY> <!-- 1:00 Model Version-->
<!ELEMENT NAME (#PCDATA)> <!-- Name of person in detailed olympics result -->
<!ELEMENT nav (#PCDATA)> <!-- navrate in FOND-->
<!ELEMENT no (#PCDATA)> <!-- oms in KON, nom oms in OBL-->
<!ELEMENT NR (#PCDATA)> <!-- 1:40 Envelope Number-->
<!ELEMENT ob (#PCDATA)> <!-- -->
<!ELEMENT ok (#PCDATA)> <!-- Convert rate in OBL-->
<!ELEMENT onamn (#PCDATA)> <!-- Name in OBL-->
<!ELEMENT OM (#PCDATA)> <!-- Games drawn totally -->
<!ELEMENT OPTION (#PCDATA)> <!-- Name of option -->
<!ELEMENT ORT (#PCDATA)> <!-- Name of place in a dateline, or leading phrase -->
<!ELEMENT P (#PCDATA|DUEL|PERSON)*> <!-- Paragraphs of text-->
<!ELEMENT pa (#PCDATA)> <!-- year in PRE -->
<!ELEMENT PERSON (PLAC,NAME,COUNTRY,RESULT)> <!-- One person in a
detailed olympics result -->
<!ELEMENT ph (#PCDATA)> <!-- per 100 SEK in VAL-->
<!ELEMENT pk (#PCDATA)> <!-- Buyrate in PRE-->
<!ELEMENT PLAC (#PCDATA)> <!-- Place of one person in detailed olympic result -->

<!ELEMENT PRODID EMPTY> <!-- 1:50 Product I.D. Inr, utr osv-->
 <!ELEMENT PT (#PCDATA)> <!-- Points totally -->
 <!ELEMENT ra (#PCDATA)> <!-- interest in KON -->
 <!ELEMENT RECVER EMPTY> <!-- 2:00 Record Version-->
 <!ELEMENT REFUNO (#PCDATA)> <!-- 6:250 Userdefined field in IIM. Used to point at UNO of earlier text(s) -->
 <!ELEMENT RES (RESVAR?, RESVAD?, RESTXT)> <!-- One sport result -->
 <!ELEMENT RESEPA (EPAVAR?, EPAVAD?, HLAG, BLAG, HRES, BRES, EPAPER?, EPAFAKTA?, EPATEXT?)> <!-- One game result -->
 <!ELEMENT RESTAB (TABRUB?, TABELL, TABINFO?)> <!-- Simple table in sportresult -->
 <!ELEMENT RESTXT (P+)> <!-- Gameresult devided in paragraphs -->
 <!ELEMENT RESULT (#PCDATA)> <!-- Result of one person in detailed sport result -->
 <!ELEMENT RESVAD (#PCDATA|RESSORT|RESTYPT|RESDISCIPLINE|RESSTAGE)*>
 <!-- What event, class etc a sport result covers. -->
 <!ELEMENT RESDISCIPLINE (#PCDATA)> <!-- Sport event in RESVAD-->
 <!ELEMENT RESSORT (#PCDATA)> <!-- Gender part (Herrar, Damer, Mixed) in a RESVAD-->
 <!ELEMENT RESSTAGE (#PCDATA)> <!-- STAGE-part in a RESVAD-->
 <!ELEMENT RESTYPT (#PCDATA)> <!-- TYP-part (lag, individuellt osv) in a RESVAD-->
 <!ELEMENT RESVAR (#PCDATA)> <!-- Where the sport event took place -->
 <!ELEMENT RUBBE (RUBBERUBRIK, RUBBETEXT)> <!-- Container for a text piece for web publication. -->
 <!ELEMENT RUBBERUBRIK (#PCDATA)> <!-- Headline for web-publication -->
 <!ELEMENT RUBBETEXT (P+)> <!-- Text for web-publication -->
 <!ELEMENT RUBRIK (#PCDATA)> <!-- Headline in the text -->
 <!ELEMENT sa (#PCDATA)> <!-- Sellers price in AKTIE, KON, TEO-->
 <!ELEMENT sb (#PCDATA)> <!-- Payed in PRE-->
 <!ELEMENT SERIETAB (TABRUB*, SHEAD?, (STAB | SPLINJE)*, TABINFO?)> <!-- Container for sports tables with detailed rows and fields. -->
 <!ELEMENT SERVID (#PCDATA)> <!-- 1:30 Service Identifier-->
 <!ELEMENT SHEAD (SPHR+)> <!-- Header for sporttabeller-->
 <!ELEMENT SIZEANNO (#PCDATA)> <!-- 7:90 Size of the objectdata without tags-->
 <!ELEMENT SIZEMODE EMPTY> <!-- 7:10 Size mode-->
 <!ELEMENT sk (#PCDATA)> <!-- Sellers course in OPT,OBL, Salj i PRE-->
 <!ELEMENT sl (#PCDATA)> <!-- Final month in OPT-->
 <!ELEMENT SLUGG (#PCDATA)> <!-- 2:05 Object Name-->
 <!ELEMENT SM (#PCDATA)> <!-- Games played totally -->
 <!ELEMENT SOURCE (#PCDATA)> <!-- Source in a dateline -->
 <!ELEMENT SPECIAL (#PCDATA)> <!-- 2:40 Special Instructions-->
 <!ELEMENT SPEKMETA (DEPARTMENTS,WEEKNUMBER?)> <!-- Section for SPEKTRA departments -->
 <!ELEMENT SPGREN (#PCDATA)> <!-- Which sport event is covered -->
 <!ELEMENT SPHR (LAG, HV?, HVS?, HVSS?, HO?, HFS?, HF?, HFS?, HFSS?, HG?, HI?, BV?, BVS?, BVSS?, BO?, BFS?, BF?, BFS?, BFSS?, BG?, BI?, SM, VM, VMS?, VSS?, OM?,FMS?, FM,FMS?, FSS?, GM, IM, PT)> <!-- One header row in a sport table. -->

```

<!ELEMENT SPLINJE EMPTY> <!-- Empty element to indicate line in a sporttable -->
<!ELEMENT SPORTRES (SPGREN, SPVAR?, SPVAD?, (BLANKRAD | RES | RESEPA |
RESTAB | SERIETAB)*)> <!-- Body part of sportresult -->
<!ELEMENT SPTR (LAG, HV?, HVS?, HVSS?, HO?, HFS?, HF?, HFS?, HFSS?, HG?,
HI?, BV?, BVS?, BVSS?, BO?, BFS?, BF?, BFS?, BFSS?, BG?, BI?, SM, VM, VMS?,
VSS?, OM?,FMS?, FM,FMS?, FSS?, GM, IM, PT)> <!-- One row in a sports table. -->
<!ELEMENT SPVAD (#PCDATA)> <!-- Which event it is -->
<!ELEMENT SPVAR (#PCDATA)> <!-- Where the event took place -->
<!ELEMENT sr (#PCDATA)> <!-- sell interest in OBL-->
<!ELEMENT STAB (SPTR+)> <!-- One table part in sports table -->
<!ELEMENT SUBREF (#PCDATA)> <!-- 2:12 Subject reference-->
<!ELEMENT SVAR (#PCDATA)> <!-- Quoted answer to a FRAGA in BRODTEXT -->
<!ELEMENT TABELL (TR | SPLINJE)*> <!-- Table in BRODTEXT -->
<!ELEMENT TABINFO (P*)> <!-- Additional information about a table -->
<!ELEMENT TABRUB (#PCDATA)> <!-- Headline of table -->
<!ELEMENT TAKE (#PCDATA) > <!-- Can hold the number of a take in a series of takes --
>
<!ELEMENT TD (#PCDATA)> <!-- Data field in table -->
<!ELEMENT TEXT (RUBRIK?, DAT?, INGRESS?, BRODTEXT?, BYLINE*, BILD*)>
<!--A typical text-->
<!ELEMENT FAKTATEXT (RUBRIK?, DAT?, INGRESS?, BRODTEXT?, BYLINE*,
BILD*)>
<!ELEMENT BAKGRUNDTEXT (RUBRIK?, DAT?, INGRESS?, BRODTEXT?,
BYLINE*, BILD*)>
<!ELEMENT TEXTTYP (#PCDATA)> <!-- 2:03 Type of content-->
<!ELEMENT TH (#PCDATA)> <!-- Header field in table -->
<!ELEMENT thb (#PCDATA)> <!-- Highest in TEO -->
<!ELEMENT TIMESENT (#PCDATA)> <!-- 1:80 Time Sent. -->
<!ELEMENT tj (#PCDATA)> <!-- Twenty in NUMF-->
<!ELEMENT tk (#PCDATA)> <!-- Rate in TEO-->
<!ELEMENT tnamn (#PCDATA)> <!-- Name in TEO-->
<!ELEMENT TR (TH+ | TD+)> <!-- Table rows -->
<!ELEMENT TTNITF (HEAD, BODY, ENDSIZE)> <!-- Overall element for a TT NITF
file-->
<!ELEMENT ub (#PCDATA)> <!-- -->
<!ELEMENT ud (#PCDATA)> <!-- Payout in AKTIE-->
<!ELEMENT UL (LI+)> <!-- Container of bullet list -->
<!ELEMENT unamn (#PCDATA)> <!-- Name in UTLAKT-->
<!ELEMENT UNO (#PCDATA)> <!-- 1:100 UNique name of object-->
<!ELEMENT URG EMPTY> <!-- 2:10 Urgency-->
<!ELEMENT utb (#PCDATA)> <!-- Payout in FOND-->
<!ELEMENT utd (#PCDATA)> <!-- Payout day in FOND-->
<!ELEMENT va (#PCDATA)> <!-- Foreign currency in INDEX, VAL-->
<!ELEMENT WEEKNUMBER (#PCDATA)> <!-- Week number in SPEKMETA -->
<!ELEMENT VM (#PCDATA)> <!-- Games won totally -->
<!ELEMENT VMS (#PCDATA)> <!-- Games won totally after extension -->

```

```
<!ELEMENT VSS (#PCDATA)> <!-- Games won totally after shootout -->
<!ELEMENT vo (#PCDATA)> <!-- vol in OPT-->
<!ELEMENT vrr (#PCDATA)> <!-- Floating interest for houses in BORA-->
<!ELEMENT vr1 (#PCDATA)> <!-- One year interest houses in BORA-->
<!ELEMENT vr2 (#PCDATA)> <!-- Two year interest houses in BORA-->
<!ELEMENT vr5 (#PCDATA)> <!-- Five year interest houses in BORA-->
<!ELEMENT vr10 (#PCDATA)> <!-- Ten year interest houses in BORA-->
<!ELEMENT WRITER (#PCDATA)> <!-- 2:122 Caption/Story Writer-->
<!-- *****-->
<!-- SHARED DECLARATIONS -->
<!-- *****-->
<!-- *****-->
<!-- ATTRIBUTE DEFINITION LISTS -->
<!-- *****-->
<!ATTLIST ACTADV
    ACTION (01 | 02 | 03 | 04) "02"
    ID CDATA "2:42"
>
<!ATTLIST anamn
    ISIN CDATA ""
>
<!ATTLIST hnamn
    ISIN CDATA ""
>
<!ATTLIST knamn
    ISIN CDATA ""
>
<!ATTLIST onamn
    ISIN CDATA ""
>
<!ATTLIST tnamn
    ISIN CDATA ""
>
<!ATTLIST BLAG
    LAGID CDATA ""
    MATCHPOINT CDATA ""
    GRUPPID CDATA ""
    KONFERENSID CDATA ""
    SERIEID CDATA ""
>
<!ATTLIST BODY
    ID CDATA "8:10"
>
<!ATTLIST BYLINE
    EPOST CDATA ""
>
```

```
<!ATTLIST CAPTION
    ID CDATA "2:120"
>
<!ATTLIST DATESENT
    ID CDATA "1:70"
>
<!ATTLIST DEST
    ID CDATA "1:05"
>
<!ATTLIST EDSTAT
    ID CDATA "2:07"
>
<!ATTLIST EKOTABELL
    BTYP (OPT | INDEX | AKTIE | FOND | KON | OBL | BORA | TEO | PRE |
    NUMF | UTLAKT | VAL) "AKTIE"
    BNR (201 | 202 | 203 | 204 | 205 | 206 | 207 | 208 | 211 | 212 | 213 | 214 | 215 |
    216 | 218 | 221 | 223 | 224 | 241 | 242 | 250 | 252 | 401 | 402 | 403 | 404 | 410 | 412 | 414 | 416 |
    420 | 422 | 424 | 426 | 428 | 430 | 432 | 434 | 440) "201"
>
<!-- Number for each type of stock market table -->
<!ATTLIST ENDSIZE
    ID CDATA "9:10"
>
<!ATTLIST FIFO
    FFNO (25 | 27) "27"
    ID CDATA "1:20"
>
<!ATTLIST FIFOVER
    FFVERNO (01 | 02 | 03) "03"
    ID CDATA "1:22"
>
<!ATTLIST fnamn
    FNR CDATA ""
>
<!ATTLIST FIXID
    ID CDATA "2:22"
>
<!ATTLIST HEADLINE
    ID CDATA "2:105"
>
<!ATTLIST HLAG
    LAGID CDATA ""
    MATCHPOINT CDATA ""
    GRUPPID CDATA ""
    KONFERENSID CDATA ""
    SERIEID CDATA ""
```

```
>
<!ATTLIST HSOURCE
    ID CDATA "2:115"
>
<!ATTLIST KEYWORD
    ID CDATA "2:25"
>
<!ATTLIST LAG
    NOT CDATA ""
    LAGID CDATA ""
    GRUPPID CDATA ""
    KONFERENSID CDATA ""
    SERIEID CDATA ""
>
<!ATTLIST LANG
    ID CDATA "2:135"
>
<!ATTLIST MAXSUBSIZE
    ID CDATA "7:20"
>
<!ATTLIST MODVER
    ID CDATA "1:00"
    VER (03 | 04) "04"
>
<!ATTLIST NAME
    TYPE CDATA ""
>
<!ATTLIST NR
    ID CDATA "1:40"
>
<!ATTLIST PLAC
    MEDAL CDATA ""
    QVAL CDATA ""
>
<!ATTLIST PRODID
    ID CDATA "1:50"
    TKOD (INR | UTR | EKO | SPT | SPR | TTL | OBL | TPM | BOR | BBO | BOT |
TBL | PRM | RED | LOT | VAL | FAM | FEA | OVR | KLT | NOJ) "INR"
>
<!ATTLIST RECVER
    ID CDATA "2:00"
    Verno (03 | 04) "04"
>
<!ATTLIST REFUNO
    ID CDATA "6:250"
>
```

```
<!ATTLIST RES
    RESID CDATA ""
>
<!ATTLIST RESEPA
    MATCHID CDATA ""
    MATCHDATUM CDATA ""
    OMGNR CDATA ""
    MATCHSLUT (NORMAL | EXTRATID | STRAFF | LOTT) "NORMAL"
>
<!ATTLIST RESULT
    RECORD CDATA ""
>
<!ATTLIST RESVAD
    FORTS (Nej | Ja) "Nej"
>
<!ATTLIST EPAVAD
    FORTS (Nej | Ja) "Nej"
>
<!ATTLIST RUBBE
    ID CDATA ""
    ALLMI (0 | 1 | 2 | 3) "0"
    ALLMU (0 | 1 | 2 | 3) "0"
    EKO (0 | 1 | 2 | 3) "0"
    SPT (0 | 1 | 2 | 3) "0"
    SPEL (0 | 1 | 2 | 3) "0"
    IT (0 | 1 | 2 | 3) "0"
    BNG (0 | 1 | 2 | 3) "0"
    FRC (0 | 1 | 2 | 3) "0"
    KLT (0 | 1 | 2 | 3) "0"
    NOJ (0 | 1 | 2 | 3) "0"
    MTR (0 | 1 | 2 | 3) "0"
    MDE (0 | 1 | 2 | 3) "0"
    REFNR CDATA ""
>
<!ATTLIST SERIETAB
    GRUPPID CDATA ""
    KONFERENSID CDATA ""
    SERIEID CDATA ""
>
<!ATTLIST SERVID
    ID CDATA "1:30"
>
<!ATTLIST SIZEANNO
    ID CDATA "7:90"
>
<!ATTLIST SIZEMODE
```

```

    ID CDATA "7:10"
    SIZMOD (0 | 1) "0"
>
<!ATTLIST SLUGG
    ID CDATA "2:05"
>
<!ATTLIST SPECIAL
    ID CDATA "2:40"
>
<!ATTLIST SPLINJE
    LVAD (Slutspel | Uppflytt | Kvalned | KvalUpp | Nedflytt | Annan) "Annan"
>
<!ATTLIST SPVAD
    FORTS (Nej | Ja) "Nej"
    SERIEID CDATA ""
    SID CDATA ""
    SNAMN CDATA ""
>
<!ATTLIST SUBREF
    ID CDATA "2:12"
>
<!ATTLIST TEXT
    SUBSIZE CDATA ""
>
<!ATTLIST TEXTTYP
    ID CDATA "2:03"
>
<!ATTLIST TIMESENT
    ID CDATA "1:80"
>
<!ATTLIST UNO
    ID CDATA "1:100"
>
<!ATTLIST URG
    ID CDATA "2:10"
    PRIO (1 | 2 | 3 | 4 | 5) "5"
>
<!ATTLIST WRITER
    ID CDATA "2:122"
>
<!-- -->
```